

# Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 31.18

Pump Average Inner: 17.44


Pump Average Outer: 18.94

Transition Average: N/A

Total Watts: 1632

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 58.7



# Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 31.18

Pump Average Inner: 17.44


Pump Average Outer: 18.94

Transition Average: N/A

Total Watts: 1632

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 58.7



# Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

## (16) SCV-LED-15L-SC-50

Fixture Lumens: 14,963

Fixture Watts: 102

Lumens/Watt: 147

Mounting Height: 15'

## Calculation Summary

Canopy Average: 31.18

Pump Average Inner: 17.44

Pump Average Outer: 18.94

Transition Average: N/A

Total Watts: 1632

Watts/sq.ft.: 0.40

Lumens/sq.ft. : 58.7

