

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 42.12

Pump Average Inner: 23.63


Pump Average Outer: 25.62

Transition Average: N/A

Total Watts: 2128

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 79.4



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 42.12

Pump Average Inner: 23.63


Pump Average Outer: 25.62

Transition Average: N/A

Total Watts: 2128

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 79.4



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(16) SCV-LED-20L-SC-50

Fixture Lumens: 20,234

Fixture Watts: 133

Lumens/Watt: 152

Mounting Height: 15'

Calculation Summary

Canopy Average: 42.12

Pump Average Inner: 23.63

Pump Average Outer: 25.62

Transition Average: N/A

Total Watts: 2128

Watts/sq.ft.: 0.52

Lumens/sq.ft. : 79.4

