

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 77.36

Pump Average Inner: 48.24


Pump Average Outer: 29.97

Transition Average: N/A

Total Watts: 3875

Watts/sq.ft.: 0.95

Lumens/sq.ft. : 142.7



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 77.36

Pump Average Inner: 48.24


Pump Average Outer: 29.97

Transition Average: N/A

Total Watts: 3875

Watts/sq.ft.: 0.95

Lumens/sq.ft. : 142.7



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 77.36

Pump Average Inner: 48.24

Pump Average Outer: 29.97

Transition Average: N/A

Total Watts: 3875

Watts/sq.ft.: 0.95

Lumens/sq.ft. : 142.7

