

Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 48.50

Pump Average Inner: 27.18


Pump Average Outer: 29.49

Transition Average: N/A

Total Watts: 2480

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 91.3



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 48.50

Pump Average Inner: 27.18


Pump Average Outer: 29.49

Transition Average: N/A

Total Watts: 2480

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 91.3



Canopy Style: 6 x 1 Inline w/ Kiosk

Canopy Size: 24' x 170'

Initial Levels at grade and vertically on pumps.

(25) SCV-LED-23L-SC-50

Fixture Lumens: 23,284

Fixture Watts: 155

Lumens/Watt: 150

Mounting Height: 15'

Calculation Summary

Canopy Average: 48.50

Pump Average Inner: 27.18

Pump Average Outer: 29.49

Transition Average: N/A

Total Watts: 2480

Watts/sq.ft.: 0.61

Lumens/sq.ft. : 91.3

