



MPH - Mirada Post Top High Lumen Area Light

MPH PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MPH-LED-35L-SIL-2-30-70CRI	34,435	252	137	B4-U5-G4
MPH-LED-35L-SIL-2-30-70CRI-IH	25,621	252	102	B3-U5-G3
MPH-LED-35L-SIL-2-30-70CRI-IL	14,402	252	57	B2-U4-G2
MPH-LED-35L-SIL-2-40-70CRI	37,402	252	148	B4-U5-G4
MPH-LED-35L-SIL-2-40-70CRI-IH	27,829	252	110	B3-U5-G3
MPH-LED-35L-SIL-2-40-70CRI-IL	15,643	252	62	B2-U4-G3
MPH-LED-35L-SIL-2-50-70CRI	35,626	252	141	B4-U5-G4
MPH-LED-35L-SIL-2-50-70CRI-IH	26,507	252	105	B3-U5-G3
MPH-LED-35L-SIL-2-50-70CRI-IL	14,900	252	59	B2-U4-G3
MPH-LED-35L-SIL-3-30-70CRI	35,934	252	143	B4-U4-G4
MPH-LED-35L-SIL-3-30-70CRI-IH	27,292	252	108	B3-U4-G4
MPH-LED-35L-SIL-3-30-70CRI-IL	17,205	252	68	B1-U3-G3
MPH-LED-35L-SIL-3-40-70CRI	39,031	252	155	B4-U5-G4
MPH-LED-35L-SIL-3-40-70CRI-IH	29,644	252	118	B3-U4-G4
MPH-LED-35L-SIL-3-40-70CRI-IL	18,687	252	74	B1-U4-G3
MPH-LED-35L-SIL-3-50-70CRI	37,177	252	148	B4-U4-G4
MPH-LED-35L-SIL-3-50-70CRI-IH	28,236	252	112	B3-U4-G4
MPH-LED-35L-SIL-3-50-70CRI-IL	17,800	252	71	B1-U3-G3
MPH-LED-35L-SIL-5W-30-70CRI	36,535	252	145	B5-U5-G4
MPH-LED-35L-SIL-5W-40-70CRI	38,000	252	151	B5-U5-G4
MPH-LED-35L-SIL-5W-50-70CRI	37,790	252	150	B5-U5-G4
MPH-LED-35L-SIL-AM-30-70CRI	36,409	252	144	B3-U5-G3
MPH-LED-35L-SIL-AM-30-70CRI-IH	28,107	252	112	B2-U4-G3
MPH-LED-35L-SIL-AM-30-70CRI-IL	16,529	252	66	B1-U4-G3
MPH-LED-35L-SIL-AM-40-70CRI	39,546	252	157	B3-U5-G3
MPH-LED-35L-SIL-AM-40-70CRI-IH	30,529	252	121	B3-U5-G3
MPH-LED-35L-SIL-AM-40-70CRI-IL	17,954	252	71	B1-U4-G3
MPH-LED-35L-SIL-AM-50-70CRI	37,668	252	149	B3-U5-G3
MPH-LED-35L-SIL-AM-50-70CRI-IH	29,079	252	115	B2-U4-G3
MPH-LED-35L-SIL-AM-50-70CRI-IL	17,100	252	68	B1-U4-G3
MPH-LED-35L-SIL-FT-30-70CRI	35,381	252	140	B4-U5-G4
MPH-LED-35L-SIL-FT-30-70CRI-IH	26,300	252	104	B3-U4-G4
MPH-LED-35L-SIL-FT-30-70CRI-IL	17,323	252	69	B1-U4-G3
MPH-LED-35L-SIL-FT-40-70CRI	38,430	252	153	B4-U5-G4
MPH-LED-35L-SIL-FT-40-70CRI-IH	28,566	252	113	B3-U4-G4
MPH-LED-35L-SIL-FT-40-70CRI-IL	18,815	252	75	B1-U4-G3
MPH-LED-35L-SIL-FT-50-70CRI	36,605	252	145	B4-U5-G4
MPH-LED-35L-SIL-FT-50-70CRI-IH	27,210	252	108	B3-U4-G4
MPH-LED-35L-SIL-FT-50-70CRI-IL	17,922	252	71	B1-U4-G3
MPH-LED-35L-SIL-FTA-30-70CRI	35,863	252	142	B4-U5-G4
MPH-LED-35L-SIL-FTA-30-70CRI-IH	28,242	252	112	B3-U5-G3
MPH-LED-35L-SIL-FTA-30-70CRI-IL	18,939	252	75	B2-U4-G3
MPH-LED-35L-SIL-FTA-40-70CRI	38,953	252	155	B4-U5-G4
MPH-LED-35L-SIL-FTA-40-70CRI-IH	30,676	252	122	B3-U5-G3
MPH-LED-35L-SIL-FTA-40-70CRI-IL	20,571	252	82	B2-U5-G3
MPH-LED-35L-SIL-FTA-50-70CRI	37,103	252	147	B4-U5-G4
MPH-LED-35L-SIL-FTA-50-70CRI-IH	29,219	252	116	B3-U5-G3
MPH-LED-35L-SIL-FTA-50-70CRI-IL	19,594	252	78	B2-U4-G3
MPH-LED-45L-SIL-2-30-70CRI	45,148	369	122	B5-U5-G4
MPH-LED-45L-SIL-2-30-70CRI-IH	33,592	369	91	B3-U5-G3
MPH-LED-45L-SIL-2-30-70CRI-IL	18,883	369	51	B2-U4-G3
MPH-LED-45L-SIL-2-40-70CRI	49,039	369	133	B5-U5-G4
MPH-LED-45L-SIL-2-40-70CRI-IH	36,487	369	99	B3-U5-G3



MPH - Mirada Post Top High Lumen Area Light

MPH PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MPH-LED-45LSIL-2-40-70CRI-IL	20,510	369	56	B2-U4-G3
MPH-LED-45L-SIL-2-50-70CRI	46,710	369	127	B5-U5-G4
MPH-LED-45L-SIL-2-50-70CRI-IH	34,754	369	94	B3-U5-G3
MPH-LED-45LSIL-2-50-70CRI-IL	19,536	369	53	B2-U4-G3
MPH-LED-45L-SIL-3-30-70CRI	47,115	369	128	B4-U5-G5
MPH-LED-45L-SIL-3-30-70CRI-IH	35,783	369	97	B3-U5-G4
MPH-LED-45L-SIL-3-30-70CRI-IL	22,558	369	61	B1-U4-G3
MPH-LED-45L-SIL-3-40-70CRI	51,175	369	139	B4-U5-G5
MPH-LED-45L-SIL-3-40-70CRI-IH	38,867	369	105	B3-U5-G4
MPH-LED-45L-SIL-3-40-70CRI-IL	24,501	369	66	B1-U4-G4
MPH-LED-45L-SIL-3-50-70CRI	48,745	369	132	B4-U5-G5
MPH-LED-45L-SIL-3-50-70CRI-IH	37,021	369	100	B3-U5-G4
MPH-LED-45L-SIL-3-50-70CRI-IL	23,338	369	63	B1-U4-G4
MPH-LED-45L-SIL-5W-30-70CRI	45,870	369	124	B5-U0-G4
MPH-LED-45L-SIL-5W-40-70CRI	49,823	369	135	B5-U0-G4
MPH-LED-45L-SIL-5W-50-70CRI	47,456	369	129	B5-U0-G4
MPH-LED-45L-SIL-AM-30-70CRI	47,737	369	129	B3-U5-G4
MPH-LED-45L-SIL-AM-30-70CRI-IH	36,852	369	100	B3-U5-G3
MPH-LED-45L-SIL-AM-30-70CRI-IL	21,656	369	59	B1-U4-G3
MPH-LED-45L-SIL-AM-40-70CRI	51,850	369	141	B4-U5-G4
MPH-LED-45L-SIL-AM-40-70CRI-IH	40,028	369	108	B3-U5-G3
MPH-LED-45L-SIL-AM-40-70CRI-IL	23,522	369	64	B1-U4-G3
MPH-LED-45L-SIL-AM-50-70CRI	49,388	369	134	B4-U5-G4
MPH-LED-45L-SIL-AM-50-70CRI-IH	38,127	369	103	B3-U5-G3
MPH-LED-45L-SIL-AM-50-70CRI-IL	22,405	369	61	B1-U4-G3
MPH-LED-45L-SIL-FT-30-70CRI	46,390	369	126	B4-U5-G5
MPH-LED-45L-SIL-FT-30-70CRI-IH	34,483	369	93	B3-U5-G4
MPH-LED-45L-SIL-FT-30-70CRI-IL	22,712	369	62	B1-U4-G4
MPH-LED-45L-SIL-FT-40-70CRI	50,388	369	137	B4-U5-G5
MPH-LED-45L-SIL-FT-40-70CRI-IH	37,455	369	102	B3-U5-G4
MPH-LED-45L-SIL-FT-40-70CRI-IL	24,669	369	67	B1-U4-G4
MPH-LED-45L-SIL-FT-50-70CRI	47,995	369	130	B4-U5-G5
MPH-LED-45L-SIL-FT-50-70CRI-IH	35,676	369	97	B3-U5-G4
MPH-LED-45L-SIL-FT-50-70CRI-IL	23,498	369	64	B1-U4-G4
MPH-LED-45L-SIL-FTA-30-70CRI	47,021	369	127	B4-U5-G4
MPH-LED-45L-SIL-FTA-30-70CRI-IH	37,029	369	100	B3-U5-G3
MPH-LED-45L-SIL-FTA-30-70CRI-IL	24,831	369	67	B2-U5-G3
MPH-LED-45L-SIL-FTA-40-70CRI	51,074	369	138	B5-U5-G4
MPH-LED-45L-SIL-FTA-40-70CRI-IH	40,220	369	109	B3-U5-G3
MPH-LED-45L-SIL-FTA-40-70CRI-IL	26,970	369	73	B2-U5-G3
MPH-LED-45L-SIL-FTA-50-70CRI	48,648	369	132	B5-U5-G4
MPH-LED-45L-SIL-FTA-50-70CRI-IH	38,309	369	104	B3-U5-G3
MPH-LED-45L-SIL-FTA-50-70CRI-IL	25,690	369	70	B2-U5-G3
MPH-LED-55L-SIL-2-30-70CRI	51,855	438	118	B5-U5-G4
MPH-LED-55L-SIL-2-30-70CRI-IH	38,583	438	88	B3-U5-G3
MPH-LED-55LSIL-2-30-70CRI-IL	21,688	438	50	B3-U5-G3
MPH-LED-55L-SIL-2-40-70CRI	56,323	438	129	B5-U5-G4
MPH-LED-55L-SIL-2-40-70CRI-IH	41,908	438	96	B4-U5-G3
MPH-LED-55LSIL-2-40-70CRI-IL	23,557	438	54	B3-U5-G3
MPH-LED-55L-SIL-2-50-70CRI	53,648	438	122	B5-U5-G4
MPH-LED-55L-SIL-2-50-70CRI-IH	39,917	438	91	B3-U5-G3
MPH-LED-55LSIL-2-50-70CRI-IL	22,438	438	51	B3-U5-G3
MPH-LED-55L-SIL-3-30-70CRI	54,114	438	124	B4-U5-G5



MPH - Mirada Post Top High Lumen Area Light

MPH PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
MPH-LED-55L-SIL-3-30-70CRI-IH	39,384	438	90	B3-U5-G4
MPH-LED-55L-SIL-3-30-70CRI-IL	25,909	438	59	B1-U4-G4
MPH-LED-55L-SIL-3-40-70CRI	58,778	438	134	B4-U5-G5
MPH-LED-55L-SIL-3-40-70CRI-IH	42,778	438	98	B3-U5-G4
MPH-LED-55L-SIL-3-40-70CRI-IL	28,142	438	64	B1-U4-G4
MPH-LED-55L-SIL-3-50-70CRI	55,986	438	128	B4-U5-G5
MPH-LED-55L-SIL-3-50-70CRI-IH	40,746	438	93	B3-U5-G4
MPH-LED-55L-SIL-3-50-70CRI-IL	26,805	438	61	B1-U4-G4
MPH-LED-55L-SIL-5W-30-70CRI	52,683	438	120	B5-U0-G4
MPH-LED-55L-SIL-5W-40-70CRI	57,224	438	131	B5-U0-G5
MPH-LED-55L-SIL-5W-50-70CRI	54,506	438	124	B5-U0-G4
MPH-LED-55L-SIL-AM-30-70CRI	54,828	438	125	B4-U5-G4
MPH-LED-55L-SIL-AM-30-70CRI-IH	42,325	438	97	B3-U5-G3
MPH-LED-55L-SIL-AM-30-70CRI-IL	24,873	438	57	B1-U4-G3
MPH-LED-55L-SIL-AM-40-70CRI	59,553	438	136	B4-U5-G4
MPH-LED-55L-SIL-AM-40-70CRI-IH	45,973	438	105	B3-U5-G3
MPH-LED-55L-SIL-AM-40-70CRI-IL	27,016	438	62	B1-U4-G3
MPH-LED-55L-SIL-AM-50-70CRI	56,724	438	130	B4-U5-G4
MPH-LED-55L-SIL-AM-50-70CRI-IH	43,789	438	100	B3-U5-G3
MPH-LED-55L-SIL-AM-50-70CRI-IL	25,733	438	59	B1-U4-G3
MPH-LED-55L-SIL-FT-30-70CRI	53,282	438	122	B4-U5-G5
MPH-LED-55L-SIL-FT-30-70CRI-IH	39,605	438	90	B3-U5-G4
MPH-LED-55L-SIL-FT-30-70CRI-IL	26,085	438	60	B1-U4-G4
MPH-LED-55L-SIL-FT-40-70CRI	57,874	438	132	B5-U5-G5
MPH-LED-55L-SIL-FT-40-70CRI-IH	43,018	438	98	B3-U5-G5
MPH-LED-55L-SIL-FT-40-70CRI-IL	28,334	438	65	B1-U4-G4
MPH-LED-55L-SIL-FT-50-70CRI	55,125	438	126	B5-U5-G5
MPH-LED-55L-SIL-FT-50-70CRI-IH	40,974	438	94	B3-U5-G5
MPH-LED-55L-SIL-FT-50-70CRI-IL	26,988	438	62	B1-U4-G4
MPH-LED-55L-SIL-FTA-30-70CRI	54,006	438	123	B5-U5-G4
MPH-LED-55L-SIL-FTA-30-70CRI-IH	42,530	438	97	B4-U5-G4
MPH-LED-55L-SIL-FTA-30-70CRI-IL	28,520	438	65	B3-U5-G3
MPH-LED-55L-SIL-FTA-40-70CRI	58,659	438	134	B5-U5-G5
MPH-LED-55L-SIL-FTA-40-70CRI-IH	46,195	438	105	B4-U5-G4
MPH-LED-55L-SIL-FTA-40-70CRI-IL	30,978	438	71	B3-U5-G3
MPH-LED-55L-SIL-FTA-50-70CRI	55,873	438	128	B5-U5-G4
MPH-LED-55L-SIL-FTA-50-70CRI-IH	44,001	438	100	B4-U5-G4
MPH-LED-55L-SIL-FTA-50-70CRI-IL	29,506	438	67	B3-U5-G3
MPH-LED-65L-SIL-2-30-70CRI	59,783	533	112	B5-U5-G5
MPH-LED-65L-SIL-2-30-70CRI-IH	44,481	533	83	B4-U5-G3
MPH-LED-65L-SIL-2-30-70CRI-IL	25,003	533	47	B3-U5-G3
MPH-LED-65L-SIL-2-40-70CRI	64,935	533	122	B5-U5-G5
MPH-LED-65L-SIL-2-40-70CRI-IH	48,314	533	91	B4-U5-G4
MPH-LED-65L-SIL-2-40-70CRI-IL	27,158	533	51	B3-U5-G3
MPH-LED-65L-SIL-2-50-70CRI	61,851	533	116	B5-U5-G5
MPH-LED-65L-SIL-2-50-70CRI-IH	46,019	533	86	B4-U5-G4
MPH-LED-65L-SIL-2-50-70CRI-IL	25,868	533	49	B3-U5-G3
MPH-LED-65L-SIL-3-30-70CRI	62,387	533	117	B5-U5-G5
MPH-LED-65L-SIL-3-30-70CRI-IH	47,383	533	89	B3-U5-G5
MPH-LED-65L-SIL-3-30-70CRI-IL	29,869	533	56	B1-U4-G4
MPH-LED-65L-SIL-3-40-70CRI	67,764	533	127	B5-U5-G5
MPH-LED-65L-SIL-3-40-70CRI-IH	51,466	533	97	B4-U5-G5
MPH-LED-65L-SIL-3-40-70CRI-IL	32,443	533	61	B2-U4-G4



MPH - Mirada Post Top High Lumen Area Light

MPH PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MPH-LED-65L-SIL-3-50-70CRI	64,545	533	121	B5-U5-G5
MPH-LED-65L-SIL-3-50-70CRI-IH	49,022	533	92	B3-U5-G5
MPH-LED-65L-SIL-3-50-70CRI-IL	30,902	533	58	B1-U4-G4
MPH-LED-65L-SIL-5W-30-70CRI	60,739	533	114	B5-U0-G5
MPH-LED-65L-SIL-5W-40-70CRI	65,973	533	124	B5-U0-G5
MPH-LED-65L-SIL-5W-50-70CRI	62,839	533	118	B5-U0-G5
MPH-LED-65L-SIL-AM-30-70CRI	63,210	533	119	B4-U5-G5
MPH-LED-65L-SIL-AM-30-70CRI-IH	48,797	533	92	B3-U5-G4
MPH-LED-65L-SIL-AM-30-70CRI-IL	28,676	533	54	B1-U5-G3
MPH-LED-65L-SIL-AM-40-70CRI	68,658	533	129	B4-U5-G5
MPH-LED-65L-SIL-AM-40-70CRI-IH	53,002	533	99	B3-U5-G4
MPH-LED-65L-SIL-AM-40-70CRI-IL	31,147	533	58	B1-U5-G4
MPH-LED-65L-SIL-AM-50-70CRI	65,397	533	123	B4-U5-G5
MPH-LED-65L-SIL-AM-50-70CRI-IH	50,484	533	95	B3-U5-G4
MPH-LED-65L-SIL-AM-50-70CRI-IL	29,668	533	56	B1-U5-G3
MPH-LED-65L-SIL-FT-30-70CRI	61,428	533	115	B5-U5-G5
MPH-LED-65L-SIL-FT-30-70CRI-IH	45,660	533	86	B3-U5-G5
MPH-LED-65L-SIL-FT-30-70CRI-IL	30,074	533	56	B1-U4-G4
MPH-LED-65L-SIL-FT-40-70CRI	66,722	533	125	B5-U5-G5
MPH-LED-65L-SIL-FT-40-70CRI-IH	49,595	533	93	B3-U5-G5
MPH-LED-65L-SIL-FT-40-70CRI-IL	32,666	533	61	B2-U5-G4
MPH-LED-65L-SIL-FT-50-70CRI	63,553	533	119	B5-U5-G5
MPH-LED-65L-SIL-FT-50-70CRI-IH	47,239	533	89	B3-U5-G5
MPH-LED-65L-SIL-FT-50-70CRI-IL	31,114	533	58	B1-U4-G4
MPH-LED-65L-SIL-FTA-30-70CRI	62,263	533	117	B5-U5-G5
MPH-LED-65L-SIL-FTA-30-70CRI-IH	49,032	533	92	B4-U5-G4
MPH-LED-65L-SIL-FTA-30-70CRI-IL	32,880	533	62	B3-U5-G3
MPH-LED-65L-SIL-FTA-40-70CRI	67,628	533	127	B5-U5-G5
MPH-LED-65L-SIL-FTA-40-70CRI-IH	53,258	533	100	B4-U5-G4
MPH-LED-65L-SIL-FTA-40-70CRI-IL	35,713	533	67	B3-U5-G3
MPH-LED-65L-SIL-FTA-50-70CRI	64,416	533	121	B5-U5-G5
MPH-LED-65L-SIL-FTA-50-70CRI-IH	50,728	533	95	B4-U5-G4
MPH-LED-65L-SIL-FTA-50-70CRI-IL	34,017	533	64	B3-U5-G3
MPH-LED-72L-SIL-2-30-70CRI	62,712	566	111	B5-U5-G5
MPH-LED-72L-SIL-2-30-70CRI-IH	46,660	566	82	B4-U5-G4
MPH-LED-72L-SIL-2-30-70CRI-IL	26,228	566	46	B3-U5-G3
MPH-LED-72L-SIL-2-40-70CRI	68,117	566	120	B5-U5-G5
MPH-LED-72L-SIL-2-40-70CRI-IH	50,682	566	90	B4-U5-G4
MPH-LED-72L-SIL-2-40-70CRI-IL	28,489	566	50	B3-U5-G3
MPH-LED-72L-SIL-2-50-70CRI	64,882	566	115	B5-U5-G5
MPH-LED-72L-SIL-2-50-70CRI-IH	48,274	566	85	B4-U5-G4
MPH-LED-72L-SIL-2-50-70CRI-IL	27,136	566	48	B3-U5-G3
MPH-LED-72L-SIL-3-30-70CRI	65,445	566	116	B5-U5-G5
MPH-LED-72L-SIL-3-30-70CRI-IH	49,704	566	88	B3-U5-G5
MPH-LED-72L-SIL-3-30-70CRI-IL	31,333	566	55	B1-U4-G4
MPH-LED-72L-SIL-3-40-70CRI	71,085	566	126	B5-U5-G5
MPH-LED-72L-SIL-3-40-70CRI-IH	53,988	566	95	B4-U5-G5
MPH-LED-72L-SIL-3-40-70CRI-IL	34,034	566	60	B2-U4-G4
MPH-LED-72L-SIL-3-50-70CRI	67,708	566	120	B5-U5-G5
MPH-LED-72L-SIL-3-50-70CRI-IH	51,424	566	91	B4-U5-G5
MPH-LED-72L-SIL-3-50-70CRI-IL	32,417	566	57	B2-U4-G4
MPH-LED-72L-SIL-5W-30-70CRI	63,715	566	113	B5-U0-G5
MPH-LED-72L-SIL-5W-40-70CRI	69,207	566	122	B5-U0-G5



MPH - Mirada Post Top High Lumen Area Light

MPH PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MPH-LED-72L-SIL-5W-50-70CRI	65,919	566	116	B5-U0-G5
MPH-LED-72L-SIL-AM-30-70CRI	66,308	566	117	B4-U5-G5
MPH-LED-72L-SIL-AM-30-70CRI-IH	51,189	566	90	B3-U5-G4
MPH-LED-72L-SIL-AM-30-70CRI-IL	30,081	566	53	B1-U5-G3
MPH-LED-72L-SIL-AM-40-70CRI	72,023	566	127	B4-U5-G5
MPH-LED-72L-SIL-AM-40-70CRI-IH	55,600	566	98	B3-U5-G4
MPH-LED-72L-SIL-AM-40-70CRI-IL	32,673	566	58	B2-U5-G4
MPH-LED-72L-SIL-AM-50-70CRI	68,601	566	121	B4-U5-G5
MPH-LED-72L-SIL-AM-50-70CRI-IH	52,959	566	94	B3-U5-G4
MPH-LED-72L-SIL-AM-50-70CRI-IL	31,121	566	55	B1-U5-G4
MPH-LED-72L-SIL-FT-30-70CRI	64,438	566	114	B5-U5-G5
MPH-LED-72L-SIL-FT-30-70CRI-IH	47,898	566	85	B3-U5-G5
MPH-LED-72L-SIL-FT-30-70CRI-IL	31,548	566	56	B2-U4-G4
MPH-LED-72L-SIL-FT-40-70CRI	69,992	566	124	B5-U5-G5
MPH-LED-72L-SIL-FT-40-70CRI-IH	52,026	566	92	B3-U5-G5
MPH-LED-72L-SIL-FT-40-70CRI-IL	34,267	566	61	B2-U5-G4
MPH-LED-72L-SIL-FT-50-70CRI	66,667	566	118	B5-U5-G5
MPH-LED-72L-SIL-FT-50-70CRI-IH	49,554	566	88	B3-U5-G5
MPH-LED-72L-SIL-FT-50-70CRI-IL	32,639	566	58	B2-U5-G4
MPH-LED-72L-SIL-FTA-30-70CRI	65,314	566	115	B5-U5-G5
MPH-LED-72L-SIL-FTA-30-70CRI-IH	51,434	566	91	B4-U5-G4
MPH-LED-72L-SIL-FTA-30-70CRI-IL	34,491	566	61	B3-U5-G3
MPH-LED-72L-SIL-FTA-40-70CRI	70,943	566	125	B5-U5-G5
MPH-LED-72L-SIL-FTA-40-70CRI-IH	55,867	566	99	B4-U5-G4
MPH-LED-72L-SIL-FTA-40-70CRI-IL	37,463	566	66	B3-U5-G3
MPH-LED-72L-SIL-FTA-50-70CRI	67,573	566	119	B5-U5-G5
MPH-LED-72L-SIL-FTA-50-70CRI-IH	53,213	566	94	B4-U5-G4
MPH-LED-72L-SIL-FTA-50-70CRI-IL	35,684	566	63	B3-U5-G3
MPH-LED-78L-SIL-2-30-70CRI	71,477	647	110	B5-U5-G5
MPH-LED-78L-SIL-2-30-70CRI-IH	53,182	647	82	B4-U5-G4
MPH-LED-78L-SIL-2-30-70CRI-IL	29,894	647	46	B3-U5-G3
MPH-LED-78L-SIL-2-40-70CRI	77,637	647	120	B5-U5-G5
MPH-LED-78L-SIL-2-40-70CRI-IH	57,765	647	89	B4-U5-G4
MPH-LED-78L-SIL-2-40-70CRI-IL	32,471	647	50	B3-U5-G3
MPH-LED-78L-SIL-2-50-70CRI	73,949	647	114	B5-U5-G5
MPH-LED-78L-SIL-2-50-70CRI-IH	55,021	647	85	B4-U5-G4
MPH-LED-78L-SIL-2-50-70CRI-IL	30,929	647	48	B3-U5-G3
MPH-LED-78L-SIL-3-30-70CRI	74,591	647	115	B5-U5-G5
MPH-LED-78L-SIL-3-30-70CRI-IH	56,651	647	88	B4-U5-G5
MPH-LED-78L-SIL-3-30-70CRI-IL	35,712	647	55	B2-U4-G5
MPH-LED-78L-SIL-3-40-70CRI	81,019	647	125	B5-U5-G5
MPH-LED-78L-SIL-3-40-70CRI-IH	61,533	647	95	B4-U5-G5
MPH-LED-78L-SIL-3-40-70CRI-IL	38,790	647	60	B2-U5-G5
MPH-LED-78L-SIL-3-50-70CRI	77,170	647	119	B5-U5-G5
MPH-LED-78L-SIL-3-50-70CRI-IH	58,610	647	91	B4-U5-G5
MPH-LED-78L-SIL-3-50-70CRI-IL	36,947	647	57	B2-U5-G5
MPH-LED-78L-SIL-5W-30-70CRI	72,620	647	112	B5-U5-G5
MPH-LED-78L-SIL-5W-40-70CRI	78,878	647	122	B5-U5-G5
MPH-LED-78L-SIL-5W-50-70CRI	75,132	647	116	B5-U5-G5
MPH-LED-78L-SIL-AM-30-70CRI	75,575	647	117	B4-U5-G5
MPH-LED-78L-SIL-AM-30-70CRI-IH	58,342	647	90	B3-U5-G4
MPH-LED-78L-SIL-AM-30-70CRI-IL	31,607	647	49	B2-U5-G4
MPH-LED-78L-SIL-AM-40-70CRI	82,088	647	127	B4-U5-G5



MPH - Mirada Post Top High Lumen Area Light

MPH PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
MPH-LED-78L-SIL-AM-40-70CRI-IH	63,370	647	98	B3-U5-G4
MPH-LED-78L-SIL-AM-40-70CRI-IL	34,331	647	53	B2-U5-G4
MPH-LED-78L-SIL-AM-50-70CRI	78,189	647	121	B4-U5-G5
MPH-LED-78L-SIL-AM-50-70CRI-IH	60,360	647	93	B3-U5-G4
MPH-LED-78L-SIL-AM-50-70CRI-IL	32,700	647	51	B2-U5-G4
MPH-LED-78L-SIL-FT-30-70CRI	73,445	647	114	B5-U5-G5
MPH-LED-78L-SIL-FT-30-70CRI-IH	54,591	647	84	B4-U5-G5
MPH-LED-78L-SIL-FT-30-70CRI-IL	35,957	647	56	B2-U5-G5
MPH-LED-78L-SIL-FT-40-70CRI	79,774	647	123	B5-U5-G5
MPH-LED-78L-SIL-FT-40-70CRI-IH	59,296	647	92	B4-U5-G5
MPH-LED-78L-SIL-FT-40-70CRI-IL	39,056	647	60	B2-U5-G5
MPH-LED-78L-SIL-FT-50-70CRI	75,985	647	117	B5-U5-G5
MPH-LED-78L-SIL-FT-50-70CRI-IH	56,479	647	87	B4-U5-G5
MPH-LED-78L-SIL-FT-50-70CRI-IL	37,200	647	57	B2-U5-G5
MPH-LED-78L-SIL-FTA-30-70CRI	74,441	647	115	B5-U5-G5
MPH-LED-78L-SIL-FTA-30-70CRI-IH	58,622	647	91	B4-U5-G4
MPH-LED-78L-SIL-FTA-30-70CRI-IL	39,312	647	61	B3-U5-G4
MPH-LED-78L-SIL-FTA-40-70CRI	80,857	647	125	B5-U5-G5
MPH-LED-78L-SIL-FTA-40-70CRI-IH	63,674	647	98	B4-U5-G5
MPH-LED-78L-SIL-FTA-40-70CRI-IL	42,700	647	66	B3-U5-G4
MPH-LED-78L-SIL-FTA-50-70CRI	77,016	647	119	B5-U5-G5
MPH-LED-78L-SIL-FTA-50-70CRI-IH	60,650	647	94	B4-U5-G4
MPH-LED-78L-SIL-FTA-50-70CRI-IL	40,671	647	63	B3-U5-G4