



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-02L-SIL-2-AMT          | 2,557                   | 36           | 71         | B1-U0-G1   |
| MRS-LED-02L-SIL-3-AMT          | 2,599                   | 36           | 72         | B1-U0-G1   |
| MRS-LED-02L-SIL-5W-AMT         | 2,459                   | 36           | 68         | B2-U0-G1   |
| MRS-LED-02L-SIL-FT-AMT         | 2,516                   | 36           | 70         | B1-U0-G1   |
|                                |                         |              |            |            |
| MRS-LED-04L-SIL-2-AMT          | 3,761                   | 93           | 40         | B1-U0-G1   |
| MRS-LED-04L-SIL-3-AMT          | 3,822                   | 93           | 41         | B1-U0-G1   |
| MRS-LED-04L-SIL-5W-AMT         | 3,616                   | 93           | 39         | B3-U0-G1   |
| MRS-LED-04L-SIL-FT-AMT         | 3,699                   | 93           | 40         | B1-U0-G1   |
|                                |                         |              |            |            |
| MRS-LED-06L-SIL-2-30-70CRI     | 5,918                   | 39           | 152        | B2-U0-G1   |
| MRS-LED-06L-SIL-2-30-70CRI-IH  | 4,597                   | 39           | 118        | B1-U0-G1   |
| MRS-LED-06L-SIL-2-30-70CRI-IL  | 3,727                   | 39           | 96         | B1-U0-G0   |
| MRS-LED-06L-SIL-2-40-70CRI     | 6,136                   | 39           | 157        | B2-U0-G1   |
| MRS-LED-06L-SIL-2-40-70CRI-IH  | 4,766                   | 39           | 122        | B1-U0-G1   |
| MRS-LED-06L-SIL-2-40-70CRI-IL  | 3,864                   | 39           | 99         | B1-U0-G0   |
| MRS-LED-06L-SIL-2-50-70CRI     | 6,121                   | 39           | 157        | B2-U0-G1   |
| MRS-LED-06L-SIL-2-50-70CRI-IH  | 4,754                   | 39           | 122        | B1-U0-G1   |
| MRS-LED-06L-SIL-2-50-70CRI-IL  | 3,855                   | 39           | 99         | B1-U0-G0   |
| MRS-LED-06L-SIL-3-30-70CRI     | 6,016                   | 39           | 154        | B1-U0-G2   |
| MRS-LED-06L-SIL-3-30-70CRI-IH  | 4,746                   | 39           | 122        | B1-U0-G1   |
| MRS-LED-06L-SIL-3-30-70CRI-IL  | 4,030                   | 39           | 103        | B0-U0-G1   |
| MRS-LED-06L-SIL-3-40-70CRI     | 6,239                   | 39           | 160        | B1-U0-G2   |
| MRS-LED-06L-SIL-3-40-70CRI-IH  | 4,922                   | 39           | 126        | B1-U0-G1   |
| MRS-LED-06L-SIL-3-40-70CRI-IL  | 4,180                   | 39           | 107        | B0-U0-G1   |
| MRS-LED-06L-SIL-3-50-70CRI     | 6,224                   | 39           | 160        | B1-U0-G2   |
| MRS-LED-06L-SIL-3-50-70CRI-IH  | 4,910                   | 39           | 126        | B1-U0-G1   |
| MRS-LED-06L-SIL-3-50-70CRI-IL  | 4,170                   | 39           | 107        | B0-U0-G1   |
| MRS-LED-06L-SIL-4-30-70CRI     | 5,967                   | 39           | 153        | B1-U0-G2   |
| MRS-LED-06L-SIL-4-30-70CRI-IH  | 4,728                   | 39           | 121        | B1-U0-G1   |
| MRS-LED-06L-SIL-4-30-70CRI-IL  | 3,581                   | 39           | 92         | B0-U0-G1   |
| MRS-LED-06L-SIL-4-40-70CRI     | 6,333                   | 39           | 162        | B1-U0-G3   |
| MRS-LED-06L-SIL-4-40-70CRI-IH  | 5,017                   | 39           | 129        | B1-U0-G2   |
| MRS-LED-06L-SIL-4-40-70CRI-IL  | 3,800                   | 39           | 97         | B0-U0-G1   |
| MRS-LED-06L-SIL-4-50-70CRI     | 6,136                   | 39           | 157        | B1-U0-G2   |
| MRS-LED-06L-SIL-4-50-70CRI-IH  | 4,861                   | 39           | 125        | B1-U0-G1   |
| MRS-LED-06L-SIL-4-50-70CRI-IL  | 3,682                   | 39           | 94         | B0-U0-G1   |
| MRS-LED-06L-SIL-5W-30-70CRI    | 5,690                   | 39           | 146        | B3-U0-G1   |
| MRS-LED-06L-SIL-5W-40-70CRI    | 5,900                   | 39           | 151        | B3-U0-G1   |
| MRS-LED-06L-SIL-5W-50-70CRI    | 5,886                   | 39           | 151        | B3-U0-G1   |
| MRS-LED-06L-SIL-FT-30-70CRI    | 5,823                   | 39           | 149        | B1-U0-G1   |
| MRS-LED-06L-SIL-FT-30-70CRI-IH | 4,364                   | 39           | 112        | B1-U0-G1   |
| MRS-LED-06L-SIL-FT-30-70CRI-IL | 3,768                   | 39           | 97         | B0-U0-G1   |
| MRS-LED-06L-SIL-FT-40-70CRI    | 6,037                   | 39           | 155        | B1-U0-G1   |
| MRS-LED-06L-SIL-FT-40-70CRI-IH | 4,525                   | 39           | 116        | B1-U0-G1   |
| MRS-LED-06L-SIL-FT-40-70CRI-IL | 3,907                   | 39           | 100        | B0-U0-G1   |
| MRS-LED-06L-SIL-FT-50-70CRI    | 6,023                   | 39           | 154        | B1-U0-G1   |
| MRS-LED-06L-SIL-FT-50-70CRI-IH | 4,515                   | 39           | 116        | B1-U0-G1   |
| MRS-LED-06L-SIL-FT-50-70CRI-IL | 3,898                   | 39           | 100        | B0-U0-G1   |
| MRS-LED-06L-SIL-LC-30-70CRI    | 6,003                   | 39           | 154        | B1-U0-G2   |
| MRS-LED-06L-SIL-LC-40-70CRI    | 6,371                   | 39           | 163        | B1-U0-G2   |
| MRS-LED-06L-SIL-LC-50-70CRI    | 6,173                   | 39           | 158        | B1-U0-G2   |
| MRS-LED-06L-SIL-RC-30-70CRI    | 5,964                   | 39           | 153        | B1-U0-G2   |
| MRS-LED-06L-SIL-RC-40-70CRI    | 6,329                   | 39           | 162        | B1-U0-G2   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-06L-SIL-RC-50-70CRI    | 6,132                   | 39           | 157        | B1-U0-G2   |
| MRS-LED-09L-SIL-2-30-70CRI     | 9,091                   | 63           | 144        | B2-U0-G2   |
| MRS-LED-09L-SIL-2-30-70CRI-IH  | 7,061                   | 63           | 112        | B2-U0-G1   |
| MRS-LED-09L-SIL-2-30-70CRI-IL  | 5,725                   | 63           | 91         | B1-U0-G1   |
| MRS-LED-09L-SIL-2-40-70CRI     | 9,484                   | 63           | 151        | B2-U0-G2   |
| MRS-LED-09L-SIL-2-40-70CRI-IH  | 7,366                   | 63           | 117        | B2-U0-G1   |
| MRS-LED-09L-SIL-2-40-70CRI-IL  | 5,972                   | 63           | 95         | B1-U0-G1   |
| MRS-LED-09L-SIL-2-50-70CRI     | 9,462                   | 63           | 150        | B2-U0-G2   |
| MRS-LED-09L-SIL-2-50-70CRI-IH  | 7,349                   | 63           | 117        | B2-U0-G1   |
| MRS-LED-09L-SIL-2-50-70CRI-IL  | 5,958                   | 63           | 95         | B1-U0-G1   |
| MRS-LED-09L-SIL-3-30-70CRI     | 9,241                   | 63           | 147        | B2-U0-G2   |
| MRS-LED-09L-SIL-3-30-70CRI-IH  | 7,290                   | 63           | 116        | B1-U0-G2   |
| MRS-LED-09L-SIL-3-30-70CRI-IL  | 6,191                   | 63           | 98         | B0-U0-G2   |
| MRS-LED-09L-SIL-3-40-70CRI     | 9,641                   | 63           | 153        | B2-U0-G2   |
| MRS-LED-09L-SIL-3-40-70CRI-IH  | 7,606                   | 63           | 121        | B1-U0-G2   |
| MRS-LED-09L-SIL-3-40-70CRI-IL  | 6,459                   | 63           | 103        | B0-U0-G2   |
| MRS-LED-09L-SIL-3-50-70CRI     | 9,619                   | 63           | 153        | B2-U0-G2   |
| MRS-LED-09L-SIL-3-50-70CRI-IH  | 7,588                   | 63           | 120        | B1-U0-G2   |
| MRS-LED-09L-SIL-3-50-70CRI-IL  | 6,444                   | 63           | 102        | B0-U0-G2   |
| MRS-LED-09L-SIL-4-30-70CRI     | 9,214                   | 63           | 146        | B2-U0-G3   |
| MRS-LED-09L-SIL-4-30-70CRI-IH  | 7,307                   | 63           | 116        | B1-U0-G2   |
| MRS-LED-09L-SIL-4-30-70CRI-IL  | 5,534                   | 63           | 88         | B0-U0-G2   |
| MRS-LED-09L-SIL-4-40-70CRI     | 9,778                   | 63           | 155        | B2-U0-G3   |
| MRS-LED-09L-SIL-4-40-70CRI-IH  | 7,755                   | 63           | 123        | B1-U0-G2   |
| MRS-LED-09L-SIL-4-40-70CRI-IL  | 5,873                   | 63           | 93         | B0-U0-G2   |
| MRS-LED-09L-SIL-4-50-70CRI     | 9,474                   | 63           | 150        | B2-U0-G3   |
| MRS-LED-09L-SIL-4-50-70CRI-IH  | 7,514                   | 63           | 119        | B1-U0-G2   |
| MRS-LED-09L-SIL-4-50-70CRI-IL  | 5,690                   | 63           | 90         | B0-U0-G2   |
| MRS-LED-09L-SIL-5W-30-70CRI    | 8,740                   | 63           | 139        | B3-U0-G2   |
| MRS-LED-09L-SIL-5W-40-70CRI    | 9,118                   | 63           | 145        | B3-U0-G2   |
| MRS-LED-09L-SIL-5W-50-70CRI    | 9,097                   | 63           | 144        | B3-U0-G2   |
| MRS-LED-09L-SIL-FT-30-70CRI    | 8,943                   | 63           | 142        | B2-U0-G2   |
| MRS-LED-09L-SIL-FT-30-70CRI-IH | 6,704                   | 63           | 106        | B1-U0-G2   |
| MRS-LED-09L-SIL-FT-30-70CRI-IL | 5,788                   | 63           | 92         | B1-U0-G1   |
| MRS-LED-09L-SIL-FT-40-70CRI    | 9,330                   | 63           | 148        | B2-U0-G2   |
| MRS-LED-09L-SIL-FT-40-70CRI-IH | 6,994                   | 63           | 111        | B1-U0-G2   |
| MRS-LED-09L-SIL-FT-40-70CRI-IL | 6,038                   | 63           | 96         | B1-U0-G1   |
| MRS-LED-09L-SIL-FT-50-70CRI    | 9,308                   | 63           | 148        | B2-U0-G2   |
| MRS-LED-09L-SIL-FT-50-70CRI-IH | 6,977                   | 63           | 111        | B1-U0-G2   |
| MRS-LED-09L-SIL-FT-50-70CRI-IL | 6,024                   | 63           | 96         | B1-U0-G1   |
| MRS-LED-09L-SIL-LC-30-70CRI    | 9,269                   | 63           | 147        | B2-U0-G3   |
| MRS-LED-09L-SIL-LC-40-70CRI    | 9,837                   | 63           | 156        | B2-U0-G3   |
| MRS-LED-09L-SIL-LC-50-70CRI    | 9,531                   | 63           | 151        | B2-U0-G3   |
| MRS-LED-09L-SIL-RC-30-70CRI    | 9,208                   | 63           | 146        | B2-U0-G2   |
| MRS-LED-09L-SIL-RC-40-70CRI    | 9,772                   | 63           | 155        | B2-U0-G3   |
| MRS-LED-09L-SIL-RC-50-70CRI    | 9,468                   | 63           | 150        | B2-U0-G2   |
| MRS-LED-12L-SIL-2-30-70CRI     | 12,132                  | 86           | 141        | B3-U0-G2   |
| MRS-LED-12L-SIL-2-30-70CRI-IH  | 9,422                   | 86           | 110        | B2-U0-G1   |
| MRS-LED-12L-SIL-2-30-70CRI-IL  | 7,641                   | 86           | 89         | B1-U0-G1   |
| MRS-LED-12L-SIL-2-40-70CRI     | 12,685                  | 86           | 147        | B3-U0-G2   |
| MRS-LED-12L-SIL-2-40-70CRI-IH  | 9,852                   | 86           | 115        | B2-U0-G1   |
| MRS-LED-12L-SIL-2-40-70CRI-IL  | 7,989                   | 86           | 93         | B1-U0-G1   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-12L-SIL-2-50-70CRI     | 12,514                  | 86           | 146        | B3-U0-G2   |
| MRS-LED-12L-SIL-2-50-70CRI-IH  | 9,719                   | 86           | 113        | B2-U0-G1   |
| MRS-LED-12L-SIL-2-50-70CRI-IL  | 7,881                   | 86           | 92         | B1-U0-G1   |
| MRS-LED-12L-SIL-3-30-70CRI     | 12,333                  | 86           | 143        | B2-U0-G2   |
| MRS-LED-12L-SIL-3-30-70CRI-IH  | 9,729                   | 86           | 113        | B1-U0-G2   |
| MRS-LED-12L-SIL-3-30-70CRI-IL  | 8,263                   | 86           | 96         | B1-U0-G2   |
| MRS-LED-12L-SIL-3-40-70CRI     | 12,894                  | 86           | 150        | B2-U0-G2   |
| MRS-LED-12L-SIL-3-40-70CRI-IH  | 10,172                  | 86           | 118        | B1-U0-G2   |
| MRS-LED-12L-SIL-3-40-70CRI-IL  | 8,638                   | 86           | 100        | B1-U0-G2   |
| MRS-LED-12L-SIL-3-50-70CRI     | 12,721                  | 86           | 148        | B2-U0-G2   |
| MRS-LED-12L-SIL-3-50-70CRI-IH  | 10,035                  | 86           | 117        | B1-U0-G2   |
| MRS-LED-12L-SIL-3-50-70CRI-IL  | 8,522                   | 86           | 99         | B1-U0-G2   |
| MRS-LED-12L-SIL-4-30-70CRI     | 12,277                  | 86           | 143        | B2-U0-G3   |
| MRS-LED-12L-SIL-4-30-70CRI-IH  | 9,773                   | 86           | 114        | B1-U0-G2   |
| MRS-LED-12L-SIL-4-30-70CRI-IL  | 7,403                   | 86           | 86         | B1-U0-G2   |
| MRS-LED-12L-SIL-4-40-70CRI     | 13,029                  | 86           | 152        | B2-U0-G3   |
| MRS-LED-12L-SIL-4-40-70CRI-IH  | 10,372                  | 86           | 121        | B1-U0-G2   |
| MRS-LED-12L-SIL-4-40-70CRI-IL  | 7,856                   | 86           | 91         | B1-U0-G2   |
| MRS-LED-12L-SIL-4-50-70CRI     | 12,623                  | 86           | 147        | B2-U0-G3   |
| MRS-LED-12L-SIL-4-50-70CRI-IH  | 10,049                  | 86           | 117        | B1-U0-G2   |
| MRS-LED-12L-SIL-4-50-70CRI-IL  | 7,612                   | 86           | 89         | B1-U0-G2   |
| MRS-LED-12L-SIL-5W-30-70CRI    | 11,664                  | 86           | 136        | B4-U0-G2   |
| MRS-LED-12L-SIL-5W-40-70CRI    | 12,195                  | 86           | 142        | B4-U0-G2   |
| MRS-LED-12L-SIL-5W-50-70CRI    | 12,031                  | 86           | 140        | B4-U0-G2   |
| MRS-LED-12L-SIL-FT-30-70CRI    | 11,935                  | 86           | 139        | B2-U0-G2   |
| MRS-LED-12L-SIL-FT-30-70CRI-IH | 8,947                   | 86           | 104        | B1-U0-G2   |
| MRS-LED-12L-SIL-FT-30-70CRI-IL | 7,724                   | 86           | 90         | B1-U0-G2   |
| MRS-LED-12L-SIL-FT-40-70CRI    | 12,479                  | 86           | 145        | B2-U0-G2   |
| MRS-LED-12L-SIL-FT-40-70CRI-IH | 9,354                   | 86           | 109        | B1-U0-G2   |
| MRS-LED-12L-SIL-FT-40-70CRI-IL | 8,077                   | 86           | 94         | B1-U0-G2   |
| MRS-LED-12L-SIL-FT-50-70CRI    | 12,311                  | 86           | 143        | B2-U0-G2   |
| MRS-LED-12L-SIL-FT-50-70CRI-IH | 9,229                   | 86           | 107        | B1-U0-G2   |
| MRS-LED-12L-SIL-FT-50-70CRI-IL | 7,968                   | 86           | 93         | B1-U0-G2   |
| MRS-LED-12L-SIL-LC-30-70CRI    | 12,351                  | 86           | 144        | B2-U0-G3   |
| MRS-LED-12L-SIL-LC-40-70CRI    | 13,108                  | 86           | 152        | B2-U0-G3   |
| MRS-LED-12L-SIL-LC-50-70CRI    | 12,700                  | 86           | 148        | B2-U0-G3   |
| MRS-LED-12L-SIL-RC-30-70CRI    | 12,271                  | 86           | 143        | B2-U0-G3   |
| MRS-LED-12L-SIL-RC-40-70CRI    | 13,022                  | 86           | 151        | B2-U0-G3   |
| MRS-LED-12L-SIL-RC-50-70CRI    | 12,617                  | 86           | 147        | B2-U0-G3   |
|                                |                         |              |            |            |
| MRS-LED-15L-SIL-2-30-70CRI     | 14,220                  | 111          | 128        | B3-U0-G2   |
| MRS-LED-15L-SIL-2-30-70CRI-IH  | 11,044                  | 111          | 99         | B2-U0-G1   |
| MRS-LED-15L-SIL-2-30-70CRI-IL  | 8,955                   | 111          | 81         | B1-U0-G1   |
| MRS-LED-15L-SIL-2-40-70CRI     | 15,167                  | 111          | 137        | B3-U0-G2   |
| MRS-LED-15L-SIL-2-40-70CRI-IH  | 11,780                  | 111          | 106        | B2-U0-G2   |
| MRS-LED-15L-SIL-2-40-70CRI-IL  | 9,551                   | 111          | 86         | B1-U0-G1   |
| MRS-LED-15L-SIL-2-50-70CRI     | 14,488                  | 111          | 131        | B3-U0-G2   |
| MRS-LED-15L-SIL-2-50-70CRI-IH  | 11,252                  | 111          | 101        | B2-U0-G1   |
| MRS-LED-15L-SIL-2-50-70CRI-IL  | 9,123                   | 111          | 82         | B1-U0-G1   |
| MRS-LED-15L-SIL-3-30-70CRI     | 14,938                  | 111          | 135        | B2-U0-G2   |
| MRS-LED-15L-SIL-3-30-70CRI-IH  | 11,784                  | 111          | 106        | B1-U0-G2   |
| MRS-LED-15L-SIL-3-30-70CRI-IL  | 10,007                  | 111          | 90         | B1-U0-G2   |
| MRS-LED-15L-SIL-3-40-70CRI     | 15,933                  | 111          | 144        | B2-U0-G2   |
| MRS-LED-15L-SIL-3-40-70CRI-IH  | 12,569                  | 111          | 113        | B2-U0-G2   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-15L-SIL-3-40-70CRI-IL  | 10,674                  | 111          | 96         | B1-U0-G2   |
| MRS-LED-15L-SIL-3-50-70CRI     | 15,219                  | 111          | 137        | B2-U0-G2   |
| MRS-LED-15L-SIL-3-50-70CRI-IH  | 12,006                  | 111          | 108        | B1-U0-G2   |
| MRS-LED-15L-SIL-3-50-70CRI-IL  | 10,196                  | 111          | 92         | B1-U0-G2   |
| MRS-LED-15L-SIL-4-30-70CRI     | 14,792                  | 111          | 133        | B2-U0-G4   |
| MRS-LED-15L-SIL-4-30-70CRI-IH  | 11,981                  | 111          | 108        | B1-U0-G2   |
| MRS-LED-15L-SIL-4-30-70CRI-IL  | 9,073                   | 111          | 82         | B1-U0-G2   |
| MRS-LED-15L-SIL-4-40-70CRI     | 15,698                  | 111          | 141        | B2-U0-G4   |
| MRS-LED-15L-SIL-4-40-70CRI-IH  | 12,715                  | 111          | 115        | B1-U0-G3   |
| MRS-LED-15L-SIL-4-40-70CRI-IL  | 9,629                   | 111          | 87         | B1-U0-G2   |
| MRS-LED-15L-SIL-4-50-70CRI     | 15,209                  | 111          | 137        | B2-U0-G4   |
| MRS-LED-15L-SIL-4-50-70CRI-IH  | 12,319                  | 111          | 111        | B1-U0-G2   |
| MRS-LED-15L-SIL-4-50-70CRI-IL  | 9,329                   | 111          | 84         | B1-U0-G2   |
| MRS-LED-15L-SIL-5W-30-70CRI    | 14,304                  | 111          | 129        | B4-U0-G2   |
| MRS-LED-15L-SIL-5W-40-70CRI    | 15,257                  | 111          | 137        | B4-U0-G2   |
| MRS-LED-15L-SIL-5W-50-70CRI    | 14,574                  | 111          | 131        | B4-U0-G2   |
| MRS-LED-15L-SIL-FT-30-70CRI    | 14,342                  | 111          | 129        | B2-U0-G2   |
| MRS-LED-15L-SIL-FT-30-70CRI-IH | 10,751                  | 111          | 97         | B1-U0-G2   |
| MRS-LED-15L-SIL-FT-30-70CRI-IL | 9,282                   | 111          | 84         | B1-U0-G2   |
| MRS-LED-15L-SIL-FT-40-70CRI    | 15,297                  | 111          | 138        | B2-U0-G2   |
| MRS-LED-15L-SIL-FT-40-70CRI-IH | 11,467                  | 111          | 103        | B1-U0-G2   |
| MRS-LED-15L-SIL-FT-40-70CRI-IL | 9,900                   | 111          | 89         | B1-U0-G2   |
| MRS-LED-15L-SIL-FT-50-70CRI    | 14,612                  | 111          | 132        | B2-U0-G2   |
| MRS-LED-15L-SIL-FT-50-70CRI-IH | 10,953                  | 111          | 99         | B1-U0-G2   |
| MRS-LED-15L-SIL-FT-50-70CRI-IL | 9,457                   | 111          | 85         | B1-U0-G2   |
| MRS-LED-15L-SIL-LC-30-70CRI    | 14,881                  | 111          | 134        | B2-U0-G3   |
| MRS-LED-15L-SIL-LC-40-70CRI    | 15,793                  | 111          | 142        | B3-U0-G3   |
| MRS-LED-15L-SIL-LC-50-70CRI    | 15,301                  | 111          | 138        | B2-U0-G3   |
| MRS-LED-15L-SIL-RC-30-70CRI    | 14,784                  | 111          | 133        | B2-U0-G3   |
| MRS-LED-15L-SIL-RC-40-70CRI    | 15,689                  | 111          | 141        | B2-U0-G3   |
| MRS-LED-15L-SIL-RC-50-70CRI    | 15,201                  | 111          | 137        | B2-U0-G3   |
|                                |                         |              |            |            |
| MRS-LED-18L-SIL-2-30-70CRI     | 16,438                  | 135          | 122        | B3-U0-G2   |
| MRS-LED-18L-SIL-2-30-70CRI-IH  | 12,767                  | 135          | 95         | B2-U0-G2   |
| MRS-LED-18L-SIL-2-30-70CRI-IL  | 10,351                  | 135          | 77         | B1-U0-G1   |
| MRS-LED-18L-SIL-2-40-70CRI     | 17,532                  | 135          | 130        | B3-U0-G3   |
| MRS-LED-18L-SIL-2-40-70CRI-IH  | 13,616                  | 135          | 101        | B2-U0-G2   |
| MRS-LED-18L-SIL-2-40-70CRI-IL  | 11,040                  | 135          | 82         | B1-U0-G2   |
| MRS-LED-18L-SIL-2-50-70CRI     | 16,747                  | 135          | 124        | B3-U0-G2   |
| MRS-LED-18L-SIL-2-50-70CRI-IH  | 13,007                  | 135          | 96         | B2-U0-G2   |
| MRS-LED-18L-SIL-2-50-70CRI-IL  | 10,546                  | 135          | 78         | B1-U0-G1   |
| MRS-LED-18L-SIL-3-30-70CRI     | 17,267                  | 135          | 128        | B3-U0-G3   |
| MRS-LED-18L-SIL-3-30-70CRI-IH  | 13,622                  | 135          | 101        | B2-U0-G2   |
| MRS-LED-18L-SIL-3-30-70CRI-IL  | 11,568                  | 135          | 86         | B1-U0-G2   |
| MRS-LED-18L-SIL-3-40-70CRI     | 18,417                  | 135          | 136        | B3-U0-G3   |
| MRS-LED-18L-SIL-3-40-70CRI-IH  | 14,529                  | 135          | 108        | B2-U0-G2   |
| MRS-LED-18L-SIL-3-40-70CRI-IL  | 12,338                  | 135          | 91         | B1-U0-G2   |
| MRS-LED-18L-SIL-3-50-70CRI     | 17,592                  | 135          | 130        | B3-U0-G3   |
| MRS-LED-18L-SIL-3-50-70CRI-IH  | 13,878                  | 135          | 103        | B2-U0-G2   |
| MRS-LED-18L-SIL-3-50-70CRI-IL  | 11,785                  | 136          | 87         | B1-U0-G2   |
| MRS-LED-18L-SIL-4-30-70CRI     | 17,101                  | 135          | 127        | B3-U0-G4   |
| MRS-LED-18L-SIL-4-30-70CRI-IH  | 13,818                  | 135          | 102        | B1-U0-G3   |
| MRS-LED-18L-SIL-4-30-70CRI-IL  | 10,487                  | 135          | 78         | B1-U0-G2   |
| MRS-LED-18L-SIL-4-40-70CRI     | 18,149                  | 135          | 134        | B3-U0-G4   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-18L-SIL-4-40-70CRI-IH  | 14,664                  | 135          | 109        | B1-U0-G3   |
| MRS-LED-18L-SIL-4-40-70CRI-IL  | 11,130                  | 135          | 82         | B1-U0-G2   |
| MRS-LED-18L-SIL-4-50-70CRI     | 17,584                  | 135          | 130        | B3-U0-G4   |
| MRS-LED-18L-SIL-4-50-70CRI-IH  | 14,208                  | 135          | 105        | B1-U0-G3   |
| MRS-LED-18L-SIL-4-50-70CRI-IL  | 10,784                  | 135          | 80         | B1-U0-G2   |
| MRS-LED-18L-SIL-5W-30-70CRI    | 16,535                  | 135          | 122        | B4-U0-G2   |
| MRS-LED-18L-SIL-5W-40-70CRI    | 17,636                  | 135          | 131        | B4-U0-G2   |
| MRS-LED-18L-SIL-5W-50-70CRI    | 16,846                  | 135          | 125        | B4-U0-G2   |
| MRS-LED-18L-SIL-FT-30-70CRI    | 16,578                  | 135          | 123        | B2-U0-G2   |
| MRS-LED-18L-SIL-FT-30-70CRI-IH | 12,427                  | 135          | 92         | B2-U0-G2   |
| MRS-LED-18L-SIL-FT-30-70CRI-IL | 10,729                  | 135          | 79         | B1-U0-G2   |
| MRS-LED-18L-SIL-FT-40-70CRI    | 17,682                  | 135          | 131        | B3-U0-G2   |
| MRS-LED-18L-SIL-FT-40-70CRI-IH | 13,225                  | 135          | 98         | B2-U0-G2   |
| MRS-LED-18L-SIL-FT-40-70CRI-IL | 11,443                  | 135          | 85         | B1-U0-G2   |
| MRS-LED-18L-SIL-FT-50-70CRI    | 16,890                  | 135          | 125        | B2-U0-G2   |
| MRS-LED-18L-SIL-FT-50-70CRI-IH | 12,661                  | 135          | 94         | B2-U0-G2   |
| MRS-LED-18L-SIL-FT-50-70CRI-IL | 10,931                  | 135          | 81         | B1-U0-G2   |
| MRS-LED-18L-SIL-LC-30-70CRI    | 17,204                  | 135          | 127        | B3-U0-G3   |
| MRS-LED-18L-SIL-LC-40-70CRI    | 18,258                  | 135          | 135        | B3-U0-G3   |
| MRS-LED-18L-SIL-LC-50-70CRI    | 17,689                  | 135          | 131        | B3-U0-G3   |
| MRS-LED-18L-SIL-RC-30-70CRI    | 17,091                  | 135          | 127        | B2-U0-G3   |
| MRS-LED-18L-SIL-RC-40-70CRI    | 18,138                  | 135          | 134        | B3-U0-G3   |
| MRS-LED-18L-SIL-RC-50-70CRI    | 17,574                  | 135          | 130        | B2-U0-G3   |
|                                |                         |              |            |            |
| MRS-LED-21L-SIL-2-30-70CRI     | 19,488                  | 165          | 118        | B3-U0-G3   |
| MRS-LED-21L-SIL-2-30-70CRI-IH  | 15,135                  | 165          | 92         | B3-U0-G2   |
| MRS-LED-21L-SIL-2-30-70CRI-IL  | 12,272                  | 165          | 74         | B1-U0-G2   |
| MRS-LED-21L-SIL-2-40-70CRI     | 20,786                  | 165          | 126        | B3-U0-G3   |
| MRS-LED-21L-SIL-2-40-70CRI-IH  | 16,144                  | 165          | 98         | B3-U0-G2   |
| MRS-LED-21L-SIL-2-40-70CRI-IL  | 13,090                  | 165          | 79         | B1-U0-G2   |
| MRS-LED-21L-SIL-2-50-70CRI     | 19,885                  | 165          | 121        | B3-U0-G3   |
| MRS-LED-21L-SIL-2-50-70CRI-IH  | 15,444                  | 165          | 94         | B3-U0-G2   |
| MRS-LED-21L-SIL-2-50-70CRI-IL  | 12,523                  | 165          | 76         | B1-U0-G2   |
| MRS-LED-21L-SIL-3-30-70CRI     | 20,472                  | 165          | 124        | B3-U0-G3   |
| MRS-LED-21L-SIL-3-30-70CRI-IH  | 16,150                  | 165          | 98         | B2-U0-G2   |
| MRS-LED-21L-SIL-3-30-70CRI-IL  | 13,715                  | 165          | 83         | B1-U0-G2   |
| MRS-LED-21L-SIL-3-40-70CRI     | 21,835                  | 165          | 132        | B3-U0-G3   |
| MRS-LED-21L-SIL-3-40-70CRI-IH  | 17,225                  | 165          | 104        | B2-U0-G2   |
| MRS-LED-21L-SIL-3-40-70CRI-IL  | 14,628                  | 165          | 89         | B1-U0-G2   |
| MRS-LED-21L-SIL-3-50-70CRI     | 20,857                  | 165          | 126        | B3-U0-G3   |
| MRS-LED-21L-SIL-3-50-70CRI-IH  | 16,454                  | 165          | 100        | B2-U0-G2   |
| MRS-LED-21L-SIL-3-50-70CRI-IL  | 13,973                  | 165          | 85         | B1-U0-G2   |
| MRS-LED-21L-SIL-4-30-70CRI     | 20,279                  | 165          | 123        | B3-U0-G4   |
| MRS-LED-21L-SIL-4-30-70CRI-IH  | 16,419                  | 165          | 100        | B2-U0-G3   |
| MRS-LED-21L-SIL-4-30-70CRI-IL  | 12,434                  | 165          | 75         | B1-U0-G2   |
| MRS-LED-21L-SIL-4-40-70CRI     | 21,521                  | 165          | 130        | B3-U0-G5   |
| MRS-LED-21L-SIL-4-40-70CRI-IH  | 17,425                  | 165          | 106        | B2-U0-G3   |
| MRS-LED-21L-SIL-4-40-70CRI-IL  | 13,196                  | 165          | 80         | B1-U0-G2   |
| MRS-LED-21L-SIL-4-50-70CRI     | 20,851                  | 165          | 126        | B3-U0-G5   |
| MRS-LED-21L-SIL-4-50-70CRI-IH  | 16,883                  | 165          | 102        | B2-U0-G3   |
| MRS-LED-21L-SIL-4-50-70CRI-IL  | 12,785                  | 165          | 77         | B1-U0-G2   |
| MRS-LED-21L-SIL-5W-30-70CRI    | 19,604                  | 165          | 119        | B4-U0-G2   |
| MRS-LED-21L-SIL-5W-40-70CRI    | 20,909                  | 165          | 127        | B5-U0-G3   |
| MRS-LED-21L-SIL-5W-50-70CRI    | 19,973                  | 165          | 121        | B4-U0-G2   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-21L-SIL-FT-30-70CRI    | 19,655                  | 165          | 119        | B3-U0-G3   |
| MRS-LED-21L-SIL-FT-30-70CRI-IH | 14,734                  | 165          | 89         | B2-U0-G2   |
| MRS-LED-21L-SIL-FT-30-70CRI-IL | 12,720                  | 165          | 77         | B1-U0-G2   |
| MRS-LED-21L-SIL-FT-40-70CRI    | 20,964                  | 165          | 127        | B3-U0-G3   |
| MRS-LED-21L-SIL-FT-40-70CRI-IH | 15,715                  | 165          | 95         | B2-U0-G2   |
| MRS-LED-21L-SIL-FT-40-70CRI-IL | 13,568                  | 165          | 82         | B1-U0-G2   |
| MRS-LED-21L-SIL-FT-50-70CRI    | 20,025                  | 165          | 121        | B3-U0-G3   |
| MRS-LED-21L-SIL-FT-50-70CRI-IH | 15,011                  | 165          | 91         | B2-U0-G2   |
| MRS-LED-21L-SIL-FT-50-70CRI-IL | 12,960                  | 165          | 79         | B1-U0-G2   |
| MRS-LED-21L-SIL-LC-30-70CRI    | 20,401                  | 165          | 124        | B3-U0-G4   |
| MRS-LED-21L-SIL-LC-40-70CRI    | 21,651                  | 165          | 131        | B3-U0-G4   |
| MRS-LED-21L-SIL-LC-50-70CRI    | 20,977                  | 165          | 127        | B3-U0-G4   |
| MRS-LED-21L-SIL-RC-30-70CRI    | 20,268                  | 165          | 123        | B3-U0-G3   |
| MRS-LED-21L-SIL-RC-40-70CRI    | 21,509                  | 165          | 130        | B3-U0-G4   |
| MRS-LED-21L-SIL-RC-50-70CRI    | 20,840                  | 165          | 126        | B3-U0-G3   |
|                                |                         |              |            |            |
| MRS-LED-24L-SIL-2-30-70CRI     | 21,976                  | 196          | 112        | B3-U0-G3   |
| MRS-LED-24L-SIL-2-30-70CRI-IH  | 17,069                  | 196          | 87         | B3-U0-G2   |
| MRS-LED-24L-SIL-2-30-70CRI-IL  | 13,840                  | 196          | 71         | B1-U0-G2   |
| MRS-LED-24L-SIL-2-40-70CRI     | 23,439                  | 196          | 120        | B3-U0-G3   |
| MRS-LED-24L-SIL-2-40-70CRI-IH  | 18,204                  | 196          | 93         | B3-U0-G2   |
| MRS-LED-24L-SIL-2-40-70CRI-IL  | 14,760                  | 196          | 75         | B1-U0-G2   |
| MRS-LED-24L-SIL-2-50-70CRI     | 22,390                  | 196          | 114        | B3-U0-G3   |
| MRS-LED-24L-SIL-2-50-70CRI-IH  | 17,389                  | 196          | 89         | B3-U0-G2   |
| MRS-LED-24L-SIL-2-50-70CRI-IL  | 14,100                  | 196          | 72         | B1-U0-G2   |
| MRS-LED-24L-SIL-3-30-70CRI     | 23,085                  | 196          | 118        | B3-U0-G3   |
| MRS-LED-24L-SIL-3-30-70CRI-IH  | 18,211                  | 196          | 93         | B2-U0-G3   |
| MRS-LED-24L-SIL-3-30-70CRI-IL  | 15,466                  | 196          | 79         | B1-U0-G2   |
| MRS-LED-24L-SIL-3-40-70CRI     | 24,622                  | 196          | 126        | B3-U0-G3   |
| MRS-LED-24L-SIL-3-40-70CRI-IH  | 19,424                  | 196          | 99         | B2-U0-G3   |
| MRS-LED-24L-SIL-3-40-70CRI-IL  | 16,495                  | 196          | 84         | B1-U0-G2   |
| MRS-LED-24L-SIL-3-50-70CRI     | 23,519                  | 196          | 120        | B3-U0-G3   |
| MRS-LED-24L-SIL-3-50-70CRI-IH  | 18,554                  | 196          | 95         | B2-U0-G3   |
| MRS-LED-24L-SIL-3-50-70CRI-IL  | 15,757                  | 196          | 80         | B1-U0-G2   |
| MRS-LED-24L-SIL-4-30-70CRI     | 23,190                  | 196          | 118        | B3-U0-G5   |
| MRS-LED-24L-SIL-4-30-70CRI-IH  | 18,515                  | 196          | 94         | B2-U0-G3   |
| MRS-LED-24L-SIL-4-30-70CRI-IL  | 14,022                  | 196          | 72         | B1-U0-G3   |
| MRS-LED-24L-SIL-4-40-70CRI     | 24,758                  | 196          | 126        | B3-U0-G5   |
| MRS-LED-24L-SIL-4-40-70CRI-IH  | 19,649                  | 196          | 100        | B2-U0-G3   |
| MRS-LED-24L-SIL-4-40-70CRI-IL  | 14,881                  | 196          | 76         | B1-U0-G3   |
| MRS-LED-24L-SIL-4-50-70CRI     | 23,888                  | 196          | 122        | B3-U0-G5   |
| MRS-LED-24L-SIL-4-50-70CRI-IH  | 19,038                  | 196          | 97         | B2-U0-G3   |
| MRS-LED-24L-SIL-4-50-70CRI-IL  | 14,418                  | 196          | 74         | B1-U0-G3   |
| MRS-LED-24L-SIL-5W-30-70CRI    | 22,105                  | 196          | 113        | B5-U0-G3   |
| MRS-LED-24L-SIL-5W-40-70CRI    | 23,578                  | 196          | 120        | B5-U0-G3   |
| MRS-LED-24L-SIL-5W-50-70CRI    | 22,522                  | 196          | 115        | B5-U0-G3   |
| MRS-LED-24L-SIL-FT-30-70CRI    | 22,164                  | 196          | 113        | B3-U0-G3   |
| MRS-LED-24L-SIL-FT-30-70CRI-IH | 16,615                  | 192          | 87         | B2-U0-G2   |
| MRS-LED-24L-SIL-FT-30-70CRI-IL | 14,345                  | 196          | 73         | B1-U0-G2   |
| MRS-LED-24L-SIL-FT-40-70CRI    | 23,640                  | 196          | 121        | B3-U0-G3   |
| MRS-LED-24L-SIL-FT-40-70CRI-IH | 17,721                  | 192          | 92         | B2-U0-G2   |
| MRS-LED-24L-SIL-FT-40-70CRI-IL | 15,300                  | 196          | 78         | B1-U0-G2   |
| MRS-LED-24L-SIL-FT-50-70CRI    | 22,581                  | 196          | 115        | B3-U0-G3   |
| MRS-LED-24L-SIL-FT-50-70CRI-IH | 16,927                  | 192          | 88         | B2-U0-G2   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-24L-SIL-FT-50-70CRI-IL | 14,615                  | 196          | 75         | B1-U0-G2   |
| MRS-LED-24L-SIL-LC-30-70CRI    | 23,469                  | 196          | 120        | B3-U0-G4   |
| MRS-LED-24L-SIL-LC-40-70CRI    | 24,907                  | 196          | 127        | B3-U0-G4   |
| MRS-LED-24L-SIL-LC-50-70CRI    | 24,131                  | 196          | 123        | B3-U0-G4   |
| MRS-LED-24L-SIL-RC-30-70CRI    | 23,316                  | 196          | 119        | B3-U0-G4   |
| MRS-LED-24L-SIL-RC-40-70CRI    | 24,744                  | 196          | 126        | B3-U0-G4   |
| MRS-LED-24L-SIL-RC-50-70CRI    | 23,974                  | 196          | 122        | B3-U0-G4   |
|                                |                         |              |            |            |
| MRS-LED-30L-SIL-2-30-70CRI     | 30,078                  | 209          | 144        | B4-U0-G3   |
| MRS-LED-30L-SIL-2-30-70CRI-IH  | 24,885                  | 209          | 119        | B3-U0-G2   |
| MRS-LED-30L-SIL-2-30-70CRI-IL  | 17,382                  | 209          | 83         | B2-U0-G2   |
| MRS-LED-30L-SIL-2-40-70CRI     | 29,485                  | 209          | 141        | B4-U0-G4   |
| MRS-LED-30L-SIL-2-40-70CRI-IH  | 24,394                  | 209          | 117        | B3-U0-G2   |
| MRS-LED-30L-SIL-2-40-70CRI-IL  | 17,039                  | 209          | 82         | B2-U0-G2   |
| MRS-LED-30L-SIL-2-50-70CRI     | 30,697                  | 209          | 147        | B4-U0-G3   |
| MRS-LED-30L-SIL-2-50-70CRI-IH  | 25,397                  | 209          | 122        | B3-U0-G2   |
| MRS-LED-30L-SIL-2-50-70CRI-IL  | 17,740                  | 209          | 85         | B2-U0-G2   |
| MRS-LED-30L-SIL-3-30-70CRI     | 31,711                  | 209          | 152        | B3-U0-G3   |
| MRS-LED-30L-SIL-3-30-70CRI-IH  | 26,451                  | 209          | 127        | B2-U0-G4   |
| MRS-LED-30L-SIL-3-30-70CRI-IL  | 21,014                  | 209          | 101        | B1-U0-G3   |
| MRS-LED-30L-SIL-3-40-70CRI     | 31,086                  | 209          | 149        | B3-U0-G3   |
| MRS-LED-30L-SIL-3-40-70CRI-IH  | 25,930                  | 209          | 124        | B2-U0-G4   |
| MRS-LED-30L-SIL-3-40-70CRI-IL  | 20,600                  | 209          | 99         | B1-U0-G3   |
| MRS-LED-30L-SIL-3-50-70CRI     | 32,364                  | 209          | 155        | B3-U0-G3   |
| MRS-LED-30L-SIL-3-50-70CRI-IH  | 26,995                  | 209          | 129        | B3-U0-G4   |
| MRS-LED-30L-SIL-3-50-70CRI-IL  | 21,446                  | 209          | 103        | B1-U0-G3   |
| MRS-LED-30L-SIL-4-30-70CRI     | 30,459                  | 209          | 146        | B3-U0-G5   |
| MRS-LED-30L-SIL-4-30-70CRI-IH  | 25,062                  | 209          | 120        | B3-U0-G4   |
| MRS-LED-30L-SIL-4-30-70CRI-IL  | 19,442                  | 209          | 93         | B1-U0-G3   |
| MRS-LED-30L-SIL-4-40-70CRI     | 29,858                  | 209          | 143        | B3-U0-G5   |
| MRS-LED-30L-SIL-4-40-70CRI-IH  | 24,567                  | 209          | 118        | B3-U0-G4   |
| MRS-LED-30L-SIL-4-40-70CRI-IL  | 19,059                  | 209          | 91         | B1-U0-G3   |
| MRS-LED-30L-SIL-4-50-70CRI     | 31,086                  | 209          | 149        | B3-U0-G5   |
| MRS-LED-30L-SIL-4-50-70CRI-IH  | 25,578                  | 209          | 122        | B3-U0-G4   |
| MRS-LED-30L-SIL-4-50-70CRI-IL  | 19,842                  | 209          | 95         | B1-U0-G3   |
| MRS-LED-30L-SIL-5W-30-70CRI    | 30,588                  | 209          | 146        | B5-U0-G3   |
| MRS-LED-30L-SIL-5W-40-70CRI    | 29,985                  | 209          | 143        | B5-U0-G3   |
| MRS-LED-30L-SIL-5W-50-70CRI    | 31,218                  | 209          | 149        | B5-U0-G3   |
| MRS-LED-30L-SIL-FT-30-70CRI    | 31,585                  | 209          | 151        | B3-U0-G4   |
| MRS-LED-30L-SIL-FT-30-70CRI-IH | 24,950                  | 209          | 119        | B3-U0-G4   |
| MRS-LED-30L-SIL-FT-30-70CRI-IL | 19,667                  | 209          | 94         | B1-U0-G3   |
| MRS-LED-30L-SIL-FT-40-70CRI    | 30,962                  | 209          | 148        | B3-U0-G4   |
| MRS-LED-30L-SIL-FT-40-70CRI-IH | 24,458                  | 209          | 117        | B3-U0-G4   |
| MRS-LED-30L-SIL-FT-40-70CRI-IL | 19,280                  | 209          | 92         | B1-U0-G3   |
| MRS-LED-30L-SIL-FT-50-70CRI    | 32,235                  | 209          | 154        | B4-U0-G4   |
| MRS-LED-30L-SIL-FT-50-70CRI-IH | 25,464                  | 209          | 122        | B3-U0-G4   |
| MRS-LED-30L-SIL-FT-50-70CRI-IL | 20,072                  | 209          | 96         | B1-U0-G3   |
| MRS-LED-30L-SIL-LC-30-70CRI    | 32,303                  | 209          | 155        | B3-U0-G5   |
| MRS-LED-30L-SIL-LC-30-70CRI-IH | 24,704                  | 209          | 118        | B3-U0-G4   |
| MRS-LED-30L-SIL-LC-30-70CRI-IL | 18,916                  | 209          | 91         | B1-U0-G3   |
| MRS-LED-30L-SIL-LC-40-70CRI    | 31,666                  | 209          | 152        | B3-U0-G5   |
| MRS-LED-30L-SIL-LC-40-70CRI-IH | 24,217                  | 209          | 116        | B3-U0-G4   |
| MRS-LED-30L-SIL-LC-40-70CRI-IL | 18,543                  | 209          | 89         | B1-U0-G3   |
| MRS-LED-30L-SIL-LC-50-70CRI    | 32,968                  | 209          | 158        | B3-U0-G5   |



# MRS - Mirada Small Area Light

## MRS PERFORMANCE TABLE

| <u>Catalog Number</u>          | <u>Delivered Lumens</u> | <u>Watts</u> | <u>LER</u> | <u>BUG</u> |
|--------------------------------|-------------------------|--------------|------------|------------|
| MRS-LED-30L-SIL-LC-50-70CRI-IH | 25,213                  | 209          | 121        | B3-U0-G4   |
| MRS-LED-30L-SIL-LC-50-70CRI-IL | 19,306                  | 209          | 92         | B1-U0-G3   |
| MRS-LED-30L-SIL-RC-30-70CRI    | 31,942                  | 209          | 153        | B3-U0-G4   |
| MRS-LED-30L-SIL-RC-30-70CRI-IH | 24,432                  | 209          | 117        | B3-U0-G4   |
| MRS-LED-30L-SIL-RC-30-70CRI-IL | 19,078                  | 209          | 91         | B1-U0-G3   |
| MRS-LED-30L-SIL-RC-40-70CRI    | 31,313                  | 209          | 150        | B3-U0-G4   |
| MRS-LED-30L-SIL-RC-40-70CRI-IH | 23,950                  | 209          | 115        | B3-U0-G4   |
| MRS-LED-30L-SIL-RC-40-70CRI-IL | 18,702                  | 209          | 89         | B1-U0-G3   |
| MRS-LED-30L-SIL-RC-50-70CRI    | 32,600                  | 209          | 156        | B3-U0-G5   |
| MRS-LED-30L-SIL-RC-50-70CRI-IH | 24,935                  | 209          | 119        | B3-U0-G4   |
| MRS-LED-30L-SIL-RC-50-70CRI-IL | 19,471                  | 209          | 93         | B1-U0-G3   |