



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-01L-3W-AMT-U0	1,047	26	40	B0-U0-G1
OPS-PT-01L-4F-AMT-U0	1,061	26	41	B0-U0-G1
OPS-PT-01L-5C-AMT-U0	1,092	26	42	B1-U0-G0
OPS-PT-01L-5D-AMT-U0	981	26	38	B1-U0-G1
OPS-PT-01L-5Q-AMT-U0	1,056	26	41	B1-U0-G0
OPS-PT-01L-5R-AMT-U0	1,058	26	41	B1-U0-G1
OPS-PT-01L-AD-AMT-U0	986	26	38	B0-U0-G1
OPS-PT-03L-3W-27K8-U0	2,557	20	128	B1-U0-G1
OPS-PT-03L-3W-27K8-U0-EHS	2,177	20	109	B1-U0-G1
OPS-PT-03L-3W-30K8-U0	2,641	20	132	B1-U0-G1
OPS-PT-03L-3W-30K8-U0-EHS	2,248	20	112	B1-U0-G1
OPS-PT-03L-3W-35K8-U0	2,597	20	130	B1-U0-G1
OPS-PT-03L-3W-35K8-U0-EHS	2,211	20	111	B1-U0-G1
OPS-PT-03L-3W-40K8-U0	2,703	20	135	B1-U0-G1
OPS-PT-03L-3W-40K8-U0-EHS	2,301	20	115	B1-U0-G1
OPS-PT-03L-3W-50K8-U0	2,739	20	137	B1-U0-G1
OPS-PT-03L-3W-50K8-U0-EHS	2,332	20	117	B1-U0-G1
OPS-PT-03L-3W-AMB-U0	1,836	22	83	B1-U0-G1
OPS-PT-03L-3W-AMB-U0-EHS	1,563	22	71	B1-U0-G1
OPS-PT-03L-4F-27K8-U0	2,604	20	130	B1-U0-G1
OPS-PT-03L-4F-27K8-U0-EHS	2,260	20	113	B1-U0-G1
OPS-PT-03L-4F-30K8-U0	2,689	20	134	B1-U0-G1
OPS-PT-03L-4F-30K8-U0-EHS	2,333	20	117	B1-U0-G1
OPS-PT-03L-4F-35K8-U0	2,645	20	132	B1-U0-G1
OPS-PT-03L-4F-35K8-U0-EHS	2,295	20	115	B1-U0-G1
OPS-PT-03L-4F-40K8-U0	2,753	20	138	B1-U0-G1
OPS-PT-03L-4F-40K8-U0-EHS	2,388	20	119	B1-U0-G1
OPS-PT-03L-4F-50K8-U0	2,789	20	139	B1-U0-G1
OPS-PT-03L-4F-50K8-U0-EHS	2,420	20	121	B1-U0-G1
OPS-PT-03L-4F-AMB-U0	1,869	22	85	B1-U0-G1
OPS-PT-03L-4F-AMB-U0-EHS	1,622	22	74	B1-U0-G1
OPS-PT-03L-5C-27K8-U0	2,730	20	137	B1-U0-G1
OPS-PT-03L-5C-27K8-U0-EHS	2,277	20	114	B1-U0-G1
OPS-PT-03L-5C-30K8-U0	2,819	20	141	B1-U0-G1
OPS-PT-03L-5C-30K8-U0-EHS	2,352	20	118	B1-U0-G1
OPS-PT-03L-5C-35K8-U0	2,772	20	139	B1-U0-G1
OPS-PT-03L-5C-35K8-U0-EHS	2,313	20	116	B1-U0-G1
OPS-PT-03L-5C-40K8-U0	2,885	20	144	B1-U0-G1
OPS-PT-03L-5C-40K8-U0-EHS	2,407	20	120	B1-U0-G1
OPS-PT-03L-5C-50K8-U0	2,924	20	146	B1-U0-G1
OPS-PT-03L-5C-50K8-U0-EHS	2,439	20	122	B1-U0-G1
OPS-PT-03L-5C-AMB-U0	1,960	22	89	B1-U0-G1
OPS-PT-03L-5C-AMB-U0-EHS	1,634	22	74	B1-U0-G1
OPS-PT-03L-5D-27K8-U0	2,459	20	123	B1-U0-G1
OPS-PT-03L-5D-27K8-U0-EHS	1,935	20	97	B1-U0-G1
OPS-PT-03L-5D-30K8-U0	2,539	20	127	B1-U0-G1
OPS-PT-03L-5D-30K8-U0-EHS	1,998	20	100	B1-U0-G1
OPS-PT-03L-5D-35K8-U0	2,497	20	125	B1-U0-G1
OPS-PT-03L-5D-35K8-U0-EHS	1,965	20	98	B1-U0-G1
OPS-PT-03L-5D-40K8-U0	2,599	20	130	B1-U0-G1
OPS-PT-03L-5D-40K8-U0-EHS	2,045	20	102	B1-U0-G1
OPS-PT-03L-5D-50K8-U0	2,634	20	132	B1-U0-G1
OPS-PT-03L-5D-50K8-U0-EHS	2,072	20	104	B1-U0-G1



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-03L-5D-AMB-U0	1,765	22	80	B1-U0-G1
OPS-PT-03L-5D-AMB-U0-EHS	1,389	22	63	B1-U0-G1
OPS-PT-03L-5Q-27K8-U0	2,677	20	134	B1-U0-G1
OPS-PT-03L-5Q-27K8-U0-EHS	2,064	20	103	B1-U0-G1
OPS-PT-03L-5Q-30K8-U0	2,763	20	138	B1-U0-G1
OPS-PT-03L-5Q-30K8-U0-EHS	2,131	20	107	B1-U0-G1
OPS-PT-03L-5Q-35K8-U0	2,718	20	136	B1-U0-G1
OPS-PT-03L-5Q-35K8-U0-EHS	2,096	20	105	B1-U0-G1
OPS-PT-03L-5Q-40K8-U0	2,829	20	141	B1-U0-G1
OPS-PT-03L-5Q-40K8-U0-EHS	2,182	20	109	B1-U0-G1
OPS-PT-03L-5Q-50K8-U0	2,866	20	143	B1-U0-G1
OPS-PT-03L-5Q-50K8-U0-EHS	2,210	20	111	B1-U0-G1
OPS-PT-03L-5Q-AMB-U0	1,921	22	87	B1-U0-G1
OPS-PT-03L-5Q-AMB-U0-EHS	1,482	22	67	B1-U0-G1
OPS-PT-03L-5R-27K8-U0	2,654	20	133	B1-U0-G1
OPS-PT-03L-5R-27K8-U0-EHS	2,023	20	101	B1-U0-G1
OPS-PT-03L-5R-30K8-U0	2,740	20	137	B1-U0-G1
OPS-PT-03L-5R-30K8-U0-EHS	2,089	20	104	B1-U0-G1
OPS-PT-03L-5R-35K8-U0	2,695	20	135	B1-U0-G1
OPS-PT-03L-5R-35K8-U0-EHS	2,055	20	103	B1-U0-G1
OPS-PT-03L-5R-40K8-U0	2,805	20	140	B2-U0-G2
OPS-PT-03L-5R-40K8-U0-EHS	2,138	20	107	B1-U0-G1
OPS-PT-03L-5R-50K8-U0	2,842	20	142	B2-U0-G2
OPS-PT-03L-5R-50K8-U0-EHS	2,167	20	108	B1-U0-G1
OPS-PT-03L-5R-AMB-U0	1,905	22	87	B1-U0-G1
OPS-PT-03L-5R-AMB-U0-EHS	1,452	22	66	B1-U0-G1
OPS-PT-03L-AD-27K8-U0	2,461	20	123	B1-U0-G1
OPS-PT-03L-AD-27K8-U0-EHS	2,004	20	100	B1-U0-G1
OPS-PT-03L-AD-30K8-U0	2,541	20	127	B1-U0-G1
OPS-PT-03L-AD-30K8-U0-EHS	2,070	20	103	B1-U0-G1
OPS-PT-03L-AD-35K8-U0	2,499	20	125	B1-U0-G1
OPS-PT-03L-AD-35K8-U0-EHS	2,036	20	102	B1-U0-G1
OPS-PT-03L-AD-40K8-U0	2,601	20	130	B1-U0-G1
OPS-PT-03L-AD-40K8-U0-EHS	2,118	20	106	B1-U0-G1
OPS-PT-03L-AD-50K8-U0	2,635	20	132	B1-U0-G1
OPS-PT-03L-AD-50K8-U0-EHS	2,146	20	107	B1-U0-G1
OPS-PT-03L-AD-AMB-U0	1,766	22	80	B1-U0-G1
OPS-PT-03L-AD-AMB-U0-EHS	1,439	22	65	B1-U0-G1
OPS-PT-05L-3W-27K8-U0	4,225	34	124	B1-U0-G1
OPS-PT-05L-3W-27K8-U0-EHS	3,597	34	106	B1-U0-G1
OPS-PT-05L-3W-30K8-U0	4,362	34	128	B1-U0-G1
OPS-PT-05L-3W-30K8-U0-EHS	3,714	34	109	B1-U0-G1
OPS-PT-05L-3W-35K8-U0	4,290	34	126	B1-U0-G1
OPS-PT-05L-3W-35K8-U0-EHS	3,653	34	107	B1-U0-G1
OPS-PT-05L-3W-40K8-U0	4,465	34	131	B1-U0-G1
OPS-PT-05L-3W-40K8-U0-EHS	3,802	34	112	B1-U0-G1
OPS-PT-05L-3W-50K8-U0	4,525	34	133	B1-U0-G1
OPS-PT-05L-3W-50K8-U0-EHS	3,852	34	113	B1-U0-G1
OPS-PT-05L-3W-AMB-U0	2,966	36	82	B1-U0-G1
OPS-PT-05L-3W-AMB-U0-EHS	2,525	36	70	B1-U0-G1
OPS-PT-05L-4F-27K8-U0	4,303	34	127	B1-U0-G1
OPS-PT-05L-4F-27K8-U0-EHS	3,733	34	110	B1-U0-G1
OPS-PT-05L-4F-30K8-U0	4,442	34	131	B1-U0-G1



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-05L-4F-30K8-U0-EHS	3,855	34	113	B1-U0-G1
OPS-PT-05L-4F-35K8-U0	4,369	34	129	B1-U0-G1
OPS-PT-05L-4F-35K8-U0-EHS	3,791	34	112	B1-U0-G1
OPS-PT-05L-4F-40K8-U0	4,547	34	134	B1-U0-G1
OPS-PT-05L-4F-40K8-U0-EHS	3,945	34	116	B1-U0-G1
OPS-PT-05L-4F-50K8-U0	4,608	34	136	B1-U0-G1
OPS-PT-05L-4F-50K8-U0-EHS	3,998	34	118	B1-U0-G1
OPS-PT-05L-4F-AMB-U0	3,021	36	84	B1-U0-G1
OPS-PT-05L-4F-AMB-U0-EHS	2,621	36	73	B1-U0-G1
OPS-PT-05L-5C-27K8-U0	4,510	34	133	B2-U0-G1
OPS-PT-05L-5C-27K8-U0-EHS	3,762	34	111	B2-U0-G1
OPS-PT-05L-5C-30K8-U0	4,657	34	137	B2-U0-G1
OPS-PT-05L-5C-30K8-U0-EHS	3,885	34	114	B2-U0-G1
OPS-PT-05L-5C-35K8-U0	4,580	34	135	B2-U0-G1
OPS-PT-05L-5C-35K8-U0-EHS	3,821	34	112	B2-U0-G1
OPS-PT-05L-5C-40K8-U0	4,767	34	140	B2-U0-G1
OPS-PT-05L-5C-40K8-U0-EHS	3,976	34	117	B2-U0-G1
OPS-PT-05L-5C-50K8-U0	4,830	34	142	B2-U0-G1
OPS-PT-05L-5C-50K8-U0-EHS	4,029	34	118	B2-U0-G1
OPS-PT-05L-5C-AMB-U0	3,166	36	88	B2-U0-G1
OPS-PT-05L-5C-AMB-U0-EHS	2,641	36	73	B1-U0-G1
OPS-PT-05L-5D-27K8-U0	4,062	34	119	B2-U0-G1
OPS-PT-05L-5D-27K8-U0-EHS	3,197	34	94	B1-U0-G1
OPS-PT-05L-5D-30K8-U0	4,194	34	123	B2-U0-G1
OPS-PT-05L-5D-30K8-U0-EHS	3,301	34	97	B1-U0-G1
OPS-PT-05L-5D-35K8-U0	4,125	34	121	B2-U0-G1
OPS-PT-05L-5D-35K8-U0-EHS	3,246	34	95	B1-U0-G1
OPS-PT-05L-5D-40K8-U0	4,293	34	126	B2-U0-G1
OPS-PT-05L-5D-40K8-U0-EHS	3,379	34	99	B1-U0-G1
OPS-PT-05L-5D-50K8-U0	4,350	34	128	B2-U0-G1
OPS-PT-05L-5D-50K8-U0-EHS	3,424	34	101	B1-U0-G1
OPS-PT-05L-5D-AMB-U0	2,852	36	79	B1-U0-G1
OPS-PT-05L-5D-AMB-U0-EHS	2,244	36	62	B1-U0-G1
OPS-PT-05L-5Q-27K8-U0	4,422	34	130	B2-U0-G1
OPS-PT-05L-5Q-27K8-U0-EHS	3,410	34	100	B1-U0-G1
OPS-PT-05L-5Q-30K8-U0	4,566	34	134	B2-U0-G1
OPS-PT-05L-5Q-30K8-U0-EHS	3,521	34	104	B1-U0-G1
OPS-PT-05L-5Q-35K8-U0	4,490	34	132	B2-U0-G1
OPS-PT-05L-5Q-35K8-U0-EHS	3,463	34	102	B1-U0-G1
OPS-PT-05L-5Q-40K8-U0	4,673	34	137	B2-U0-G1
OPS-PT-05L-5Q-40K8-U0-EHS	3,604	34	106	B1-U0-G1
OPS-PT-05L-5Q-50K8-U0	4,736	34	139	B2-U0-G1
OPS-PT-05L-5Q-50K8-U0-EHS	3,652	34	107	B1-U0-G1
OPS-PT-05L-5Q-AMB-U0	3,104	36	86	B1-U0-G1
OPS-PT-05L-5Q-AMB-U0-EHS	2,394	36	67	B1-U0-G1
OPS-PT-05L-5R-27K8-U0	4,385	34	129	B2-U0-G2
OPS-PT-05L-5R-27K8-U0-EHS	3,343	34	98	B1-U0-G1
OPS-PT-05L-5R-30K8-U0	4,527	34	133	B2-U0-G2
OPS-PT-05L-5R-30K8-U0-EHS	3,451	34	102	B1-U0-G1
OPS-PT-05L-5R-35K8-U0	4,453	34	131	B2-U0-G2
OPS-PT-05L-5R-35K8-U0-EHS	3,394	34	100	B1-U0-G1
OPS-PT-05L-5R-40K8-U0	4,634	34	136	B2-U0-G2
OPS-PT-05L-5R-40K8-U0-EHS	3,533	34	104	B1-U0-G1
OPS-PT-05L-5R-50K8-U0	4,696	34	138	B2-U0-G2



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-05L-5R-50K8-U0-EHS	3,579	34	105	B1-U0-G1
OPS-PT-05L-5R-AMB-U0	3,078	36	86	B2-U0-G2
OPS-PT-05L-5R-AMB-U0-EHS	2,347	36	65	B1-U0-G1
OPS-PT-05L-AD-27K8-U0	4,065	34	120	B1-U0-G1
OPS-PT-05L-AD-27K8-U0-EHS	3,311	34	97	B1-U0-G1
OPS-PT-05L-AD-30K8-U0	4,197	34	123	B1-U0-G1
OPS-PT-05L-AD-30K8-U0-EHS	3,419	34	101	B1-U0-G1
OPS-PT-05L-AD-35K8-U0	4,129	34	121	B1-U0-G1
OPS-PT-05L-AD-35K8-U0-EHS	3,363	34	99	B1-U0-G1
OPS-PT-05L-AD-40K8-U0	4,297	34	126	B1-U0-G1
OPS-PT-05L-AD-40K8-U0-EHS	3,500	34	103	B1-U0-G1
OPS-PT-05L-AD-50K8-U0	4,354	34	128	B1-U0-G1
OPS-PT-05L-AD-50K8-U0-EHS	3,546	34	104	B1-U0-G1
OPS-PT-05L-AD-AMB-U0	2,854	36	79	B1-U0-G1
OPS-PT-05L-AD-AMB-U0-EHS	2,325	36	65	B1-U0-G1
OPS-PT-06L-3W-27K8-U0	5,007	41	122	B1-U0-G1
OPS-PT-06L-3W-27K8-U0-EHS	4,263	41	104	B1-U0-G1
OPS-PT-06L-3W-30K8-U0	5,169	41	126	B1-U0-G1
OPS-PT-06L-3W-30K8-U0-EHS	4,401	41	107	B1-U0-G1
OPS-PT-06L-3W-35K8-U0	5,085	41	124	B1-U0-G1
OPS-PT-06L-3W-35K8-U0-EHS	4,329	41	106	B1-U0-G1
OPS-PT-06L-3W-40K8-U0	5,292	41	129	B1-U0-G1
OPS-PT-06L-3W-40K8-U0-EHS	4,505	41	110	B1-U0-G1
OPS-PT-06L-3W-50K8-U0	5,362	41	131	B1-U0-G1
OPS-PT-06L-3W-50K8-U0-EHS	4,565	41	111	B1-U0-G1
OPS-PT-06L-3W-AMB-U0	3,408	43	79	B1-U0-G1
OPS-PT-06L-3W-AMB-U0-EHS	2,901	43	67	B1-U0-G1
OPS-PT-06L-4F-27K8-U0	5,099	41	124	B1-U0-G1
OPS-PT-06L-4F-27K8-U0-EHS	4,424	41	108	B1-U0-G1
OPS-PT-06L-4F-30K8-U0	5,265	41	128	B1-U0-G1
OPS-PT-06L-4F-30K8-U0-EHS	4,568	41	111	B1-U0-G1
OPS-PT-06L-4F-35K8-U0	5,178	41	126	B1-U0-G1
OPS-PT-06L-4F-35K8-U0-EHS	4,493	41	110	B1-U0-G1
OPS-PT-06L-4F-40K8-U0	5,389	41	131	B1-U0-G1
OPS-PT-06L-4F-40K8-U0-EHS	4,676	41	114	B1-U0-G1
OPS-PT-06L-4F-50K8-U0	5,461	41	133	B1-U0-G1
OPS-PT-06L-4F-50K8-U0-EHS	4,738	41	116	B1-U0-G1
OPS-PT-06L-4F-AMB-U0	3,470	43	81	B1-U0-G1
OPS-PT-06L-4F-AMB-U0-EHS	3,011	43	70	B1-U0-G1
OPS-PT-06L-5C-27K8-U0	5,345	41	130	B2-U0-G1
OPS-PT-06L-5C-27K8-U0-EHS	4,459	41	109	B2-U0-G1
OPS-PT-06L-5C-30K8-U0	5,518	41	135	B2-U0-G1
OPS-PT-06L-5C-30K8-U0-EHS	4,603	41	112	B2-U0-G1
OPS-PT-06L-5C-35K8-U0	5,428	41	132	B2-U0-G1
OPS-PT-06L-5C-35K8-U0-EHS	4,528	41	110	B2-U0-G1
OPS-PT-06L-5C-40K8-U0	5,649	41	138	B2-U0-G1
OPS-PT-06L-5C-40K8-U0-EHS	4,712	41	115	B2-U0-G1
OPS-PT-06L-5C-50K8-U0	5,724	41	140	B2-U0-G1
OPS-PT-06L-5C-50K8-U0-EHS	4,775	41	116	B2-U0-G1
OPS-PT-06L-5C-AMB-U0	3,638	43	85	B2-U0-G1
OPS-PT-06L-5C-AMB-U0-EHS	3,035	43	71	B1-U0-G1
OPS-PT-06L-5D-27K8-U0	4,814	41	117	B2-U0-G1
OPS-PT-06L-5D-27K8-U0-EHS	3,789	41	92	B1-U0-G1



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-06L-5D-30K8-U0	4,970	41	121	B2-U0-G1
OPS-PT-06L-5D-30K8-U0-EHS	3,912	41	95	B1-U0-G1
OPS-PT-06L-5D-35K8-U0	4,889	41	119	B2-U0-G1
OPS-PT-06L-5D-35K8-U0-EHS	3,848	41	94	B1-U0-G1
OPS-PT-06L-5D-40K8-U0	5,088	41	124	B2-U0-G1
OPS-PT-06L-5D-40K8-U0-EHS	4,004	41	98	B1-U0-G1
OPS-PT-06L-5D-50K8-U0	5,155	41	126	B2-U0-G1
OPS-PT-06L-5D-50K8-U0-EHS	4,057	41	99	B1-U0-G1
OPS-PT-06L-5D-AMB-U0	3,276	43	76	B1-U0-G1
OPS-PT-06L-5D-AMB-U0-EHS	2,579	43	60	B1-U0-G1
OPS-PT-06L-5Q-27K8-U0	5,240	41	128	B2-U0-G1
OPS-PT-06L-5Q-27K8-U0-EHS	4,041	41	99	B1-U0-G1
OPS-PT-06L-5Q-30K8-U0	5,411	41	132	B2-U0-G1
OPS-PT-06L-5Q-30K8-U0-EHS	4,172	41	102	B2-U0-G1
OPS-PT-06L-5Q-35K8-U0	5,322	41	130	B2-U0-G1
OPS-PT-06L-5Q-35K8-U0-EHS	4,104	41	100	B1-U0-G1
OPS-PT-06L-5Q-40K8-U0	5,538	41	135	B2-U0-G1
OPS-PT-06L-5Q-40K8-U0-EHS	4,271	41	104	B2-U0-G1
OPS-PT-06L-5Q-50K8-U0	5,612	41	137	B2-U0-G1
OPS-PT-06L-5Q-50K8-U0-EHS	4,328	41	106	B2-U0-G1
OPS-PT-06L-5Q-AMB-U0	3,567	43	83	B2-U0-G1
OPS-PT-06L-5Q-AMB-U0-EHS	2,751	43	64	B1-U0-G1
OPS-PT-06L-5R-27K8-U0	5,197	41	127	B2-U0-G2
OPS-PT-06L-5R-27K8-U0-EHS	3,961	41	97	B1-U0-G1
OPS-PT-06L-5R-30K8-U0	5,366	41	131	B2-U0-G2
OPS-PT-06L-5R-30K8-U0-EHS	4,090	41	100	B1-U0-G1
OPS-PT-06L-5R-35K8-U0	5,278	41	129	B2-U0-G2
OPS-PT-06L-5R-35K8-U0-EHS	4,023	41	98	B1-U0-G1
OPS-PT-06L-5R-40K8-U0	5,492	41	134	B2-U0-G2
OPS-PT-06L-5R-40K8-U0-EHS	4,186	41	102	B1-U0-G1
OPS-PT-06L-5R-50K8-U0	5,566	41	136	B2-U0-G2
OPS-PT-06L-5R-50K8-U0-EHS	4,242	41	103	B1-U0-G1
OPS-PT-06L-5R-AMB-U0	3,537	43	82	B2-U0-G2
OPS-PT-06L-5R-AMB-U0-EHS	2,696	43	63	B1-U0-G1
OPS-PT-06L-AD-27K8-U0	4,818	41	118	B2-U0-G1
OPS-PT-06L-AD-27K8-U0-EHS	3,924	41	96	B1-U0-G1
OPS-PT-06L-AD-30K8-U0	4,974	41	121	B2-U0-G1
OPS-PT-06L-AD-30K8-U0-EHS	4,052	41	99	B1-U0-G1
OPS-PT-06L-AD-35K8-U0	4,892	41	119	B2-U0-G1
OPS-PT-06L-AD-35K8-U0-EHS	3,985	41	97	B1-U0-G1
OPS-PT-06L-AD-40K8-U0	5,092	41	124	B2-U0-G1
OPS-PT-06L-AD-40K8-U0-EHS	4,148	41	101	B1-U0-G1
OPS-PT-06L-AD-50K8-U0	5,159	41	126	B2-U0-G1
OPS-PT-06L-AD-50K8-U0-EHS	4,203	41	103	B1-U0-G1
OPS-PT-06L-AD-AMB-U0	3,279	43	76	B1-U0-G1
OPS-PT-06L-AD-AMB-U0-EHS	2,671	43	62	B1-U0-G1
OPS-PT-08L-3W-27K8-U0	6,709	55	122	B2-U0-G2
OPS-PT-08L-3W-27K8-U0-EHS	5,712	55	104	B1-U0-G1
OPS-PT-08L-3W-30K8-U0	6,927	55	126	B2-U0-G2
OPS-PT-08L-3W-30K8-U0-EHS	5,898	55	107	B1-U0-G1
OPS-PT-08L-3W-35K8-U0	6,813	55	124	B2-U0-G2
OPS-PT-08L-3W-35K8-U0-EHS	5,801	55	105	B1-U0-G1
OPS-PT-08L-3W-40K8-U0	7,090	55	129	B2-U0-G2



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-08L-3W-40K8-U0-EHS	6,037	55	110	B1-U0-G1
OPS-PT-08L-3W-50K8-U0	7,185	55	131	B2-U0-G2
OPS-PT-08L-3W-50K8-U0-EHS	6,117	55	111	B2-U0-G1
OPS-PT-08L-3W-AMB-U0	4,607	59	78	B1-U0-G1
OPS-PT-08L-3W-AMB-U0-EHS	3,922	59	66	B1-U0-G1
OPS-PT-08L-4F-27K8-U0	6,833	55	124	B2-U0-G1
OPS-PT-08L-4F-27K8-U0-EHS	5,928	55	108	B1-U0-G1
OPS-PT-08L-4F-30K8-U0	7,055	55	128	B2-U0-G1
OPS-PT-08L-4F-30K8-U0-EHS	6,121	55	111	B1-U0-G1
OPS-PT-08L-4F-35K8-U0	6,939	55	126	B2-U0-G1
OPS-PT-08L-4F-35K8-U0-EHS	6,020	55	109	B1-U0-G1
OPS-PT-08L-4F-40K8-U0	7,221	55	131	B2-U0-G1
OPS-PT-08L-4F-40K8-U0-EHS	6,266	55	114	B1-U0-G1
OPS-PT-08L-4F-50K8-U0	7,317	55	133	B2-U0-G1
OPS-PT-08L-4F-50K8-U0-EHS	6,349	55	115	B1-U0-G1
OPS-PT-08L-4F-AMB-U0	4,692	59	80	B1-U0-G1
OPS-PT-08L-4F-AMB-U0-EHS	4,071	59	69	B1-U0-G1
OPS-PT-08L-5C-27K8-U0	7,162	55	130	B2-U0-G1
OPS-PT-08L-5C-27K8-U0-EHS	5,974	55	109	B2-U0-G1
OPS-PT-08L-5C-30K8-U0	7,395	55	134	B2-U0-G1
OPS-PT-08L-5C-30K8-U0-EHS	6,168	55	112	B2-U0-G1
OPS-PT-08L-5C-35K8-U0	7,273	55	132	B2-U0-G1
OPS-PT-08L-5C-35K8-U0-EHS	6,067	55	110	B2-U0-G1
OPS-PT-08L-5C-40K8-U0	7,569	55	138	B3-U0-G1
OPS-PT-08L-5C-40K8-U0-EHS	6,314	55	115	B2-U0-G1
OPS-PT-08L-5C-50K8-U0	7,670	55	139	B3-U0-G1
OPS-PT-08L-5C-50K8-U0-EHS	6,398	55	116	B2-U0-G1
OPS-PT-08L-5C-AMB-U0	4,918	59	83	B2-U0-G1
OPS-PT-08L-5C-AMB-U0-EHS	4,102	59	70	B2-U0-G1
OPS-PT-08L-5D-27K8-U0	6,451	55	117	B2-U0-G1
OPS-PT-08L-5D-27K8-U0-EHS	5,077	55	92	B2-U0-G1
OPS-PT-08L-5D-30K8-U0	6,660	55	121	B2-U0-G1
OPS-PT-08L-5D-30K8-U0-EHS	5,242	55	95	B2-U0-G1
OPS-PT-08L-5D-35K8-U0	6,551	55	119	B2-U0-G1
OPS-PT-08L-5D-35K8-U0-EHS	5,155	55	94	B2-U0-G1
OPS-PT-08L-5D-40K8-U0	6,818	55	124	B2-U0-G1
OPS-PT-08L-5D-40K8-U0-EHS	5,366	55	98	B2-U0-G1
OPS-PT-08L-5D-50K8-U0	6,908	55	126	B2-U0-G1
OPS-PT-08L-5D-50K8-U0-EHS	5,437	55	99	B2-U0-G1
OPS-PT-08L-5D-AMB-U0	4,430	59	75	B2-U0-G1
OPS-PT-08L-5D-AMB-U0-EHS	3,486	59	59	B1-U0-G1
OPS-PT-08L-5Q-27K8-U0	7,022	55	128	B3-U0-G1
OPS-PT-08L-5Q-27K8-U0-EHS	5,415	55	98	B2-U0-G1
OPS-PT-08L-5Q-30K8-U0	7,250	55	132	B3-U0-G1
OPS-PT-08L-5Q-30K8-U0-EHS	5,591	55	102	B2-U0-G1
OPS-PT-08L-5Q-35K8-U0	7,131	55	130	B3-U0-G1
OPS-PT-08L-5Q-35K8-U0-EHS	5,499	55	100	B2-U0-G1
OPS-PT-08L-5Q-40K8-U0	7,421	55	135	B3-U0-G1
OPS-PT-08L-5Q-40K8-U0-EHS	5,723	55	104	B2-U0-G1
OPS-PT-08L-5Q-50K8-U0	7,520	55	137	B3-U0-G1
OPS-PT-08L-5Q-50K8-U0-EHS	5,799	55	105	B2-U0-G1
OPS-PT-08L-5Q-AMB-U0	4,822	59	82	B2-U0-G1
OPS-PT-08L-5Q-AMB-U0-EHS	3,718	59	63	B1-U0-G1
OPS-PT-08L-5R-27K8-U0	6,961	55	127	B3-U0-G3



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-08L-5R-27K8-U0-EHS	5,308	55	97	B2-U0-G1
OPS-PT-08L-5R-30K8-U0	7,187	55	131	B3-U0-G3
OPS-PT-08L-5R-30K8-U0-EHS	5,480	55	100	B2-U0-G1
OPS-PT-08L-5R-35K8-U0	7,069	55	129	B3-U0-G3
OPS-PT-08L-5R-35K8-U0-EHS	5,390	55	98	B2-U0-G1
OPS-PT-08L-5R-40K8-U0	7,357	55	134	B3-U0-G3
OPS-PT-08L-5R-40K8-U0-EHS	5,610	55	102	B2-U0-G1
OPS-PT-08L-5R-50K8-U0	7,455	55	136	B3-U0-G3
OPS-PT-08L-5R-50K8-U0-EHS	5,684	55	103	B2-U0-G1
OPS-PT-08L-5R-AMB-U0	4,780	59	81	B2-U0-G2
OPS-PT-08L-5R-AMB-U0-EHS	3,645	59	62	B1-U0-G1
OPS-PT-08L-AD-27K8-U0	6,456	55	117	B2-U0-G2
OPS-PT-08L-AD-27K8-U0-EHS	5,259	55	96	B1-U0-G1
OPS-PT-08L-AD-30K8-U0	6,666	55	121	B2-U0-G2
OPS-PT-08L-AD-30K8-U0-EHS	5,430	55	99	B1-U0-G1
OPS-PT-08L-AD-35K8-U0	6,556	55	119	B2-U0-G2
OPS-PT-08L-AD-35K8-U0-EHS	5,340	55	97	B1-U0-G1
OPS-PT-08L-AD-40K8-U0	6,823	55	124	B2-U0-G2
OPS-PT-08L-AD-40K8-U0-EHS	5,558	55	101	B2-U0-G1
OPS-PT-08L-AD-50K8-U0	6,913	55	126	B2-U0-G2
OPS-PT-08L-AD-50K8-U0-EHS	5,632	55	102	B2-U0-G1
OPS-PT-08L-AD-AMB-U0	4,433	59	75	B1-U0-G1
OPS-PT-08L-AD-AMB-U0-EHS	3,611	59	61	B1-U0-G1
OPS-PT-10L-3W-27K8-U0	8,460	70	121	B2-U0-G2
OPS-PT-10L-3W-27K8-U0-EHS	7,204	70	103	B2-U0-G1
OPS-PT-10L-3W-30K8-U0	8,736	70	125	B2-U0-G2
OPS-PT-10L-3W-30K8-U0-EHS	7,438	70	106	B2-U0-G1
OPS-PT-10L-3W-35K8-U0	8,592	70	123	B2-U0-G2
OPS-PT-10L-3W-35K8-U0-EHS	7,315	70	105	B2-U0-G1
OPS-PT-10L-3W-40K8-U0	8,942	70	128	B2-U0-G2
OPS-PT-10L-3W-40K8-U0-EHS	7,613	70	109	B2-U0-G1
OPS-PT-10L-3W-50K8-U0	9,060	70	129	B2-U0-G2
OPS-PT-10L-3W-50K8-U0-EHS	7,715	70	110	B2-U0-G1
OPS-PT-10L-3W-AMB-U0	5,617	74	76	B2-U0-G2
OPS-PT-10L-3W-AMB-U0-EHS	4,782	74	65	B1-U0-G1
OPS-PT-10L-4F-27K8-U0	8,616	70	123	B2-U0-G2
OPS-PT-10L-4F-27K8-U0-EHS	7,476	70	107	B2-U0-G1
OPS-PT-10L-4F-30K8-U0	8,896	70	127	B2-U0-G2
OPS-PT-10L-4F-30K8-U0-EHS	7,719	70	110	B2-U0-G1
OPS-PT-10L-4F-35K8-U0	8,750	70	125	B2-U0-G2
OPS-PT-10L-4F-35K8-U0-EHS	7,592	70	108	B2-U0-G1
OPS-PT-10L-4F-40K8-U0	9,106	70	130	B2-U0-G2
OPS-PT-10L-4F-40K8-U0-EHS	7,901	70	113	B2-U0-G1
OPS-PT-10L-4F-50K8-U0	9,227	70	132	B2-U0-G2
OPS-PT-10L-4F-50K8-U0-EHS	8,006	70	114	B2-U0-G1
OPS-PT-10L-4F-AMB-U0	5,720	74	77	B2-U0-G1
OPS-PT-10L-4F-AMB-U0-EHS	4,963	74	67	B1-U0-G1
OPS-PT-10L-5C-27K8-U0	9,031	70	129	B3-U0-G1
OPS-PT-10L-5C-27K8-U0-EHS	7,534	70	108	B2-U0-G1
OPS-PT-10L-5C-30K8-U0	9,325	70	133	B3-U0-G1
OPS-PT-10L-5C-30K8-U0-EHS	7,779	70	111	B2-U0-G1
OPS-PT-10L-5C-35K8-U0	9,171	70	131	B3-U0-G1
OPS-PT-10L-5C-35K8-U0-EHS	7,651	70	109	B2-U0-G1



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-10L-5C-40K8-U0	9,545	70	136	B3-U0-G1
OPS-PT-10L-5C-40K8-U0-EHS	7,963	70	114	B2-U0-G1
OPS-PT-10L-5C-50K8-U0	9,672	70	138	B3-U0-G1
OPS-PT-10L-5C-50K8-U0-EHS	8,069	70	115	B2-U0-G1
OPS-PT-10L-5C-AMB-U0	5,996	74	81	B2-U0-G1
OPS-PT-10L-5C-AMB-U0-EHS	5,002	74	68	B2-U0-G1
OPS-PT-10L-5D-27K8-U0	8,135	70	116	B3-U0-G2
OPS-PT-10L-5D-27K8-U0-EHS	6,402	70	91	B2-U0-G1
OPS-PT-10L-5D-30K8-U0	8,399	70	120	B3-U0-G2
OPS-PT-10L-5D-30K8-U0-EHS	6,610	70	94	B2-U0-G1
OPS-PT-10L-5D-35K8-U0	8,261	70	118	B3-U0-G2
OPS-PT-10L-5D-35K8-U0-EHS	6,501	70	93	B2-U0-G1
OPS-PT-10L-5D-40K8-U0	8,597	70	123	B3-U0-G2
OPS-PT-10L-5D-40K8-U0-EHS	6,766	70	97	B2-U0-G1
OPS-PT-10L-5D-50K8-U0	8,712	70	124	B3-U0-G2
OPS-PT-10L-5D-50K8-U0-EHS	6,856	70	98	B2-U0-G1
OPS-PT-10L-5D-AMB-U0	5,401	74	73	B2-U0-G1
OPS-PT-10L-5D-AMB-U0-EHS	4,250	74	57	B2-U0-G1
OPS-PT-10L-5Q-27K8-U0	8,855	70	126	B3-U0-G1
OPS-PT-10L-5Q-27K8-U0-EHS	6,829	70	98	B2-U0-G1
OPS-PT-10L-5Q-30K8-U0	9,143	70	131	B3-U0-G1
OPS-PT-10L-5Q-30K8-U0-EHS	7,051	70	101	B2-U0-G1
OPS-PT-10L-5Q-35K8-U0	8,992	70	128	B3-U0-G1
OPS-PT-10L-5Q-35K8-U0-EHS	6,935	70	99	B2-U0-G1
OPS-PT-10L-5Q-40K8-U0	9,358	70	134	B3-U0-G1
OPS-PT-10L-5Q-40K8-U0-EHS	7,217	70	103	B2-U0-G1
OPS-PT-10L-5Q-50K8-U0	9,483	70	135	B3-U0-G1
OPS-PT-10L-5Q-50K8-U0-EHS	7,314	70	104	B2-U0-G1
OPS-PT-10L-5Q-AMB-U0	5,879	74	79	B2-U0-G1
OPS-PT-10L-5Q-AMB-U0-EHS	4,534	74	61	B2-U0-G1
OPS-PT-10L-5R-27K8-U0	8,778	70	125	B3-U0-G3
OPS-PT-10L-5R-27K8-U0-EHS	6,694	70	96	B2-U0-G1
OPS-PT-10L-5R-30K8-U0	9,063	70	129	B3-U0-G3
OPS-PT-10L-5R-30K8-U0-EHS	6,911	70	99	B2-U0-G1
OPS-PT-10L-5R-35K8-U0	8,914	70	127	B3-U0-G3
OPS-PT-10L-5R-35K8-U0-EHS	6,797	70	97	B2-U0-G1
OPS-PT-10L-5R-40K8-U0	9,277	70	133	B3-U0-G3
OPS-PT-10L-5R-40K8-U0-EHS	7,074	70	101	B2-U0-G1
OPS-PT-10L-5R-50K8-U0	9,400	70	134	B3-U0-G3
OPS-PT-10L-5R-50K8-U0-EHS	7,168	70	102	B2-U0-G1
OPS-PT-10L-5R-AMB-U0	5,827	74	79	B3-U0-G3
OPS-PT-10L-5R-AMB-U0-EHS	4,444	74	60	B2-U0-G1
OPS-PT-10L-AD-27K8-U0	8,141	70	116	B2-U0-G2
OPS-PT-10L-AD-27K8-U0-EHS	6,631	70	95	B2-U0-G1
OPS-PT-10L-AD-30K8-U0	8,406	70	120	B2-U0-G2
OPS-PT-10L-AD-30K8-U0-EHS	6,847	70	98	B2-U0-G2
OPS-PT-10L-AD-35K8-U0	8,267	70	118	B2-U0-G2
OPS-PT-10L-AD-35K8-U0-EHS	6,734	70	96	B2-U0-G1
OPS-PT-10L-AD-40K8-U0	8,604	70	123	B2-U0-G2
OPS-PT-10L-AD-40K8-U0-EHS	7,008	70	100	B2-U0-G2
OPS-PT-10L-AD-50K8-U0	8,718	70	125	B2-U0-G2
OPS-PT-10L-AD-50K8-U0-EHS	7,102	70	101	B2-U0-G2
OPS-PT-10L-AD-AMB-U0	5,405	74	73	B2-U0-G1
OPS-PT-10L-AD-AMB-U0-EHS	4,402	74	59	B1-U0-G1



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-12L-3W-27K8-U0	10,085	85	119	B2-U0-G2
OPS-PT-12L-3W-27K8-U0-EHS	8,587	85	101	B2-U0-G2
OPS-PT-12L-3W-30K8-U0	10,413	85	123	B2-U0-G2
OPS-PT-12L-3W-30K8-U0-EHS	8,866	85	104	B2-U0-G2
OPS-PT-12L-3W-35K8-U0	10,241	85	120	B2-U0-G2
OPS-PT-12L-3W-35K8-U0-EHS	8,720	85	103	B2-U0-G2
OPS-PT-12L-3W-40K8-U0	10,659	85	125	B2-U0-G2
OPS-PT-12L-3W-40K8-U0-EHS	9,075	85	107	B2-U0-G2
OPS-PT-12L-3W-50K8-U0	10,800	85	127	B2-U0-G2
OPS-PT-12L-3W-50K8-U0-EHS	9,196	85	108	B2-U0-G2
OPS-PT-12L-4F-27K8-U0	10,271	85	121	B2-U0-G2
OPS-PT-12L-4F-27K8-U0-EHS	8,911	85	105	B2-U0-G2
OPS-PT-12L-4F-30K8-U0	10,605	85	125	B2-U0-G2
OPS-PT-12L-4F-30K8-U0-EHS	9,201	85	108	B2-U0-G2
OPS-PT-12L-4F-35K8-U0	10,430	85	123	B2-U0-G2
OPS-PT-12L-4F-35K8-U0-EHS	9,050	85	106	B2-U0-G2
OPS-PT-12L-4F-40K8-U0	10,855	85	128	B2-U0-G2
OPS-PT-12L-4F-40K8-U0-EHS	9,418	85	111	B2-U0-G2
OPS-PT-12L-4F-50K8-U0	10,999	85	129	B2-U0-G2
OPS-PT-12L-4F-50K8-U0-EHS	9,543	85	112	B2-U0-G2
OPS-PT-12L-5C-27K8-U0	10,766	85	127	B3-U0-G1
OPS-PT-12L-5C-27K8-U0-EHS	8,981	85	106	B3-U0-G1
OPS-PT-12L-5C-30K8-U0	11,116	85	131	B3-U0-G1
OPS-PT-12L-5C-30K8-U0-EHS	9,273	85	109	B3-U0-G1
OPS-PT-12L-5C-35K8-U0	10,933	85	129	B3-U0-G1
OPS-PT-12L-5C-35K8-U0-EHS	9,120	85	107	B3-U0-G1
OPS-PT-12L-5C-40K8-U0	11,378	85	134	B3-U0-G1
OPS-PT-12L-5C-40K8-U0-EHS	9,492	85	112	B3-U0-G1
OPS-PT-12L-5C-50K8-U0	11,529	85	136	B3-U0-G1
OPS-PT-12L-5C-50K8-U0-EHS	9,618	85	113	B3-U0-G1
OPS-PT-12L-5D-27K8-U0	9,697	85	114	B3-U0-G2
OPS-PT-12L-5D-27K8-U0-EHS	7,631	85	90	B2-U0-G1
OPS-PT-12L-5D-30K8-U0	10,012	85	118	B3-U0-G2
OPS-PT-12L-5D-30K8-U0-EHS	7,879	85	93	B2-U0-G1
OPS-PT-12L-5D-35K8-U0	9,847	85	116	B3-U0-G2
OPS-PT-12L-5D-35K8-U0-EHS	7,750	85	91	B2-U0-G1
OPS-PT-12L-5D-40K8-U0	10,248	85	121	B3-U0-G2
OPS-PT-12L-5D-40K8-U0-EHS	8,065	85	95	B2-U0-G1
OPS-PT-12L-5D-50K8-U0	10,384	85	122	B3-U0-G2
OPS-PT-12L-5D-50K8-U0-EHS	8,173	85	96	B2-U0-G1
OPS-PT-12L-5Q-27K8-U0	10,555	85	124	B3-U0-G1
OPS-PT-12L-5Q-27K8-U0-EHS	8,140	85	96	B2-U0-G1
OPS-PT-12L-5Q-30K8-U0	10,898	85	128	B3-U0-G1
OPS-PT-12L-5Q-30K8-U0-EHS	8,405	85	99	B2-U0-G1
OPS-PT-12L-5Q-35K8-U0	10,719	85	126	B3-U0-G1
OPS-PT-12L-5Q-35K8-U0-EHS	8,267	85	97	B2-U0-G1
OPS-PT-12L-5Q-40K8-U0	11,155	85	131	B3-U0-G1
OPS-PT-12L-5Q-40K8-U0-EHS	8,603	85	101	B2-U0-G2
OPS-PT-12L-5Q-50K8-U0	11,303	85	133	B3-U0-G1
OPS-PT-12L-5Q-50K8-U0-EHS	8,718	85	103	B2-U0-G2
OPS-PT-12L-5R-27K8-U0	10,464	85	123	B3-U0-G3
OPS-PT-12L-5R-27K8-U0-EHS	7,979	85	94	B2-U0-G2
OPS-PT-12L-5R-30K8-U0	10,804	85	127	B3-U0-G3



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-12L-5R-30K8-U0-EHS	8,238	85	97	B2-U0-G2
OPS-PT-12L-5R-35K8-U0	10,626	85	125	B3-U0-G3
OPS-PT-12L-5R-35K8-U0-EHS	8,102	85	95	B2-U0-G2
OPS-PT-12L-5R-40K8-U0	11,059	85	130	B3-U0-G3
OPS-PT-12L-5R-40K8-U0-EHS	8,432	85	99	B2-U0-G2
OPS-PT-12L-5R-50K8-U0	11,206	85	132	B3-U0-G3
OPS-PT-12L-5R-50K8-U0-EHS	8,544	85	101	B2-U0-G2
OPS-PT-12L-AD-27K8-U0	9,704	85	114	B2-U0-G2
OPS-PT-12L-AD-27K8-U0-EHS	7,904	85	93	B2-U0-G2
OPS-PT-12L-AD-30K8-U0	10,020	85	118	B2-U0-G2
OPS-PT-12L-AD-30K8-U0-EHS	8,161	85	96	B2-U0-G2
OPS-PT-12L-AD-35K8-U0	9,855	85	116	B2-U0-G2
OPS-PT-12L-AD-35K8-U0-EHS	8,027	85	94	B2-U0-G2
OPS-PT-12L-AD-40K8-U0	10,256	85	121	B2-U0-G2
OPS-PT-12L-AD-40K8-U0-EHS	8,354	85	98	B2-U0-G2
OPS-PT-12L-AD-50K8-U0	10,393	85	122	B2-U0-G2
OPS-PT-12L-AD-50K8-U0-EHS	8,465	85	100	B2-U0-G2
OPS-PT-14L-3W-27K8-U0	11,659	100	117	B3-U0-G3
OPS-PT-14L-3W-27K8-U0-EHS	9,927	100	99	B2-U0-G2
OPS-PT-14L-3W-30K8-U0	12,038	100	120	B3-U0-G3
OPS-PT-14L-3W-30K8-U0-EHS	10,250	100	103	B2-U0-G2
OPS-PT-14L-3W-35K8-U0	11,840	100	118	B3-U0-G3
OPS-PT-14L-3W-35K8-U0-EHS	10,081	100	101	B2-U0-G2
OPS-PT-14L-3W-40K8-U0	12,322	100	123	B3-U0-G3
OPS-PT-14L-3W-40K8-U0-EHS	10,492	100	105	B2-U0-G2
OPS-PT-14L-3W-50K8-U0	12,486	100	125	B3-U0-G3
OPS-PT-14L-3W-50K8-U0-EHS	10,631	100	106	B2-U0-G2
OPS-PT-14L-4F-27K8-U0	11,875	100	119	B2-U0-G2
OPS-PT-14L-4F-27K8-U0-EHS	10,303	100	103	B2-U0-G2
OPS-PT-14L-4F-30K8-U0	12,260	100	123	B2-U0-G2
OPS-PT-14L-4F-30K8-U0-EHS	10,637	100	106	B2-U0-G2
OPS-PT-14L-4F-35K8-U0	12,059	100	121	B2-U0-G2
OPS-PT-14L-4F-35K8-U0-EHS	10,462	100	105	B2-U0-G2
OPS-PT-14L-4F-40K8-U0	12,550	100	125	B2-U0-G2
OPS-PT-14L-4F-40K8-U0-EHS	10,888	100	109	B2-U0-G2
OPS-PT-14L-4F-50K8-U0	12,716	100	127	B2-U0-G2
OPS-PT-14L-4F-50K8-U0-EHS	11,033	100	110	B2-U0-G2
OPS-PT-14L-5C-27K8-U0	12,446	100	124	B3-U0-G1
OPS-PT-14L-5C-27K8-U0-EHS	10,383	100	104	B3-U0-G1
OPS-PT-14L-5C-30K8-U0	12,851	100	129	B3-U0-G1
OPS-PT-14L-5C-30K8-U0-EHS	10,721	100	107	B3-U0-G1
OPS-PT-14L-5C-35K8-U0	12,640	100	126	B3-U0-G1
OPS-PT-14L-5C-35K8-U0-EHS	10,544	100	105	B3-U0-G1
OPS-PT-14L-5C-40K8-U0	13,154	100	132	B3-U0-G1
OPS-PT-14L-5C-40K8-U0-EHS	10,973	100	110	B3-U0-G1
OPS-PT-14L-5C-50K8-U0	13,329	100	133	B3-U0-G1
OPS-PT-14L-5C-50K8-U0-EHS	11,119	100	111	B3-U0-G1
OPS-PT-14L-5D-27K8-U0	11,211	100	112	B3-U0-G2
OPS-PT-14L-5D-27K8-U0-EHS	8,823	100	88	B2-U0-G2
OPS-PT-14L-5D-30K8-U0	11,575	100	116	B3-U0-G2
OPS-PT-14L-5D-30K8-U0-EHS	9,110	100	91	B2-U0-G2
OPS-PT-14L-5D-35K8-U0	11,385	100	114	B3-U0-G2
OPS-PT-14L-5D-35K8-U0-EHS	8,960	100	90	B2-U0-G2
OPS-PT-14L-5D-40K8-U0	11,848	100	118	B3-U0-G2



OPS-PT-U0 Opulence – Decorative Post Top Light

OPS-PT-U0 PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-14L-5D-40K8-U0-EHS	9,325	100	93	B2-U0-G2
OPS-PT-14L-5D-50K8-U0	12,006	100	120	B3-U0-G2
OPS-PT-14L-5D-50K8-U0-EHS	9,449	100	94	B2-U0-G2
OPS-PT-14L-5Q-27K8-U0	12,203	100	122	B3-U0-G2
OPS-PT-14L-5Q-27K8-U0-EHS	9,411	100	94	B2-U0-G2
OPS-PT-14L-5Q-30K8-U0	12,600	100	126	B3-U0-G2
OPS-PT-14L-5Q-30K8-U0-EHS	9,717	100	97	B2-U0-G2
OPS-PT-14L-5Q-35K8-U0	12,392	100	124	B3-U0-G2
OPS-PT-14L-5Q-35K8-U0-EHS	9,557	100	96	B2-U0-G2
OPS-PT-14L-5Q-40K8-U0	12,897	100	129	B3-U0-G2
OPS-PT-14L-5Q-40K8-U0-EHS	9,947	100	99	B2-U0-G2
OPS-PT-14L-5Q-50K8-U0	13,068	100	131	B3-U0-G2
OPS-PT-14L-5Q-50K8-U0-EHS	10,079	100	101	B2-U0-G2
OPS-PT-14L-5R-27K8-U0	12,098	100	121	B3-U0-G3
OPS-PT-14L-5R-27K8-U0-EHS	9,224	100	92	B2-U0-G2
OPS-PT-14L-5R-30K8-U0	12,491	100	125	B3-U0-G3
OPS-PT-14L-5R-30K8-U0-EHS	9,524	100	95	B2-U0-G2
OPS-PT-14L-5R-35K8-U0	12,286	100	123	B3-U0-G3
OPS-PT-14L-5R-35K8-U0-EHS	9,367	100	94	B2-U0-G2
OPS-PT-14L-5R-40K8-U0	12,786	100	128	B3-U0-G3
OPS-PT-14L-5R-40K8-U0-EHS	9,749	100	97	B2-U0-G2
OPS-PT-14L-5R-50K8-U0	12,956	100	130	B3-U0-G3
OPS-PT-14L-5R-50K8-U0-EHS	9,878	100	99	B2-U0-G2
OPS-PT-14L-AD-27K8-U0	11,219	100	112	B2-U0-G2
OPS-PT-14L-AD-27K8-U0-EHS	9,139	100	91	B2-U0-G2
OPS-PT-14L-AD-30K8-U0	11,584	100	116	B2-U0-G2
OPS-PT-14L-AD-30K8-U0-EHS	9,436	100	94	B2-U0-G2
OPS-PT-14L-AD-35K8-U0	11,394	100	114	B2-U0-G2
OPS-PT-14L-AD-35K8-U0-EHS	9,280	100	93	B2-U0-G2
OPS-PT-14L-AD-40K8-U0	11,857	100	119	B2-U0-G2
OPS-PT-14L-AD-40K8-U0-EHS	9,658	100	97	B2-U0-G2
OPS-PT-14L-AD-50K8-U0	12,015	100	120	B3-U0-G2
OPS-PT-14L-AD-50K8-U0-EHS	9,787	100	98	B2-U0-G2