



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-01L-3W-AMT	1,074	26	41	B0-U2-G1
OPS-PT-01L-4F-AMT	1,088	26	42	B0-U2-G1
OPS-PT-01L-5C-AMT	1,125	26	43	B1-U2-G0
OPS-PT-01L-5D-AMT	1,006	26	39	B1-U2-G1
OPS-PT-01L-5Q-AMT	1,081	26	42	B1-U2-G0
OPS-PT-01L-5R-AMT	1,058	26	41	B1-U0-G1
OPS-PT-01L-AD-AMT	1,013	26	39	B0-U2-G1
OPS-PT-03L-3W-27K8	2,622	20	131	B1-U2-G1
OPS-PT-03L-3W-27K8-EHS	2,458	22	112	B1-U2-G1
OPS-PT-03L-3W-30K8	2,708	20	135	B1-U2-G1
OPS-PT-03L-3W-30K8-EHS	2,570	22	117	B1-U2-G1
OPS-PT-03L-3W-35K8	2,662	20	133	B1-U2-G1
OPS-PT-03L-3W-35K8-EHS	2,682	22	122	B1-U2-G1
OPS-PT-03L-3W-40K8	2,771	20	139	B1-U2-G1
OPS-PT-03L-3W-40K8-EHS	2,793	22	127	B1-U2-G1
OPS-PT-03L-3W-50K8	2,807	20	140	B1-U2-G1
OPS-PT-03L-3W-50K8-EHS	2,793	22	127	B1-U2-G1
OPS-PT-03L-3W-AMB	1,881	22	86	B1-U2-G1
OPS-PT-03L-3W-AMB-EHS	1,764	22	80	B1-U2-G1
OPS-PT-03L-4F-27K8	2,671	20	134	B1-U2-G1
OPS-PT-03L-4F-27K8-EHS	2,546	22	116	B1-U2-G1
OPS-PT-03L-4F-30K8	2,759	20	138	B1-U2-G1
OPS-PT-03L-4F-30K8-EHS	2,662	22	121	B1-U2-G1
OPS-PT-03L-4F-35K8	2,713	20	136	B1-U2-G1
OPS-PT-03L-4F-35K8-EHS	2,778	22	126	B1-U2-G1
OPS-PT-03L-4F-40K8	2,823	20	141	B1-U2-G1
OPS-PT-03L-4F-40K8-EHS	2,893	22	131	B1-U2-G1
OPS-PT-03L-4F-50K8	2,860	20	143	B1-U2-G1
OPS-PT-03L-4F-50K8-EHS	2,893	22	131	B1-U2-G1
OPS-PT-03L-4F-AMB	1,917	22	87	B1-U2-G1
OPS-PT-03L-4F-AMB-EHS	1,827	22	83	B1-U2-G1
OPS-PT-03L-5C-27K8	2,812	20	141	B1-U3-G1
OPS-PT-03L-5C-27K8-EHS	2,582	22	117	B1-U2-G1
OPS-PT-03L-5C-30K8	2,904	20	145	B1-U3-G1
OPS-PT-03L-5C-30K8-EHS	2,699	22	123	B1-U3-G1
OPS-PT-03L-5C-35K8	2,855	20	143	B1-U3-G1
OPS-PT-03L-5C-35K8-EHS	2,817	22	128	B1-U3-G1
OPS-PT-03L-5C-40K8	2,972	20	149	B1-U3-G1
OPS-PT-03L-5C-40K8-EHS	2,934	22	133	B1-U3-G1
OPS-PT-03L-5C-50K8	3,010	20	151	B1-U3-G1
OPS-PT-03L-5C-50K8-EHS	2,934	22	133	B1-U3-G1
OPS-PT-03L-5C-AMB	2,019	22	92	B1-U2-G1
OPS-PT-03L-5C-AMB-EHS	1,853	22	84	B1-U2-G1
OPS-PT-03L-5D-27K8	2,522	20	126	B1-U2-G1
OPS-PT-03L-5D-27K8-EHS	2,191	22	100	B1-U2-G1
OPS-PT-03L-5D-30K8	2,605	20	130	B1-U2-G1
OPS-PT-03L-5D-30K8-EHS	2,291	22	104	B1-U2-G1
OPS-PT-03L-5D-35K8	2,561	20	128	B1-U2-G1
OPS-PT-03L-5D-35K8-EHS	2,390	22	109	B1-U2-G1
OPS-PT-03L-5D-40K8	2,665	20	133	B1-U2-G1
OPS-PT-03L-5D-40K8-EHS	2,489	22	113	B1-U2-G1
OPS-PT-03L-5D-50K8	2,700	20	135	B1-U2-G1
OPS-PT-03L-5D-50K8-EHS	2,489	22	113	B1-U2-G1



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-03L-5D-AMB	1,810	22	82	B1-U2-G1
OPS-PT-03L-5D-AMB-EHS	1,573	22	71	B1-U2-G1
OPS-PT-03L-5Q-27K8	2,740	20	137	B1-U2-G1
OPS-PT-03L-5Q-27K8-EHS	2,332	22	106	B1-U2-G1
OPS-PT-03L-5Q-30K8	2,829	20	141	B1-U2-G1
OPS-PT-03L-5Q-30K8-EHS	2,438	22	111	B1-U2-G1
OPS-PT-03L-5Q-35K8	2,782	20	139	B1-U2-G1
OPS-PT-03L-5Q-35K8-EHS	2,544	22	116	B1-U2-G1
OPS-PT-03L-5Q-40K8	2,895	20	145	B1-U2-G1
OPS-PT-03L-5Q-40K8-EHS	2,650	22	120	B1-U2-G1
OPS-PT-03L-5Q-50K8	2,933	20	147	B1-U2-G1
OPS-PT-03L-5Q-50K8-EHS	2,650	22	120	B1-U2-G1
OPS-PT-03L-5Q-AMB	1,966	22	89	B1-U2-G1
OPS-PT-03L-5Q-AMB-EHS	1,674	22	76	B1-U2-G1
OPS-PT-03L-5R-27K8	2,708	20	135	B1-U2-G1
OPS-PT-03L-5R-27K8-EHS	2,292	22	104	B1-U2-G1
OPS-PT-03L-5R-30K8	2,797	20	140	B1-U2-G1
OPS-PT-03L-5R-30K8-EHS	2,396	22	109	B1-U2-G1
OPS-PT-03L-5R-35K8	2,750	20	137	B1-U2-G1
OPS-PT-03L-5R-35K8-EHS	2,500	22	114	B1-U2-G1
OPS-PT-03L-5R-40K8	2,862	20	143	B2-U2-G2
OPS-PT-03L-5R-40K8-EHS	2,604	22	118	B1-U2-G1
OPS-PT-03L-5R-50K8	2,899	20	145	B2-U2-G2
OPS-PT-03L-5R-50K8-EHS	2,604	22	118	B1-U2-G1
OPS-PT-03L-5R-AMB	1,943	22	88	B1-U2-G1
OPS-PT-03L-5R-AMB-EHS	1,645	22	75	B1-U2-G1
OPS-PT-03L-AD-27K8	2,528	20	126	B1-U2-G1
OPS-PT-03L-AD-27K8-EHS	2,270	22	103	B1-U2-G1
OPS-PT-03L-AD-30K8	2,611	20	131	B1-U2-G1
OPS-PT-03L-AD-30K8-EHS	2,373	22	108	B1-U2-G1
OPS-PT-03L-AD-35K8	2,567	20	128	B1-U2-G1
OPS-PT-03L-AD-35K8-EHS	2,476	22	113	B1-U2-G1
OPS-PT-03L-AD-40K8	2,672	20	134	B1-U2-G1
OPS-PT-03L-AD-40K8-EHS	2,579	22	117	B1-U2-G1
OPS-PT-03L-AD-50K8	2,706	20	135	B1-U2-G1
OPS-PT-03L-AD-50K8-EHS	2,579	22	117	B1-U2-G1
OPS-PT-03L-AD-AMB	1,814	22	82	B1-U2-G1
OPS-PT-03L-AD-AMB-EHS	1,629	22	74	B1-U2-G1
OPS-PT-05L-3W-27K8	4,332	34	127	B1-U3-G1
OPS-PT-05L-3W-27K8-EHS	3,404	30	113	B1-U3-G1
OPS-PT-05L-3W-30K8	4,473	34	132	B1-U3-G1
OPS-PT-05L-3W-30K8-EHS	3,558	30	119	B1-U3-G1
OPS-PT-05L-3W-35K8	4,399	34	129	B1-U3-G1
OPS-PT-05L-3W-35K8-EHS	3,713	30	124	B1-U3-G1
OPS-PT-05L-3W-40K8	4,578	34	135	B1-U3-G1
OPS-PT-05L-3W-40K8-EHS	3,867	30	129	B1-U3-G1
OPS-PT-05L-3W-50K8	4,638	34	136	B1-U3-G1
OPS-PT-05L-3W-50K8-EHS	3,867	30	129	B1-U3-G1
OPS-PT-05L-3W-AMB	3,041	36	84	B1-U2-G1
OPS-PT-05L-3W-AMB-EHS	2,390	36	66	B1-U2-G1
OPS-PT-05L-4F-27K8	4,412	34	130	B1-U3-G1
OPS-PT-05L-4F-27K8-EHS	3,525	30	117	B1-U2-G1
OPS-PT-05L-4F-30K8	4,556	34	134	B1-U3-G1



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-05L-4F-30K8-EHS	3,685	30	123	B1-U3-G1
OPS-PT-05L-4F-35K8	4,481	34	132	B1-U3-G1
OPS-PT-05L-4F-35K8-EHS	3,845	30	128	B1-U3-G1
OPS-PT-05L-4F-40K8	4,663	34	137	B1-U3-G1
OPS-PT-05L-4F-40K8-EHS	4,006	30	134	B1-U3-G1
OPS-PT-05L-4F-50K8	4,724	34	139	B1-U3-G1
OPS-PT-05L-4F-50K8-EHS	4,006	30	134	B1-U3-G1
OPS-PT-05L-4F-AMB	3,098	36	86	B1-U2-G1
OPS-PT-05L-4F-AMB-EHS	2,475	36	69	B1-U2-G1
OPS-PT-05L-5C-27K8	4,645	34	137	B2-U3-G1
OPS-PT-05L-5C-27K8-EHS	3,575	30	119	B1-U3-G1
OPS-PT-05L-5C-30K8	4,796	34	141	B2-U3-G1
OPS-PT-05L-5C-30K8-EHS	3,737	30	125	B1-U3-G1
OPS-PT-05L-5C-35K8	4,717	34	139	B2-U3-G1
OPS-PT-05L-5C-35K8-EHS	3,900	30	130	B2-U3-G1
OPS-PT-05L-5C-40K8	4,909	34	144	B2-U3-G1
OPS-PT-05L-5C-40K8-EHS	4,062	30	135	B2-U3-G1
OPS-PT-05L-5C-50K8	4,973	34	146	B2-U3-G1
OPS-PT-05L-5C-50K8-EHS	4,062	30	135	B2-U3-G1
OPS-PT-05L-5C-AMB	3,261	36	91	B2-U3-G1
OPS-PT-05L-5C-AMB-EHS	2,510	36	70	B1-U2-G1
OPS-PT-05L-5D-27K8	4,166	34	123	B2-U3-G1
OPS-PT-05L-5D-27K8-EHS	3,033	30	101	B1-U3-G1
OPS-PT-05L-5D-30K8	4,301	34	127	B2-U3-G1
OPS-PT-05L-5D-30K8-EHS	3,171	30	106	B1-U3-G1
OPS-PT-05L-5D-35K8	4,230	34	124	B2-U3-G1
OPS-PT-05L-5D-35K8-EHS	3,309	30	110	B1-U3-G1
OPS-PT-05L-5D-40K8	4,403	34	129	B2-U3-G1
OPS-PT-05L-5D-40K8-EHS	3,447	30	115	B1-U3-G1
OPS-PT-05L-5D-50K8	4,460	34	131	B2-U3-G1
OPS-PT-05L-5D-50K8-EHS	3,447	30	115	B1-U3-G1
OPS-PT-05L-5D-AMB	2,925	36	81	B1-U2-G1
OPS-PT-05L-5D-AMB-EHS	2,130	36	59	B1-U2-G1
OPS-PT-05L-5Q-27K8	4,525	34	133	B2-U3-G1
OPS-PT-05L-5Q-27K8-EHS	3,229	30	108	B1-U2-G1
OPS-PT-05L-5Q-30K8	4,672	34	137	B2-U3-G1
OPS-PT-05L-5Q-30K8-EHS	3,375	30	113	B1-U3-G1
OPS-PT-05L-5Q-35K8	4,595	34	135	B2-U3-G1
OPS-PT-05L-5Q-35K8-EHS	3,522	30	117	B1-U3-G1
OPS-PT-05L-5Q-40K8	4,782	34	141	B2-U3-G1
OPS-PT-05L-5Q-40K8-EHS	3,669	30	122	B1-U3-G1
OPS-PT-05L-5Q-50K8	4,845	34	142	B2-U3-G1
OPS-PT-05L-5Q-50K8-EHS	3,669	30	122	B1-U3-G1
OPS-PT-05L-5Q-AMB	3,177	36	88	B1-U2-G1
OPS-PT-05L-5Q-AMB-EHS	2,267	36	63	B1-U2-G1
OPS-PT-05L-5R-27K8	4,474	34	132	B2-U3-G2
OPS-PT-05L-5R-27K8-EHS	3,173	30	106	B1-U3-G1
OPS-PT-05L-5R-30K8	4,619	34	136	B2-U3-G2
OPS-PT-05L-5R-30K8-EHS	3,317	30	111	B1-U3-G1
OPS-PT-05L-5R-35K8	4,543	34	134	B2-U3-G2
OPS-PT-05L-5R-35K8-EHS	3,462	30	115	B1-U3-G1
OPS-PT-05L-5R-40K8	4,728	34	139	B2-U3-G2
OPS-PT-05L-5R-40K8-EHS	3,606	30	120	B1-U3-G1
OPS-PT-05L-5R-50K8	4,789	34	141	B2-U3-G2



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-05L-5R-50K8-EHS	3,606	30	120	B1-U3-G1
OPS-PT-05L-5R-AMB	3,141	36	87	B2-U2-G2
OPS-PT-05L-5R-AMB-EHS	2,228	36	62	B1-U2-G1
OPS-PT-05L-AD-27K8	4,177	34	123	B1-U3-G1
OPS-PT-05L-AD-27K8-EHS	3,143	30	105	B1-U3-G1
OPS-PT-05L-AD-30K8	4,313	34	127	B1-U3-G1
OPS-PT-05L-AD-30K8-EHS	3,286	30	110	B1-U3-G1
OPS-PT-05L-AD-35K8	4,242	34	125	B1-U3-G1
OPS-PT-05L-AD-35K8-EHS	3,428	30	114	B1-U3-G1
OPS-PT-05L-AD-40K8	4,415	34	130	B1-U3-G1
OPS-PT-05L-AD-40K8-EHS	3,571	30	119	B1-U3-G1
OPS-PT-05L-AD-50K8	4,472	34	132	B1-U3-G1
OPS-PT-05L-AD-50K8-EHS	3,571	30	119	B1-U3-G1
OPS-PT-05L-AD-AMB	2,933	36	81	B1-U3-G1
OPS-PT-05L-AD-AMB-EHS	2,207	36	61	B1-U2-G1
OPS-PT-06L-3W-27K8	5,133	41	125	B1-U3-G1
OPS-PT-06L-3W-27K8-EHS	4,160	38	109	B1-U3-G1
OPS-PT-06L-3W-30K8	5,300	41	129	B1-U3-G1
OPS-PT-06L-3W-30K8-EHS	4,349	38	114	B1-U3-G1
OPS-PT-06L-3W-35K8	5,213	41	127	B1-U3-G1
OPS-PT-06L-3W-35K8-EHS	4,538	38	119	B1-U3-G1
OPS-PT-06L-3W-40K8	5,425	41	132	B1-U3-G1
OPS-PT-06L-3W-40K8-EHS	4,727	38	124	B1-U3-G1
OPS-PT-06L-3W-50K8	5,496	41	134	B1-U3-G1
OPS-PT-06L-3W-50K8-EHS	4,727	38	124	B1-U3-G1
OPS-PT-06L-3W-AMB	3,494	43	81	B1-U3-G1
OPS-PT-06L-3W-AMB-EHS	2,831	43	66	B1-U2-G1
OPS-PT-06L-4F-27K8	5,229	41	128	B1-U3-G1
OPS-PT-06L-4F-27K8-EHS	4,308	38	113	B1-U3-G1
OPS-PT-06L-4F-30K8	5,399	41	132	B1-U3-G1
OPS-PT-06L-4F-30K8-EHS	4,504	38	119	B1-U3-G1
OPS-PT-06L-4F-35K8	5,310	41	130	B1-U3-G1
OPS-PT-06L-4F-35K8-EHS	4,700	38	124	B1-U3-G1
OPS-PT-06L-4F-40K8	5,526	41	135	B1-U3-G1
OPS-PT-06L-4F-40K8-EHS	4,896	38	129	B1-U3-G1
OPS-PT-06L-4F-50K8	5,598	41	137	B1-U3-G1
OPS-PT-06L-4F-50K8-EHS	4,896	38	129	B1-U3-G1
OPS-PT-06L-4F-AMB	3,559	43	83	B1-U3-G1
OPS-PT-06L-4F-AMB-EHS	2,932	43	68	B1-U2-G1
OPS-PT-06L-5C-27K8	5,505	41	134	B2-U3-G1
OPS-PT-06L-5C-27K8-EHS	4,369	38	115	B2-U3-G1
OPS-PT-06L-5C-30K8	5,684	41	139	B2-U3-G1
OPS-PT-06L-5C-30K8-EHS	4,568	38	120	B2-U3-G1
OPS-PT-06L-5C-35K8	5,590	41	136	B2-U3-G1
OPS-PT-06L-5C-35K8-EHS	4,766	38	125	B2-U3-G1
OPS-PT-06L-5C-40K8	5,818	41	142	B2-U3-G1
OPS-PT-06L-5C-40K8-EHS	4,964	38	131	B2-U3-G1
OPS-PT-06L-5C-50K8	5,895	41	144	B2-U3-G1
OPS-PT-06L-5C-50K8-EHS	4,964	38	131	B2-U3-G1
OPS-PT-06L-5C-AMB	3,747	43	87	B2-U3-G1
OPS-PT-06L-5C-AMB-EHS	2,974	43	69	B1-U3-G1
OPS-PT-06L-5D-27K8	4,937	41	120	B2-U3-G1
OPS-PT-06L-5D-27K8-EHS	3,707	38	98	B1-U3-G1



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-06L-5D-30K8	5,097	41	124	B2-U3-G1
OPS-PT-06L-5D-30K8-EHS	3,876	38	102	B1-U3-G1
OPS-PT-06L-5D-35K8	5,014	41	122	B2-U3-G1
OPS-PT-06L-5D-35K8-EHS	4,045	38	106	B1-U3-G1
OPS-PT-06L-5D-40K8	5,218	41	127	B2-U3-G1
OPS-PT-06L-5D-40K8-EHS	4,213	38	111	B2-U3-G1
OPS-PT-06L-5D-50K8	5,286	41	129	B2-U3-G1
OPS-PT-06L-5D-50K8-EHS	4,213	38	111	B2-U3-G1
OPS-PT-06L-5D-AMB	3,360	43	78	B1-U3-G1
OPS-PT-06L-5D-AMB-EHS	2,523	43	59	B1-U2-G1
OPS-PT-06L-5Q-27K8	5,362	41	131	B2-U3-G1
OPS-PT-06L-5Q-27K8-EHS	3,946	38	104	B1-U3-G1
OPS-PT-06L-5Q-30K8	5,537	41	135	B2-U3-G1
OPS-PT-06L-5Q-30K8-EHS	4,125	38	109	B1-U3-G1
OPS-PT-06L-5Q-35K8	5,446	41	133	B2-U3-G1
OPS-PT-06L-5Q-35K8-EHS	4,305	38	113	B2-U3-G1
OPS-PT-06L-5Q-40K8	5,667	41	138	B2-U3-G1
OPS-PT-06L-5Q-40K8-EHS	4,484	38	118	B2-U3-G1
OPS-PT-06L-5Q-50K8	5,742	41	140	B2-U3-G1
OPS-PT-06L-5Q-50K8-EHS	4,484	38	118	B2-U3-G1
OPS-PT-06L-5Q-AMB	3,650	43	85	B2-U3-G1
OPS-PT-06L-5Q-AMB-EHS	2,686	43	62	B1-U2-G1
OPS-PT-06L-5R-27K8	5,302	41	129	B2-U3-G2
OPS-PT-06L-5R-27K8-EHS	3,878	38	102	B1-U3-G1
OPS-PT-06L-5R-30K8	5,474	41	134	B2-U3-G2
OPS-PT-06L-5R-30K8-EHS	4,054	38	107	B1-U3-G1
OPS-PT-06L-5R-35K8	5,384	41	131	B2-U3-G2
OPS-PT-06L-5R-35K8-EHS	4,231	38	111	B1-U3-G1
OPS-PT-06L-5R-40K8	5,603	41	137	B2-U3-G2
OPS-PT-06L-5R-40K8-EHS	4,407	38	116	B1-U3-G1
OPS-PT-06L-5R-50K8	5,677	41	138	B2-U3-G2
OPS-PT-06L-5R-50K8-EHS	4,407	38	116	B1-U3-G1
OPS-PT-06L-5R-AMB	3,608	43	84	B2-U2-G2
OPS-PT-06L-5R-AMB-EHS	2,640	43	61	B1-U2-G1
OPS-PT-06L-AD-27K8	4,950	41	121	B2-U3-G1
OPS-PT-06L-AD-27K8-EHS	3,841	38	101	B1-U3-G1
OPS-PT-06L-AD-30K8	5,111	41	125	B2-U3-G1
OPS-PT-06L-AD-30K8-EHS	4,015	38	106	B1-U3-G1
OPS-PT-06L-AD-35K8	5,027	41	123	B2-U3-G1
OPS-PT-06L-AD-35K8-EHS	4,190	38	110	B1-U3-G1
OPS-PT-06L-AD-40K8	5,232	41	128	B2-U3-G1
OPS-PT-06L-AD-40K8-EHS	4,364	38	115	B1-U3-G1
OPS-PT-06L-AD-50K8	5,300	41	129	B2-U3-G1
OPS-PT-06L-AD-50K8-EHS	4,364	38	115	B1-U3-G1
OPS-PT-06L-AD-AMB	3,369	43	78	B1-U3-G1
OPS-PT-06L-AD-AMB-EHS	2,614	43	61	B1-U2-G1
OPS-PT-08L-3W-27K8	6,879	55	125	B2-U3-G2
OPS-PT-08L-3W-27K8-EHS	5,578	52	107	B1-U3-G1
OPS-PT-08L-3W-30K8	7,102	55	129	B2-U3-G2
OPS-PT-08L-3W-30K8-EHS	5,832	52	112	B1-U3-G1
OPS-PT-08L-3W-35K8	6,985	55	127	B2-U3-G2
OPS-PT-08L-3W-35K8-EHS	6,085	52	117	B1-U3-G1
OPS-PT-08L-3W-40K8	7,270	55	132	B2-U3-G2



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-08L-3W-40K8-EHS	6,338	52	122	B2-U3-G1
OPS-PT-08L-3W-50K8	7,366	55	134	B2-U3-G2
OPS-PT-08L-3W-50K8-EHS	6,338	52	122	B2-U3-G1
OPS-PT-08L-3W-AMB	4,724	59	80	B1-U3-G1
OPS-PT-08L-3W-AMB-EHS	3,830	59	65	B1-U3-G1
OPS-PT-08L-4F-27K8	7,006	55	127	B2-U3-G1
OPS-PT-08L-4F-27K8-EHS	5,777	52	111	B1-U3-G1
OPS-PT-08L-4F-30K8	7,233	55	132	B2-U3-G1
OPS-PT-08L-4F-30K8-EHS	6,040	52	116	B1-U3-G1
OPS-PT-08L-4F-35K8	7,114	55	129	B2-U3-G1
OPS-PT-08L-4F-35K8-EHS	6,302	52	121	B1-U3-G1
OPS-PT-08L-4F-40K8	7,404	55	135	B2-U3-G1
OPS-PT-08L-4F-40K8-EHS	6,565	52	126	B1-U3-G1
OPS-PT-08L-4F-50K8	7,502	55	136	B2-U3-G1
OPS-PT-08L-4F-50K8-EHS	6,565	52	126	B1-U3-G1
OPS-PT-08L-4F-AMB	4,811	59	82	B1-U3-G1
OPS-PT-08L-4F-AMB-EHS	3,967	59	67	B1-U3-G1
OPS-PT-08L-5C-27K8	7,377	55	134	B2-U3-G1
OPS-PT-08L-5C-27K8-EHS	5,858	52	113	B2-U3-G1
OPS-PT-08L-5C-30K8	7,616	55	138	B2-U3-G1
OPS-PT-08L-5C-30K8-EHS	6,125	52	118	B2-U3-G1
OPS-PT-08L-5C-35K8	7,491	55	136	B2-U3-G1
OPS-PT-08L-5C-35K8-EHS	6,391	52	123	B2-U3-G1
OPS-PT-08L-5C-40K8	7,796	55	142	B3-U3-G1
OPS-PT-08L-5C-40K8-EHS	6,657	52	128	B2-U3-G1
OPS-PT-08L-5C-50K8	7,900	55	144	B3-U3-G1
OPS-PT-08L-5C-50K8-EHS	6,657	52	128	B2-U3-G1
OPS-PT-08L-5C-AMB	5,065	59	86	B2-U3-G1
OPS-PT-08L-5C-AMB-EHS	4,023	59	68	B2-U3-G1
OPS-PT-08L-5D-27K8	6,616	55	120	B2-U3-G1
OPS-PT-08L-5D-27K8-EHS	4,971	52	96	B2-U3-G1
OPS-PT-08L-5D-30K8	6,831	55	124	B2-U3-G1
OPS-PT-08L-5D-30K8-EHS	5,197	52	100	B2-U3-G1
OPS-PT-08L-5D-35K8	6,718	55	122	B2-U3-G1
OPS-PT-08L-5D-35K8-EHS	5,423	52	104	B2-U3-G1
OPS-PT-08L-5D-40K8	6,992	55	127	B2-U3-G1
OPS-PT-08L-5D-40K8-EHS	5,649	52	109	B2-U3-G1
OPS-PT-08L-5D-50K8	7,085	55	129	B2-U3-G1
OPS-PT-08L-5D-50K8-EHS	5,649	52	109	B2-U3-G1
OPS-PT-08L-5D-AMB	4,543	59	77	B2-U3-G1
OPS-PT-08L-5D-AMB-EHS	3,414	59	58	B1-U3-G1
OPS-PT-08L-5Q-27K8	7,186	55	131	B3-U3-G1
OPS-PT-08L-5Q-27K8-EHS	5,292	52	102	B2-U3-G1
OPS-PT-08L-5Q-30K8	7,420	55	135	B3-U3-G1
OPS-PT-08L-5Q-30K8-EHS	5,532	52	106	B2-U3-G1
OPS-PT-08L-5Q-35K8	7,297	55	133	B3-U3-G1
OPS-PT-08L-5Q-35K8-EHS	5,773	52	111	B2-U3-G1
OPS-PT-08L-5Q-40K8	7,594	55	138	B3-U3-G1
OPS-PT-08L-5Q-40K8-EHS	6,013	52	116	B2-U3-G1
OPS-PT-08L-5Q-50K8	7,695	55	140	B3-U3-G1
OPS-PT-08L-5Q-50K8-EHS	6,013	52	116	B2-U3-G1
OPS-PT-08L-5Q-AMB	4,934	59	84	B2-U3-G1
OPS-PT-08L-5Q-AMB-EHS	3,634	59	62	B1-U3-G1
OPS-PT-08L-5R-27K8	7,104	55	129	B3-U3-G3



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-08L-5R-27K8-EHS	5,200	52	100	B2-U3-G1
OPS-PT-08L-5R-30K8	7,334	55	133	B3-U3-G3
OPS-PT-08L-5R-30K8-EHS	5,437	52	105	B2-U3-G1
OPS-PT-08L-5R-35K8	7,214	55	131	B3-U3-G3
OPS-PT-08L-5R-35K8-EHS	5,673	52	109	B2-U3-G1
OPS-PT-08L-5R-40K8	7,508	55	137	B3-U3-G3
OPS-PT-08L-5R-40K8-EHS	5,910	52	114	B2-U3-G1
OPS-PT-08L-5R-50K8	7,607	55	138	B3-U3-G3
OPS-PT-08L-5R-50K8-EHS	5,910	52	114	B2-U3-G1
OPS-PT-08L-5R-AMB	4,878	59	83	B2-U3-G2
OPS-PT-08L-5R-AMB-EHS	3,571	59	61	B1-U3-G1
OPS-PT-08L-AD-27K8	6,634	55	121	B2-U3-G2
OPS-PT-08L-AD-27K8-EHS	5,150	52	99	B1-U3-G1
OPS-PT-08L-AD-30K8	6,849	55	125	B2-U3-G2
OPS-PT-08L-AD-30K8-EHS	5,384	52	104	B1-U3-G1
OPS-PT-08L-AD-35K8	6,736	55	122	B2-U3-G2
OPS-PT-08L-AD-35K8-EHS	5,618	52	108	B2-U3-G1
OPS-PT-08L-AD-40K8	7,011	55	127	B2-U3-G2
OPS-PT-08L-AD-40K8-EHS	5,852	52	113	B2-U3-G1
OPS-PT-08L-AD-50K8	7,104	55	129	B2-U3-G2
OPS-PT-08L-AD-50K8-EHS	5,852	52	113	B2-U3-G1
OPS-PT-08L-AD-AMB	4,555	59	77	B1-U3-G1
OPS-PT-08L-AD-AMB-EHS	3,536	59	60	B1-U3-G1
OPS-PT-10L-3W-27K8	8,675	70	124	B2-U3-G2
OPS-PT-10L-3W-27K8-EHS	6,807	66	103	B2-U3-G1
OPS-PT-10L-3W-30K8	8,957	70	128	B2-U3-G2
OPS-PT-10L-3W-30K8-EHS	7,116	66	108	B2-U3-G1
OPS-PT-10L-3W-35K8	8,809	70	126	B2-U3-G2
OPS-PT-10L-3W-35K8-EHS	7,426	66	113	B2-U3-G1
OPS-PT-10L-3W-40K8	9,168	70	131	B2-U3-G2
OPS-PT-10L-3W-40K8-EHS	7,735	66	117	B2-U3-G1
OPS-PT-10L-3W-50K8	9,290	70	133	B2-U3-G2
OPS-PT-10L-3W-50K8-EHS	7,735	66	117	B2-U3-G1
OPS-PT-10L-3W-AMB	5,759	74	78	B2-U3-G2
OPS-PT-10L-3W-AMB-EHS	4,519	74	61	B1-U3-G1
OPS-PT-10L-4F-27K8	8,835	70	126	B2-U3-G2
OPS-PT-10L-4F-27K8-EHS	7,050	66	107	B1-U3-G1
OPS-PT-10L-4F-30K8	9,122	70	130	B2-U3-G2
OPS-PT-10L-4F-30K8-EHS	7,371	66	112	B2-U3-G1
OPS-PT-10L-4F-35K8	8,972	70	128	B2-U3-G2
OPS-PT-10L-4F-35K8-EHS	7,691	66	117	B2-U3-G1
OPS-PT-10L-4F-40K8	9,337	70	133	B2-U3-G2
OPS-PT-10L-4F-40K8-EHS	8,011	66	121	B2-U3-G1
OPS-PT-10L-4F-50K8	9,461	70	135	B2-U3-G2
OPS-PT-10L-4F-50K8-EHS	8,011	66	121	B2-U3-G1
OPS-PT-10L-4F-AMB	5,866	74	79	B2-U3-G1
OPS-PT-10L-4F-AMB-EHS	4,681	74	63	B1-U3-G1
OPS-PT-10L-5C-27K8	9,302	70	133	B3-U3-G1
OPS-PT-10L-5C-27K8-EHS	7,149	66	108	B2-U3-G1
OPS-PT-10L-5C-30K8	9,604	70	137	B3-U3-G1
OPS-PT-10L-5C-30K8-EHS	7,474	66	113	B2-U3-G1
OPS-PT-10L-5C-35K8	9,446	70	135	B3-U3-G1
OPS-PT-10L-5C-35K8-EHS	7,799	66	118	B2-U3-G1



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-10L-5C-40K8	9,831	70	140	B3-U3-G1
OPS-PT-10L-5C-40K8-EHS	8,124	66	123	B2-U3-G1
OPS-PT-10L-5C-50K8	9,961	70	142	B3-U3-G1
OPS-PT-10L-5C-50K8-EHS	8,124	66	123	B2-U3-G1
OPS-PT-10L-5C-AMB	6,176	74	83	B2-U3-G1
OPS-PT-10L-5C-AMB-EHS	4,747	74	64	B2-U3-G1
OPS-PT-10L-5D-27K8	8,343	70	119	B3-U3-G2
OPS-PT-10L-5D-27K8-EHS	6,067	66	92	B2-U3-G1
OPS-PT-10L-5D-30K8	8,614	70	123	B3-U3-G2
OPS-PT-10L-5D-30K8-EHS	6,342	66	96	B2-U3-G1
OPS-PT-10L-5D-35K8	8,472	70	121	B3-U3-G2
OPS-PT-10L-5D-35K8-EHS	6,618	66	100	B2-U3-G1
OPS-PT-10L-5D-40K8	8,817	70	126	B3-U3-G2
OPS-PT-10L-5D-40K8-EHS	6,893	66	104	B2-U3-G1
OPS-PT-10L-5D-50K8	8,934	70	128	B3-U3-G2
OPS-PT-10L-5D-50K8-EHS	6,893	66	104	B2-U3-G1
OPS-PT-10L-5D-AMB	5,539	74	75	B2-U3-G1
OPS-PT-10L-5D-AMB-EHS	4,028	74	54	B1-U3-G1
OPS-PT-10L-5Q-27K8	9,061	70	129	B3-U3-G1
OPS-PT-10L-5Q-27K8-EHS	6,457	66	98	B2-U3-G1
OPS-PT-10L-5Q-30K8	9,356	70	134	B3-U3-G1
OPS-PT-10L-5Q-30K8-EHS	6,751	66	102	B2-U3-G1
OPS-PT-10L-5Q-35K8	9,202	70	131	B3-U3-G1
OPS-PT-10L-5Q-35K8-EHS	7,044	66	107	B2-U3-G1
OPS-PT-10L-5Q-40K8	9,576	70	137	B3-U3-G1
OPS-PT-10L-5Q-40K8-EHS	7,338	66	111	B2-U3-G1
OPS-PT-10L-5Q-50K8	9,703	70	139	B3-U3-G1
OPS-PT-10L-5Q-50K8-EHS	7,338	66	111	B2-U3-G1
OPS-PT-10L-5Q-AMB	6,016	74	81	B2-U3-G1
OPS-PT-10L-5Q-AMB-EHS	4,287	74	58	B2-U3-G1
OPS-PT-10L-5R-27K8	8,958	70	128	B3-U3-G3
OPS-PT-10L-5R-27K8-EHS	6,346	66	96	B2-U3-G1
OPS-PT-10L-5R-30K8	9,250	70	132	B3-U3-G3
OPS-PT-10L-5R-30K8-EHS	6,635	66	101	B2-U3-G1
OPS-PT-10L-5R-35K8	9,097	70	130	B3-U3-G3
OPS-PT-10L-5R-35K8-EHS	6,923	66	105	B2-U3-G1
OPS-PT-10L-5R-40K8	9,468	70	135	B3-U3-G3
OPS-PT-10L-5R-40K8-EHS	7,212	66	109	B2-U3-G1
OPS-PT-10L-5R-50K8	9,593	70	137	B3-U3-G3
OPS-PT-10L-5R-50K8-EHS	7,212	66	109	B2-U3-G1
OPS-PT-10L-5R-AMB	5,948	74	80	B3-U3-G3
OPS-PT-10L-5R-AMB-EHS	4,213	74	57	B1-U3-G1
OPS-PT-10L-AD-27K8	8,365	70	120	B2-U3-G2
OPS-PT-10L-AD-27K8-EHS	6,285	66	95	B2-U3-G1
OPS-PT-10L-AD-30K8	8,637	70	123	B2-U3-G2
OPS-PT-10L-AD-30K8-EHS	6,571	66	100	B2-U3-G1
OPS-PT-10L-AD-35K8	8,495	70	121	B2-U3-G2
OPS-PT-10L-AD-35K8-EHS	6,856	66	104	B2-U3-G2
OPS-PT-10L-AD-40K8	8,841	70	126	B2-U3-G2
OPS-PT-10L-AD-40K8-EHS	7,142	66	108	B2-U3-G2
OPS-PT-10L-AD-50K8	8,958	70	128	B2-U3-G2
OPS-PT-10L-AD-50K8-EHS	7,142	66	108	B2-U3-G2
OPS-PT-10L-AD-AMB	5,554	74	75	B2-U3-G1
OPS-PT-10L-AD-AMB-EHS	4,173	74	56	B1-U3-G1



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-12L-3W-27K8	10,340	85	122	B2-U3-G2
OPS-PT-12L-3W-27K8-EHS	8,131	79	103	B2-U3-G2
OPS-PT-12L-3W-30K8	10,676	85	126	B2-U3-G2
OPS-PT-12L-3W-30K8-EHS	8,500	79	108	B2-U3-G2
OPS-PT-12L-3W-35K8	10,500	85	124	B2-U3-G2
OPS-PT-12L-3W-35K8-EHS	8,870	79	112	B2-U3-G2
OPS-PT-12L-3W-40K8	10,928	85	129	B2-U3-G2
OPS-PT-12L-3W-40K8-EHS	9,239	79	117	B2-U3-G2
OPS-PT-12L-3W-50K8	11,073	85	130	B2-U3-G2
OPS-PT-12L-3W-50K8-EHS	9,239	79	117	B2-U3-G2
OPS-PT-12L-4F-27K8	10,531	85	124	B2-U3-G2
OPS-PT-12L-4F-27K8-EHS	8,421	79	107	B2-U3-G1
OPS-PT-12L-4F-30K8	10,874	85	128	B2-U3-G2
OPS-PT-12L-4F-30K8-EHS	8,804	79	111	B2-U3-G2
OPS-PT-12L-4F-35K8	10,695	85	126	B2-U3-G2
OPS-PT-12L-4F-35K8-EHS	9,187	79	116	B2-U3-G2
OPS-PT-12L-4F-40K8	11,130	85	131	B2-U3-G2
OPS-PT-12L-4F-40K8-EHS	9,569	79	121	B2-U3-G2
OPS-PT-12L-4F-50K8	11,278	85	133	B2-U3-G2
OPS-PT-12L-4F-50K8-EHS	9,569	79	121	B2-U3-G2
OPS-PT-12L-5C-27K8	11,088	85	130	B3-U3-G1
OPS-PT-12L-5C-27K8-EHS	8,540	79	108	B2-U3-G1
OPS-PT-12L-5C-30K8	11,448	85	135	B3-U3-G1
OPS-PT-12L-5C-30K8-EHS	8,928	79	113	B3-U3-G1
OPS-PT-12L-5C-35K8	11,260	85	132	B3-U3-G1
OPS-PT-12L-5C-35K8-EHS	9,316	79	118	B3-U3-G1
OPS-PT-12L-5C-40K8	11,718	85	138	B3-U3-G1
OPS-PT-12L-5C-40K8-EHS	9,704	79	123	B3-U3-G1
OPS-PT-12L-5C-50K8	11,873	85	140	B3-U3-G1
OPS-PT-12L-5C-50K8-EHS	9,704	79	123	B3-U3-G1
OPS-PT-12L-5D-27K8	9,944	85	117	B3-U3-G2
OPS-PT-12L-5D-27K8-EHS	7,246	79	92	B2-U3-G1
OPS-PT-12L-5D-30K8	10,267	85	121	B3-U3-G2
OPS-PT-12L-5D-30K8-EHS	7,576	79	96	B2-U3-G1
OPS-PT-12L-5D-35K8	10,099	85	119	B3-U3-G2
OPS-PT-12L-5D-35K8-EHS	7,905	79	100	B2-U3-G1
OPS-PT-12L-5D-40K8	10,510	85	124	B3-U3-G2
OPS-PT-12L-5D-40K8-EHS	8,234	79	104	B2-U3-G2
OPS-PT-12L-5D-50K8	10,649	85	125	B3-U3-G2
OPS-PT-12L-5D-50K8-EHS	8,234	79	104	B2-U3-G2
OPS-PT-12L-5Q-27K8	10,801	85	127	B3-U3-G1
OPS-PT-12L-5Q-27K8-EHS	7,713	79	98	B2-U3-G1
OPS-PT-12L-5Q-30K8	11,152	85	131	B3-U3-G1
OPS-PT-12L-5Q-30K8-EHS	8,064	79	102	B2-U3-G1
OPS-PT-12L-5Q-35K8	10,968	85	129	B3-U3-G1
OPS-PT-12L-5Q-35K8-EHS	8,414	79	107	B2-U3-G1
OPS-PT-12L-5Q-40K8	11,415	85	134	B3-U3-G1
OPS-PT-12L-5Q-40K8-EHS	8,765	79	111	B2-U3-G2
OPS-PT-12L-5Q-50K8	11,566	85	136	B3-U3-G1
OPS-PT-12L-5Q-50K8-EHS	8,765	79	111	B2-U3-G2
OPS-PT-12L-5R-27K8	10,678	85	126	B3-U3-G3
OPS-PT-12L-5R-27K8-EHS	7,580	79	96	B2-U3-G2
OPS-PT-12L-5R-30K8	11,026	85	130	B3-U3-G3



OPS-PT Opulence – Decorative Post Top Light

OPS-PT PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>Efficiency</u>	<u>BUG</u>
OPS-PT-12L-5R-30K8-EHS	7,925	79	100	B2-U3-G2
OPS-PT-12L-5R-35K8	10,844	85	128	B3-U3-G3
OPS-PT-12L-5R-35K8-EHS	8,270	79	105	B2-U3-G2
OPS-PT-12L-5R-40K8	11,286	85	133	B3-U3-G3
OPS-PT-12L-5R-40K8-EHS	8,614	79	109	B2-U3-G2
OPS-PT-12L-5R-50K8	11,436	85	135	B3-U3-G3
OPS-PT-12L-5R-50K8-EHS	8,614	79	109	B2-U3-G2
OPS-PT-12L-AD-27K8	9,972	85	117	B2-U3-G2
OPS-PT-12L-AD-27K8-EHS	7,507	79	95	B2-U3-G2
OPS-PT-12L-AD-30K8	10,296	85	121	B2-U3-G2
OPS-PT-12L-AD-30K8-EHS	7,849	79	99	B2-U3-G2
OPS-PT-12L-AD-35K8	10,127	85	119	B2-U3-G2
OPS-PT-12L-AD-35K8-EHS	8,190	79	104	B2-U3-G2
OPS-PT-12L-AD-40K8	10,539	85	124	B2-U3-G2
OPS-PT-12L-AD-40K8-EHS	8,531	79	108	B2-U3-G2
OPS-PT-12L-AD-50K8	10,679	85	126	B2-U3-G2
OPS-PT-12L-AD-50K8-EHS	8,531	79	108	B2-U3-G2
OPS-PT-14L-3W-27K8	11,954	100	120	B3-U3-G3
OPS-PT-14L-3W-27K8-EHS	9,454	103	92	B2-U3-G2
OPS-PT-14L-3W-30K8	12,342	100	123	B3-U3-G3
OPS-PT-14L-3W-30K8-EHS	9,884	103	96	B2-U3-G2
OPS-PT-14L-3W-35K8	12,139	100	121	B3-U3-G3
OPS-PT-14L-3W-35K8-EHS	10,314	103	100	B2-U3-G2
OPS-PT-14L-3W-40K8	12,634	100	126	B3-U3-G3
OPS-PT-14L-3W-40K8-EHS	10,743	103	104	B2-U3-G2
OPS-PT-14L-3W-50K8	12,801	100	128	B3-U3-G3
OPS-PT-14L-3W-50K8-EHS	10,743	103	104	B2-U3-G2
OPS-PT-14L-4F-27K8	12,176	100	122	B2-U3-G2
OPS-PT-14L-4F-27K8-EHS	9,792	103	95	B2-U3-G2
OPS-PT-14L-4F-30K8	12,571	100	126	B2-U3-G2
OPS-PT-14L-4F-30K8-EHS	10,237	103	99	B2-U3-G2
OPS-PT-14L-4F-35K8	12,365	100	124	B2-U3-G2
OPS-PT-14L-4F-35K8-EHS	10,682	103	104	B2-U3-G2
OPS-PT-14L-4F-40K8	12,868	100	129	B2-U3-G2
OPS-PT-14L-4F-40K8-EHS	11,127	103	108	B2-U3-G2
OPS-PT-14L-4F-50K8	13,039	100	130	B2-U3-G2