



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-02L-SIL-2-AMT	2,437	35	70	B1-U0-G1
SLM-LED-02L-SIL-3-AMT	2,504	35	72	B1-U0-G1
SLM-LED-02L-SIL-5W-AMT	2,482	35	71	B2-U0-G1
SLM-LED-02L-SIL-AM-AMT	2,509	35	72	B1-U0-G1
SLM-LED-02L-SIL-FTA-AMT	2,408	35	69	B1-U0-G1
SLM-LED-02L-SIL-FT-AMT	2,509	35	72	B1-U0-G1
SLM-LED-04L-SIL-2-AMT	3,792	94	40	B1-U0-G1
SLM-LED-04L-SIL-3-AMT	3,897	94	41	B1-U0-G1
SLM-LED-04L-SIL-5W-AMT	3,862	94	41	B3-U0-G1
SLM-LED-04L-SIL-AM-AMT	3,904	94	42	B1-U0-G1
SLM-LED-04L-SIL-FTA-AMT	3,746	94	40	B1-U0-G1
SLM-LED-04L-SIL-FT-AMT	3,904	94	42	B1-U0-G1
SLM-LED-09L-SIL-2-30-70CRI	9,411	63	149	B2-U0-G2
SLM-LED-09L-SIL-2-30-70CRI-IH	7,455	63	118	B2-U0-G1
SLM-LED-09L-SIL-2-30-70CRI-IL	5,469	63	87	B1-U0-G1
SLM-LED-09L-SIL-2-40-70CRI	9,603	63	152	B2-U0-G2
SLM-LED-09L-SIL-2-40-70CRI-IH	7,608	63	121	B2-U0-G1
SLM-LED-09L-SIL-2-40-70CRI-IL	5,580	63	89	B1-U0-G1
SLM-LED-09L-SIL-2-50-70CRI	9,603	63	152	B2-U0-G2
SLM-LED-09L-SIL-2-50-70CRI-IH	7,608	63	121	B2-U0-G1
SLM-LED-09L-SIL-2-50-70CRI-IL	5,580	63	89	B1-U0-G1
SLM-LED-09L-SIL-2-AMB	5,848	74	79	B2-U0-G1
SLM-LED-09L-SIL-2-AMB-IH	3,753	74	51	B1-U0-G1
SLM-LED-09L-SIL-2-AMB-IL	3,735	74	50	B0-U0-G1
SLM-LED-09L-SIL-3-30-70CRI	9,548	63	152	B2-U0-G2
SLM-LED-09L-SIL-3-30-70CRI-IH	8,171	63	130	B1-U0-G2
SLM-LED-09L-SIL-3-30-70CRI-IL	6,282	63	100	B0-U0-G2
SLM-LED-09L-SIL-3-40-70CRI	9,743	63	155	B2-U0-G2
SLM-LED-09L-SIL-3-40-70CRI-IH	8,338	63	132	B1-U0-G2
SLM-LED-09L-SIL-3-40-70CRI-IL	6,411	63	102	B0-U0-G2
SLM-LED-09L-SIL-3-50-70CRI	9,743	63	155	B2-U0-G2
SLM-LED-09L-SIL-3-50-70CRI-IH	8,338	63	132	B1-U0-G2
SLM-LED-09L-SIL-3-50-70CRI-IL	6,411	63	102	B0-U0-G2
SLM-LED-09L-SIL-3-AMB	6,017	74	81	B1-U0-G1
SLM-LED-09L-SIL-3-AMB-IH	4,267	74	58	B0-U0-G1
SLM-LED-09L-SIL-3-AMB-IL	4,205	74	57	B0-U0-G1
SLM-LED-09L-SIL-4-30-70CRI	9,063	63	144	B1-U0-G3
SLM-LED-09L-SIL-4-30-IH-70CRI	7,828	63	124	B1-U0-G2
SLM-LED-09L-SIL-4-30-IL-70CRI	5,882	63	93	B0-U0-G2
SLM-LED-09L-SIL-4-40-70CRI	9,636	63	153	B1-U0-G3
SLM-LED-09L-SIL-4-40-IH-70CRI	8,323	63	132	B1-U0-G2
SLM-LED-09L-SIL-4-40-IL-70CRI	6,254	63	99	B0-U0-G2
SLM-LED-09L-SIL-4-50-70CRI	9,431	63	150	B1-U0-G3
SLM-LED-09L-SIL-4-50-IH-70CRI	8,146	63	129	B1-U0-G2
SLM-LED-09L-SIL-4-50-IL-70CRI	6,121	63	97	B0-U0-G2
SLM-LED-09L-SIL-5W-30-70CRI	9,261	63	147	B3-U0-G2
SLM-LED-09L-SIL-5W-40-70CRI	9,450	63	150	B3-U0-G2
SLM-LED-09L-SIL-5W-50-70CRI	9,450	63	150	B3-U0-G2
SLM-LED-09L-SIL-5W-AMB	5,472	74	74	B3-U0-G1
SLM-LED-09L-SIL-AM-30-70CRI	9,260	62	149	B2-U0-G1
SLM-LED-09L-SIL-AM-30-70CRI-IH	8,076	63	128	B1-U0-G1
SLM-LED-09L-SIL-AM-30-70CRI-IL	6,404	63	102	B0-U0-G1



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-09L-SIL-AM-40-70CRI	9,845	62	159	B2-U0-G1
SLM-LED-09L-SIL-AM-40-70CRI-IH	8,240	63	131	B1-U0-G1
SLM-LED-09L-SIL-AM-40-70CRI-IL	6,534	63	104	B0-U0-G1
SLM-LED-09L-SIL-AM-50-70CRI	9,636	62	155	B2-U0-G1
SLM-LED-09L-SIL-AM-50-70CRI-IH	8,240	63	131	B1-U0-G1
SLM-LED-09L-SIL-AM-50-70CRI-IL	6,534	63	104	B0-U0-G1
SLM-LED-09L-SIL-AM-AMB	5,995	74	81	B1-U0-G1
SLM-LED-09L-SIL-AM-AMB-IH	4,135	74	56	B1-U0-G1
SLM-LED-09L-SIL-AM-AMB-IL	3,386	74	46	B0-U0-G1
SLM-LED-09L-SIL-FT-30-70CRI	9,464	63	150	B2-U0-G2
SLM-LED-09L-SIL-FT-30-70CRI-IH	7,674	63	122	B1-U0-G2
SLM-LED-09L-SIL-FT-30-70CRI-IL	6,028	63	96	B0-U0-G2
SLM-LED-09L-SIL-FT-40-70CRI	9,657	63	153	B2-U0-G2
SLM-LED-09L-SIL-FT-40-70CRI-IH	7,830	63	124	B1-U0-G2
SLM-LED-09L-SIL-FT-40-70CRI-IL	6,151	63	98	B0-U0-G2
SLM-LED-09L-SIL-FT-50-70CRI	9,657	63	153	B2-U0-G2
SLM-LED-09L-SIL-FT-50-70CRI-IH	7,830	63	124	B1-U0-G2
SLM-LED-09L-SIL-FT-50-70CRI-IL	6,151	63	98	B0-U0-G2
SLM-LED-09L-SIL-FTA-30-70CRI	9,531	63	151	B2-U0-G2
SLM-LED-09L-SIL-FTA-30-70CRI-IH	8,078	63	128	B2-U0-G1
SLM-LED-09L-SIL-FTA-30-70CRI-IL	6,201	63	98	B1-U0-G1
SLM-LED-09L-SIL-FTA-40-70CRI	9,725	63	154	B2-U0-G2
SLM-LED-09L-SIL-FTA-40-70CRI-IH	8,243	63	131	B2-U0-G1
SLM-LED-09L-SIL-FTA-40-70CRI-IL	6,327	63	100	B1-U0-G1
SLM-LED-09L-SIL-FTA-50-70CRI	9,725	63	154	B2-U0-G2
SLM-LED-09L-SIL-FTA-50-70CRI-IH	8,243	63	131	B2-U0-G1
SLM-LED-09L-SIL-FTA-50-70CRI-IL	6,327	63	100	B1-U0-G1
SLM-LED-09L-SIL-FTA-AMB	5,924	74	80	B2-U0-G1
SLM-LED-09L-SIL-FTA-AMBER	5,997	74.8	80	B2-U0-G2
SLM-LED-09L-SIL-FTA-AMBER-IL	4,254	74.8	57	B0-U0-G1
SLM-LED-09L-SIL-FTA-AMB-IH	4,116	74	56	B1-U0-G1
SLM-LED-09L-SIL-FTA-AMB-IL	3,244	74	44	B0-U0-G1
SLM-LED-09L-SIL-FT-AMB	5,801	74	78	B1-U0-G2
SLM-LED-09L-SIL-FT-AMB-IH	3,839	74	52	B1-U0-G1
SLM-LED-09L-SIL-FT-AMB-IL	3,712	74	50	B0-U0-G1
SLM-LED-09L-SIL-LC-30-70CRI	8,949	62	144	B1-U0-G2
SLM-LED-09L-SIL-LC-40-70CRI	9,515	62	153	B2-U0-G2
SLM-LED-09L-SIL-LC-50-70CRI	9,313	62	150	B1-U0-G2
SLM-LED-09L-SIL-RC-30-70CRI	8,949	62	144	B1-U0-G2
SLM-LED-09L-SIL-RC-40-70CRI	9,515	62	153	B1-U0-G3
SLM-LED-09L-SIL-RC-50-70CRI	9,313	62	150	B1-U0-G3
SLM-LED-12L-SIL-2-30-70CRI	12,533	85	147	B3-U0-G2
SLM-LED-12L-SIL-2-30-70CRI-IH	9,931	85	117	B2-U0-G2
SLM-LED-12L-SIL-2-30-70CRI-IL	7,284	85	86	B1-U0-G2
SLM-LED-12L-SIL-2-40-70CRI	12,788	85	150	B3-U0-G2
SLM-LED-12L-SIL-2-40-70CRI-IH	10,133	85	119	B2-U0-G2
SLM-LED-12L-SIL-2-40-70CRI-IL	7,433	85	87	B1-U0-G2
SLM-LED-12L-SIL-2-50-70CRI	12,788	85	150	B3-U0-G2
SLM-LED-12L-SIL-2-50-70CRI-IH	10,133	85	119	B2-U0-G2
SLM-LED-12L-SIL-2-50-70CRI-IL	7,433	85	87	B1-U0-G2
SLM-LED-12L-SIL-2-AMB	7,530	102	74	B2-U0-G2
SLM-LED-12L-SIL-2-AMB-IH	5,432	102	53	B1-U0-G1
SLM-LED-12L-SIL-2-AMB-IL	4,738	102	46	B0-U0-G1



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-12L-SIL-3-30-70CRI	12,714	85	150	B2-U0-G2
SLM-LED-12L-SIL-3-30-70CRI-IH	10,885	85	128	B1-U0-G2
SLM-LED-12L-SIL-3-30-70CRI-IL	8,368	85	98	B0-U0-G2
SLM-LED-12L-SIL-3-40-70CRI	12,974	85	153	B2-U0-G2
SLM-LED-12L-SIL-3-40-70CRI-IH	11,107	85	131	B1-U0-G2
SLM-LED-12L-SIL-3-40-70CRI-IL	8,539	85	100	B0-U0-G2
SLM-LED-12L-SIL-3-50-70CRI	12,974	85	153	B2-U0-G2
SLM-LED-12L-SIL-3-50-70CRI-IH	11,107	85	131	B1-U0-G2
SLM-LED-12L-SIL-3-50-70CRI-IL	8,539	85	100	B0-U0-G2
SLM-LED-12L-SIL-3-AMB	7,749	102	76	B2-U0-G2
SLM-LED-12L-SIL-3-AMB-IH	6,175	102	61	B1-U0-G2
SLM-LED-12L-SIL-3-AMB-IL	5,335	102	52	B0-U0-G1
SLM-LED-12L-SIL-4-30-70CRI	12,055	85	142	B2-U0-G3
SLM-LED-12L-SIL-4-30-IH-70CRI	10,413	85	123	B1-U0-G2
SLM-LED-12L-SIL-4-30-IL-70CRI	7,823	85	92	B0-U0-G2
SLM-LED-12L-SIL-4-40-70CRI	12,817	85	151	B2-U0-G4
SLM-LED-12L-SIL-4-40-IH-70CRI	11,071	85	130	B1-U0-G2
SLM-LED-12L-SIL-4-40-IL-70CRI	8,318	85	98	B0-U0-G2
SLM-LED-12L-SIL-4-50-70CRI	12,545	85	148	B2-U0-G3
SLM-LED-12L-SIL-4-50-IH-70CRI	10,836	85	127	B1-U0-G2
SLM-LED-12L-SIL-4-50-IL-70CRI	8,142	85	96	B0-U0-G2
SLM-LED-12L-SIL-5W-30-70CRI	12,333	85	145	B4-U0-G2
SLM-LED-12L-SIL-5W-40-70CRI	12,584	85	148	B4-U0-G2
SLM-LED-12L-SIL-5W-50-70CRI	12,584	85	148	B4-U0-G2
SLM-LED-12L-SIL-5W-AMB	7,045	102	69	B3-U0-G2
SLM-LED-12L-SIL-AM-30-70CRI	12,331	85	145	B3-U0-G1
SLM-LED-12L-SIL-AM-30-70CRI-IH	10,757	85	127	B1-U0-G1
SLM-LED-12L-SIL-AM-30-70CRI-IL	8,530	85	100	B0-U0-G1
SLM-LED-12L-SIL-AM-40-70CRI	13,111	85	154	B3-U0-G2
SLM-LED-12L-SIL-AM-40-70CRI-IH	10,976	85	129	B1-U0-G1
SLM-LED-12L-SIL-AM-40-70CRI-IL	8,704	85	102	B0-U0-G1
SLM-LED-12L-SIL-AM-50-70CRI	12,833	85	151	B3-U0-G1
SLM-LED-12L-SIL-AM-50-70CRI-IH	10,976	85	129	B1-U0-G1
SLM-LED-12L-SIL-AM-50-70CRI-IL	8,704	85	102	B0-U0-G1
SLM-LED-12L-SIL-AM-AMB	7,720	102	76	B2-U0-G1
SLM-LED-12L-SIL-AM-AMB-IH	5,984	102	59	B1-U0-G1
SLM-LED-12L-SIL-AM-AMB-IL	4,900	102	48	B0-U0-G1
SLM-LED-12L-SIL-FT-30-70CRI	12,603	85	148	B2-U0-G2
SLM-LED-12L-SIL-FT-30-70CRI-IH	10,221	85	120	B2-U0-G2
SLM-LED-12L-SIL-FT-30-70CRI-IL	8,029	85	94	B0-U0-G2
SLM-LED-12L-SIL-FT-40-70CRI	12,861	85	151	B2-U0-G2
SLM-LED-12L-SIL-FT-40-70CRI-IH	10,430	85	123	B2-U0-G2
SLM-LED-12L-SIL-FT-40-70CRI-IL	8,193	85	96	B1-U0-G2
SLM-LED-12L-SIL-FT-50-70CRI	12,861	85	151	B2-U0-G2
SLM-LED-12L-SIL-FT-50-70CRI-IH	10,430	85	123	B2-U0-G2
SLM-LED-12L-SIL-FT-50-70CRI-IL	8,193	85	96	B1-U0-G2
SLM-LED-12L-SIL-FTA-30-70CRI	12,692	85	149	B3-U0-G2
SLM-LED-12L-SIL-FTA-30-70CRI-IH	10,760	85	127	B2-U0-G1
SLM-LED-12L-SIL-FTA-30-70CRI-IL	8,260	85	97	B1-U0-G1
SLM-LED-12L-SIL-FTA-40-70CRI	12,950	85	152	B3-U0-G2
SLM-LED-12L-SIL-FTA-40-70CRI-IH	10,980	85	129	B2-U0-G1
SLM-LED-12L-SIL-FTA-40-70CRI-IL	8,428	85	99	B1-U0-G1
SLM-LED-12L-SIL-FTA-50-70CRI	12,950	85	152	B3-U0-G2
SLM-LED-12L-SIL-FTA-50-70CRI-IH	10,980	85	129	B2-U0-G1



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-12L-SIL-FTA-50-70CRI-IL	8,428	85	99	B1-U0-G1
SLM-LED-12L-SIL-FTA-AMB	7,628	102	75	B2-U0-G2
SLM-LED-12L-SIL-FTA-AMBER	7,608	102.9	74	B2-U0-G2
SLM-LED-12L-SIL-FTA-AMBER-IL	5,397	102.9	52	B0-U0-G1
SLM-LED-12L-SIL-FTA-AMB-IH	5,957	102	58	B1-U0-G1
SLM-LED-12L-SIL-FTA-AMB-IL	4,695	102	46	B1-U0-G1
SLM-LED-12L-SIL-FT-AMB	7,470	102	73	B2-U0-G2
SLM-LED-12L-SIL-FT-AMB-IH	5,555	102	54	B1-U0-G2
SLM-LED-12L-SIL-FT-AMB-IL	4,709	102	46	B0-U0-G2
SLM-LED-12L-SIL-LC-30-70CRI	11,903	87	137	B2-U0-G3
SLM-LED-12L-SIL-LC-40-70CRI	12,656	87	145	B2-U0-G3
SLM-LED-12L-SIL-LC-50-70CRI	12,387	87	142	B2-U0-G3
SLM-LED-12L-SIL-RC-30-70CRI	11,903	87	137	B2-U0-G3
SLM-LED-12L-SIL-RC-40-70CRI	12,656	87	145	B2-U0-G3
SLM-LED-12L-SIL-RC-50-70CRI	12,386	87	142	B2-U0-G3
SLM-LED-18L-SIL-2-30-70CRI	18,421	135	136	B3-U0-G3
SLM-LED-18L-SIL-2-30-70CRI-IH	14,598	135	108	B3-U0-G2
SLM-LED-18L-SIL-2-30-70CRI-IL	10,708	135	79	B1-U0-G2
SLM-LED-18L-SIL-2-40-70CRI	18,797	135	139	B3-U0-G3
SLM-LED-18L-SIL-2-40-70CRI-IH	14,896	135	110	B3-U0-G2
SLM-LED-18L-SIL-2-40-70CRI-IL	10,926	135	81	B1-U0-G2
SLM-LED-18L-SIL-2-50-70CRI	18,797	135	139	B3-U0-G3
SLM-LED-18L-SIL-2-50-70CRI-IH	14,896	135	110	B3-U0-G2
SLM-LED-18L-SIL-2-50-70CRI-IL	10,926	135	81	B1-U0-G2
SLM-LED-18L-SIL-2-AMB	9,312	135	69	B2-U0-G2
SLM-LED-18L-SIL-2-AMB-IH	6,760	135	50	B1-U0-G1
SLM-LED-18L-SIL-2-AMB-IL	5,564	135	41	B0-U0-G1
SLM-LED-18L-SIL-3-30-70CRI	18,691	135	138	B3-U0-G3
SLM-LED-18L-SIL-3-30-70CRI-IH	16,000	135	119	B2-U0-G3
SLM-LED-18L-SIL-3-30-70CRI-IL	12,301	135	91	B1-U0-G2
SLM-LED-18L-SIL-3-40-70CRI	19,072	135	141	B3-U0-G3
SLM-LED-18L-SIL-3-40-70CRI-IH	16,326	135	121	B2-U0-G3
SLM-LED-18L-SIL-3-40-70CRI-IL	12,552	135	93	B1-U0-G2
SLM-LED-18L-SIL-3-50-70CRI	19,072	135	141	B3-U0-G3
SLM-LED-18L-SIL-3-50-70CRI-IH	16,326	135	121	B2-U0-G3
SLM-LED-18L-SIL-3-50-70CRI-IL	12,552	135	93	B1-U0-G2
SLM-LED-18L-SIL-3-AMB	9,582	135	71	B2-U0-G2
SLM-LED-18L-SIL-3-AMB-IH	7,684	135	57	B1-U0-G2
SLM-LED-18L-SIL-3-AMB-IL	6,716	135	50	B0-U0-G2
SLM-LED-18L-SIL-4-30-70CRI	17,783	135	132	B2-U0-G4
SLM-LED-18L-SIL-4-30-IH-70CRI	15,361	135	114	B2-U0-G3
SLM-LED-18L-SIL-4-30-IL-70CRI	11,541	135	85	B1-U0-G2
SLM-LED-18L-SIL-4-40-70CRI	18,908	135	140	B2-U0-G4
SLM-LED-18L-SIL-4-40-IH-70CRI	16,332	135	121	B2-U0-G3
SLM-LED-18L-SIL-4-40-IL-70CRI	12,271	135	91	B1-U0-G2
SLM-LED-18L-SIL-4-50-70CRI	18,506	135	137	B3-U0-G4
SLM-LED-18L-SIL-4-50-IH-70CRI	15,985	135	118	B2-U0-G3
SLM-LED-18L-SIL-4-50-IL-70CRI	12,010	135	89	B1-U0-G2
SLM-LED-18L-SIL-5W-30-70CRI	18,128	135	134	B4-U0-G2
SLM-LED-18L-SIL-5W-40-70CRI	18,498	135	137	B4-U0-G2
SLM-LED-18L-SIL-5W-50-70CRI	18,498	135	137	B4-U0-G2
SLM-LED-18L-SIL-5W-AMB	8,712	135	65	B3-U0-G2
SLM-LED-18L-SIL-AM-30-70CRI	18,125	135	134	B3-U0-G2



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-18L-SIL-AM-30-70CRI-IH	15,812	135	117	B2-U0-G2
SLM-LED-18L-SIL-AM-30-70CRI-IL	12,539	135	93	B0-U0-G1
SLM-LED-18L-SIL-AM-40-70CRI	19,272	135	143	B3-U0-G2
SLM-LED-18L-SIL-AM-40-70CRI-IH	16,135	135	120	B2-U0-G2
SLM-LED-18L-SIL-AM-40-70CRI-IL	12,794	135	95	B0-U0-G1
SLM-LED-18L-SIL-AM-50-70CRI	18,862	135	140	B3-U0-G2
SLM-LED-18L-SIL-AM-50-70CRI-IH	16,135	135	120	B2-U0-G2
SLM-LED-18L-SIL-AM-50-70CRI-IL	12,794	135	95	B0-U0-G1
SLM-LED-18L-SIL-AM-AMB	9,546	135	71	B2-U0-G1
SLM-LED-18L-SIL-AM-AMB-IH	7,447	135	55	B1-U0-G1
SLM-LED-18L-SIL-AM-AMB-IL	6,098	135	45	B0-U0-G1
SLM-LED-18L-SIL-FT-30-70CRI	18,526	135	137	B3-U0-G3
SLM-LED-18L-SIL-FT-30-70CRI-IH	15,025	135	111	B2-U0-G2
SLM-LED-18L-SIL-FT-30-70CRI-IL	11,803	135	87	B1-U0-G2
SLM-LED-18L-SIL-FT-40-70CRI	18,904	135	140	B3-U0-G3
SLM-LED-18L-SIL-FT-40-70CRI-IH	15,331	135	114	B2-U0-G2
SLM-LED-18L-SIL-FT-40-70CRI-IL	12,043	135	89	B1-U0-G2
SLM-LED-18L-SIL-FT-50-70CRI	18,904	135	140	B3-U0-G3
SLM-LED-18L-SIL-FT-50-70CRI-IH	15,331	135	114	B2-U0-G2
SLM-LED-18L-SIL-FT-50-70CRI-IL	12,043	135	89	B1-U0-G2
SLM-LED-18L-SIL-FTA-30-70CRI	18,656	135	138	B3-U0-G3
SLM-LED-18L-SIL-FTA-30-70CRI-IH	15,818	135	117	B2-U0-G2
SLM-LED-18L-SIL-FTA-30-70CRI-IL	12,141	135	90	B1-U0-G1
SLM-LED-18L-SIL-FTA-40-70CRI	19,037	135	141	B3-U0-G3
SLM-LED-18L-SIL-FTA-40-70CRI-IH	16,140	135	120	B2-U0-G2
SLM-LED-18L-SIL-FTA-40-70CRI-IL	12,389	135	92	B1-U0-G1
SLM-LED-18L-SIL-FTA-50-70CRI	19,037	135	141	B3-U0-G3
SLM-LED-18L-SIL-FTA-50-70CRI-IH	16,140	135	120	B2-U0-G2
SLM-LED-18L-SIL-FTA-50-70CRI-IL	12,389	135	92	B1-U0-G1
SLM-LED-18L-SIL-FTA-AMB	9,433	135	70	B2-U0-G2
SLM-LED-18L-SIL-FTA-AMB-IH	7,414	135	55	B1-U0-G1
SLM-LED-18L-SIL-FTA-AMB-IL	5,843	135	43	B1-U0-G1
SLM-LED-18L-SIL-FT-AMB	9,237	135	68	B2-U0-G2
SLM-LED-18L-SIL-FT-AMB-IH	6,913	135	51	B1-U0-G2
SLM-LED-18L-SIL-FT-AMB-IL	6,017	135	45	B0-U0-G2
SLM-LED-18L-SIL-LC-30-70CRI	17,559	134	131	B2-U0-G3
SLM-LED-18L-SIL-LC-40-70CRI	18,670	134	139	B2-U0-G3
SLM-LED-18L-SIL-LC-50-70CRI	18,273	134	136	B2-U0-G3
SLM-LED-18L-SIL-RC-30-70CRI	17,559	134	131	B2-U0-G3
SLM-LED-18L-SIL-RC-40-70CRI	18,670	134	139	B2-U0-G3
SLM-LED-18L-SIL-RC-50-70CRI	18,273	134	136	B2-U0-G3
SLM-LED-24L-SIL-2-30-70CRI	23,361	161	145	B4-U0-G3
SLM-LED-24L-SIL-2-30-IH-70CRI	18,975	161	118	B3-U0-G2
SLM-LED-24L-SIL-2-30-IL-70CRI	13,830	161	86	B1-U0-G2
SLM-LED-24L-SIL-2-40-70CRI	24,506	161	152	B4-U0-G3
SLM-LED-24L-SIL-2-40-IH-70CRI	19,905	161	124	B3-U0-G2
SLM-LED-24L-SIL-2-40-IL-70CRI	14,508	161	90	B1-U0-G2
SLM-LED-24L-SIL-2-50-70CRI	24,414	161	152	B4-U0-G3
SLM-LED-24L-SIL-2-50-IH-70CRI	19,830	161	123	B3-U0-G2
SLM-LED-24L-SIL-2-50-IL-70CRI	14,453	161	90	B1-U0-G2
SLM-LED-24L-SIL-2-AMB	10,955	175	63	B2-U0-G2
SLM-LED-24L-SIL-2-AMB-IH	7,680	175	44	B1-U0-G2
SLM-LED-24L-SIL-2-AMB-IL	6,321	175	36	B1-U0-G1



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-24L-SIL-3-30-70CRI	23,998	161	149	B3-U0-G3
SLM-LED-24L-SIL-3-30-IH-70CRI	20,453	161	127	B3-U0-G3
SLM-LED-24L-SIL-3-30-IL-70CRI	14,696	161	91	B1-U0-G3
SLM-LED-24L-SIL-3-40-70CRI	25,174	161	156	B3-U0-G3
SLM-LED-24L-SIL-3-40-IH-70CRI	21,455	161	133	B3-U0-G3
SLM-LED-24L-SIL-3-40-IL-70CRI	15,416	161	96	B1-U0-G3
SLM-LED-24L-SIL-3-50-70CRI	25,079	161	156	B3-U0-G3
SLM-LED-24L-SIL-3-50-IH-70CRI	21,374	161	133	B3-U0-G3
SLM-LED-24L-SIL-3-50-IL-70CRI	15,358	161	95	B1-U0-G3
SLM-LED-24L-SIL-3-AMB	11,273	175	64	B2-U0-G2
SLM-LED-24L-SIL-3-AMB-IH	8,731	175	50	B1-U0-G2
SLM-LED-24L-SIL-3-AMB-IL	7,631	175	44	B0-U0-G2
SLM-LED-24L-SIL-4-30-70CRI	24,496	161	152	B3-U0-G5
SLM-LED-24L-SIL-4-30-IH-70CRI	20,113	161	125	B2-U0-G3
SLM-LED-24L-SIL-4-30-IL-70CRI	14,979	161	93	B1-U0-G3
SLM-LED-24L-SIL-4-40-70CRI	25,672	161	159	B3-U0-G5
SLM-LED-24L-SIL-4-40-IH-70CRI	21,078	161	131	B2-U0-G3
SLM-LED-24L-SIL-4-40-IL-70CRI	15,698	161	98	B1-U0-G3
SLM-LED-24L-SIL-4-50-70CRI	25,662	161	159	B3-U0-G5
SLM-LED-24L-SIL-4-50-IH-70CRI	21,070	161	131	B2-U0-G3
SLM-LED-24L-SIL-4-50-IL-70CRI	15,692	161	97	B1-U0-G3
SLM-LED-24L-SIL-5W-30-70CRI	23,788	161	148	B5-U0-G3
SLM-LED-24L-SIL-5W-40-70CRI	24,953	161	155	B5-U0-G3
SLM-LED-24L-SIL-5W-50-70CRI	24,859	161	154	B5-U0-G3
SLM-LED-24L-SIL-5W-AMB	10,249	175	59	B4-U0-G2
SLM-LED-24L-SIL-AM-30-70CRI	24,074	161	150	B3-U0-G2
SLM-LED-24L-SIL-AM-30-IH-70CRI	19,459	161	121	B2-U0-G2
SLM-LED-24L-SIL-AM-30-IL-70CRI	14,793	161	92	B1-U0-G2
SLM-LED-24L-SIL-AM-40-70CRI	25,230	161	157	B3-U0-G2
SLM-LED-24L-SIL-AM-40-IH-70CRI	20,412	161	127	B2-U0-G2
SLM-LED-24L-SIL-AM-40-IL-70CRI	15,518	161	96	B1-U0-G2
SLM-LED-24L-SIL-AM-50-70CRI	25,220	161	157	B3-U0-G2
SLM-LED-24L-SIL-AM-50-IH-70CRI	20,335	161	126	B2-U0-G2
SLM-LED-24L-SIL-AM-50-IL-70CRI	15,459	161	96	B1-U0-G2
SLM-LED-24L-SIL-AM-AMB	11,230	175	64	B2-U0-G2
SLM-LED-24L-SIL-AM-AMB-IH	8,461	175	48	B1-U0-G1
SLM-LED-24L-SIL-AM-AMB-IL	6,929	175	40	B0-U0-G1
SLM-LED-24L-SIL-FT-30-70CRI	24,059	161	149	B3-U0-G3
SLM-LED-24L-SIL-FT-30-IH-70CRI	20,303	161	126	B3-U0-G3
SLM-LED-24L-SIL-FT-30-IL-70CRI	15,502	161	96	B1-U0-G3
SLM-LED-24L-SIL-FT-40-70CRI	25,238	161	157	B3-U0-G3
SLM-LED-24L-SIL-FT-40-IH-70CRI	21,298	161	132	B3-U0-G3
SLM-LED-24L-SIL-FT-40-IL-70CRI	16,262	161	101	B1-U0-G3
SLM-LED-24L-SIL-FT-50-70CRI	25,143	161	156	B3-U0-G3
SLM-LED-24L-SIL-FT-50-IH-70CRI	21,217	161	132	B3-U0-G3
SLM-LED-24L-SIL-FT-50-IL-70CRI	16,201	161	101	B1-U0-G3
SLM-LED-24L-SIL-FTA-30-70CRI	23,079	161	143	B3-U0-G3
SLM-LED-24L-SIL-FTA-30-IH-70CRI	18,978	161	118	B3-U0-G2
SLM-LED-24L-SIL-FTA-30-IL-70CRI	12,412	161	77	B2-U0-G2
SLM-LED-24L-SIL-FTA-40-70CRI	24,210	161	150	B4-U0-G3
SLM-LED-24L-SIL-FTA-40-IH-70CRI	19,908	161	124	B3-U0-G2
SLM-LED-24L-SIL-FTA-40-IL-70CRI	13,020	161	81	B2-U0-G2
SLM-LED-24L-SIL-FTA-50-70CRI	24,119	161	150	B4-U0-G3
SLM-LED-24L-SIL-FTA-50-IH-70CRI	19,833	161	123	B3-U0-G2



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-24L-SIL-FTA-50-IL-70CRI	12,971	161	81	B2-U0-G2
SLM-LED-24L-SIL-FTA-AMB	11,097	175	63	B2-U0-G2
SLM-LED-24L-SIL-FTA-AMB-IH	8,423	175	48	B2-U0-G1
SLM-LED-24L-SIL-FTA-AMB-IL	6,638	175	38	B1-U0-G1
SLM-LED-24L-SIL-FT-AMB	10,867	175	62	B2-U0-G2
SLM-LED-24L-SIL-FT-AMB-IH	7,854	175	45	B1-U0-G2
SLM-LED-24L-SIL-FT-AMB-IL	6,836	175	39	B0-U0-G2
SLM-LED-24L-SIL-LC-30-70CRI	24,353	161	151	B3-U0-G4
SLM-LED-24L-SIL-LC-40-70CRI	25,522	161	159	B3-U0-G4
SLM-LED-24L-SIL-LC-50-70CRI	25,522	161	159	B3-U0-G4
SLM-LED-24L-SIL-RC-30-70CRI	24,352	161	151	B3-U0-G4
SLM-LED-24L-SIL-RC-40-70CRI	25,521	161	159	B3-U0-G4
SLM-LED-24L-SIL-RC-50-70CRI	25,521	161	159	B3-U0-G4
SLM-LED-30L-SIL-2-30-70CRI	29,464	213	138	B4-U0-G3
SLM-LED-30L-SIL-2-30-IH-70CRI	24,639	213	116	B3-U0-G2
SLM-LED-30L-SIL-2-30-IL-70CRI	17,378	213	82	B1-U0-G2
SLM-LED-30L-SIL-2-40-70CRI	30,908	213	145	B4-U0-G3
SLM-LED-30L-SIL-2-40-IH-70CRI	25,846	213	121	B3-U0-G2
SLM-LED-30L-SIL-2-40-IL-70CRI	18,229	213	86	B1-U0-G2
SLM-LED-30L-SIL-2-50-70CRI	30,791	213	145	B4-U0-G3
SLM-LED-30L-SIL-2-50-IH-70CRI	25,748	213	121	B3-U0-G2
SLM-LED-30L-SIL-2-50-IL-70CRI	18,160	213	85	B1-U0-G2
SLM-LED-30L-SIL-3-30-70CRI	30,268	213	142	B3-U0-G3
SLM-LED-30L-SIL-3-30-IH-70CRI	29,082	213	137	B3-U0-G4
SLM-LED-30L-SIL-3-30-IL-70CRI	18,536	213	87	B1-U0-G3
SLM-LED-30L-SIL-3-40-70CRI	31,751	213	149	B3-U0-G4
SLM-LED-30L-SIL-3-40-IH-70CRI	30,507	213	143	B3-U0-G4
SLM-LED-30L-SIL-3-40-IL-70CRI	19,444	213	91	B1-U0-G3
SLM-LED-30L-SIL-3-50-70CRI	31,631	213	149	B3-U0-G4
SLM-LED-30L-SIL-3-50-IH-70CRI	30,392	213	143	B3-U0-G4
SLM-LED-30L-SIL-3-50-IL-70CRI	19,371	213	91	B1-U0-G3
SLM-LED-30L-SIL-4-30-70CRI	30,609	213	144	B3-U0-G5
SLM-LED-30L-SIL-4-30-IH-70CRI	25,131	213	118	B2-U0-G4
SLM-LED-30L-SIL-4-30-IL-70CRI	18,718	213	88	B1-U0-G3
SLM-LED-30L-SIL-4-40-70CRI	32,079	213	151	B3-U0-G5
SLM-LED-30L-SIL-4-40-IH-70CRI	26,338	213	124	B2-U0-G4
SLM-LED-30L-SIL-4-40-IL-70CRI	19,616	213	92	B1-U0-G3
SLM-LED-30L-SIL-4-50-70CRI	32,066	213	151	B3-U0-G5
SLM-LED-30L-SIL-4-50-IH-70CRI	26,328	213	124	B2-U0-G4
SLM-LED-30L-SIL-4-50-IL-70CRI	19,609	213	92	B1-U0-G3
SLM-LED-30L-SIL-5W-30-70CRI	30,002	213	141	B5-U0-G3
SLM-LED-30L-SIL-5W-40-70CRI	31,472	213	148	B5-U0-G3
SLM-LED-30L-SIL-5W-50-70CRI	31,353	213	147	B5-U0-G3
SLM-LED-30L-SIL-AM-30-70CRI	30,364	213	143	B3-U0-G3
SLM-LED-30L-SIL-AM-30-IH-70CRI	27,274	213	128	B3-U0-G2
SLM-LED-30L-SIL-AM-30-IL-70CRI	18,657	213	88	B1-U0-G2
SLM-LED-30L-SIL-AM-40-70CRI	31,821	213	149	B4-U0-G3
SLM-LED-30L-SIL-AM-40-IH-70CRI	28,611	213	134	B3-U0-G2
SLM-LED-30L-SIL-AM-40-IL-70CRI	19,571	213	92	B1-U0-G2
SLM-LED-30L-SIL-AM-50-70CRI	31,809	213	149	B4-U0-G3
SLM-LED-30L-SIL-AM-50-IH-70CRI	28,503	213	134	B3-U0-G2
SLM-LED-30L-SIL-AM-50-IL-70CRI	19,497	213	92	B1-U0-G2
SLM-LED-30L-SIL-FT-30-70CRI	30,345	213	142	B4-U0-G4



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-30L-SIL-FT-30-IH-70CRI	29,321	213	138	B3-U0-G4
SLM-LED-30L-SIL-FT-30-IL-70CRI	19,552	213	92	B1-U0-G3
SLM-LED-30L-SIL-FT-40-70CRI	31,832	213	149	B4-U0-G4
SLM-LED-30L-SIL-FT-40-IH-70CRI	30,758	213	144	B3-U0-G4
SLM-LED-30L-SIL-FT-40-IL-70CRI	20,510	213	96	B1-U0-G3
SLM-LED-30L-SIL-FT-50-70CRI	31,712	213	149	B4-U0-G4
SLM-LED-30L-SIL-FT-50-IH-70CRI	30,642	213	144	B3-U0-G4
SLM-LED-30L-SIL-FT-50-IL-70CRI	20,433	213	96	B1-U0-G3
SLM-LED-30L-SIL-FTA-30-70CRI	29,109	213	137	B4-U0-G3
SLM-LED-30L-SIL-FTA-30-IH-70CRI	28,898	213	136	B4-U0-G3
SLM-LED-30L-SIL-FTA-30-IL-70CRI	15,655	213	73	B2-U0-G2
SLM-LED-30L-SIL-FTA-40-70CRI	30,535	213	143	B4-U0-G3
SLM-LED-30L-SIL-FTA-40-IH-70CRI	30,314	213	142	B4-U0-G3
SLM-LED-30L-SIL-FTA-40-IL-70CRI	16,422	213	77	B2-U0-G2
SLM-LED-30L-SIL-FTA-50-70CRI	30,420	213	143	B4-U0-G3
SLM-LED-30L-SIL-FTA-50-IH-70CRI	30,200	213	142	B4-U0-G3
SLM-LED-30L-SIL-FTA-50-IL-70CRI	16,360	213	77	B2-U0-G2
SLM-LED-30L-SIL-LC-30-70CRI	30,430	213	143	B3-U0-G5
SLM-LED-30L-SIL-LC-40-70CRI	31,891	213	150	B3-U0-G5
SLM-LED-30L-SIL-LC-50-70CRI	31,891	213	150	B3-U0-G5
SLM-LED-30L-SIL-RC-30-70CRI	30,430	213	143	B3-U0-G5
SLM-LED-30L-SIL-RC-40-70CRI	31,890	213	150	B3-U0-G5
SLM-LED-30L-SIL-RC-50-70CRI	31,890	213	150	B3-U0-G5
SLM-LED-36L-SIL-2-30-70CRI	34,123	255	134	B4-U0-G3
SLM-LED-36L-SIL-2-30-IH-70CRI	27,717	255	109	B3-U0-G2
SLM-LED-36L-SIL-2-30-IL-70CRI	20,202	255	79	B2-U0-G2
SLM-LED-36L-SIL-2-40-70CRI	35,795	255	140	B4-U0-G3
SLM-LED-36L-SIL-2-40-IH-70CRI	29,075	255	114	B3-U0-G2
SLM-LED-36L-SIL-2-40-IL-70CRI	21,192	255	83	B2-U0-G2
SLM-LED-36L-SIL-2-50-70CRI	35,660	255	140	B4-U0-G3
SLM-LED-36L-SIL-2-50-IH-70CRI	28,965	255	114	B3-U0-G2
SLM-LED-36L-SIL-2-50-IL-70CRI	21,112	255	83	B2-U0-G2
SLM-LED-36L-SIL-3-30-70CRI	35,053	255	137	B4-U0-G4
SLM-LED-36L-SIL-3-30-IH-70CRI	29,875	255	117	B3-U0-G4
SLM-LED-36L-SIL-3-30-IL-70CRI	21,466	255	84	B1-U0-G3
SLM-LED-36L-SIL-3-40-70CRI	36,771	255	144	B4-U0-G4
SLM-LED-36L-SIL-3-40-IH-70CRI	31,339	255	123	B3-U0-G4
SLM-LED-36L-SIL-3-40-IL-70CRI	22,518	255	88	B1-U0-G4
SLM-LED-36L-SIL-3-50-70CRI	36,632	255	144	B4-U0-G4
SLM-LED-36L-SIL-3-50-IH-70CRI	31,220	255	122	B3-U0-G4
SLM-LED-36L-SIL-3-50-IL-70CRI	22,433	255	88	B1-U0-G4
SLM-LED-36L-SIL-4-30-70CRI	35,414	255	139	B3-U0-G5
SLM-LED-36L-SIL-4-30-IH-70CRI	29,076	255	114	B3-U0-G4
SLM-LED-36L-SIL-4-30-IL-70CRI	21,654	255	85	B1-U0-G4
SLM-LED-36L-SIL-4-40-70CRI	37,114	255	146	B3-U0-G5
SLM-LED-36L-SIL-4-40-IH-70CRI	30,472	255	119	B3-U0-G4
SLM-LED-36L-SIL-4-40-IL-70CRI	22,694	255	89	B1-U0-G4
SLM-LED-36L-SIL-4-50-70CRI	37,099	255	145	B3-U0-G5
SLM-LED-36L-SIL-4-50-IH-70CRI	30,460	255	119	B3-U0-G4
SLM-LED-36L-SIL-4-50-IL-70CRI	22,685	255	89	B1-U0-G4
SLM-LED-36L-SIL-5W-30-70CRI	34,745	255	136	B5-U0-G4
SLM-LED-36L-SIL-5W-40-70CRI	36,448	255	143	B5-U0-G4
SLM-LED-36L-SIL-5W-50-70CRI	36,311	255	142	B5-U0-G4



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-36L-SIL-AM-30-70CRI	35,164	255	138	B4-U0-G3
SLM-LED-36L-SIL-AM-30-IH-70CRI	28,421	255	111	B3-U0-G2
SLM-LED-36L-SIL-AM-30-IL-70CRI	21,607	255	85	B1-U0-G2
SLM-LED-36L-SIL-AM-40-70CRI	36,853	255	145	B4-U0-G3
SLM-LED-36L-SIL-AM-40-IH-70CRI	29,814	255	117	B3-U0-G3
SLM-LED-36L-SIL-AM-40-IL-70CRI	22,666	255	89	B1-U0-G2
SLM-LED-36L-SIL-AM-50-70CRI	36,838	255	144	B4-U0-G3
SLM-LED-36L-SIL-AM-50-IH-70CRI	29,701	255	116	B3-U0-G3
SLM-LED-36L-SIL-AM-50-IL-70CRI	22,580	255	89	B1-U0-G2
SLM-LED-36L-SIL-FT-30-70CRI	35,142	255	138	B4-U0-G4
SLM-LED-36L-SIL-FT-30-IH-70CRI	29,656	255	116	B3-U0-G4
SLM-LED-36L-SIL-FT-30-IL-70CRI	22,643	255	89	B1-U0-G3
SLM-LED-36L-SIL-FT-40-70CRI	36,864	255	145	B4-U0-G4
SLM-LED-36L-SIL-FT-40-IH-70CRI	31,109	255	122	B3-U0-G4
SLM-LED-36L-SIL-FT-40-IL-70CRI	23,753	255	93	B1-U0-G4
SLM-LED-36L-SIL-FT-50-70CRI	36,725	255	144	B4-U0-G4
SLM-LED-36L-SIL-FT-50-IH-70CRI	30,991	255	122	B3-U0-G4
SLM-LED-36L-SIL-FT-50-IL-70CRI	23,663	255	93	B1-U0-G4
SLM-LED-36L-SIL-FTA-30-70CRI	33,711	255	132	B4-U0-G4
SLM-LED-36L-SIL-FTA-30-IH-70CRI	27,721	255	109	B3-U0-G3
SLM-LED-36L-SIL-FTA-30-IL-70CRI	18,130	255	71	B2-U0-G2
SLM-LED-36L-SIL-FTA-40-70CRI	35,363	255	139	B4-U0-G4
SLM-LED-36L-SIL-FTA-40-IH-70CRI	29,079	255	114	B4-U0-G3
SLM-LED-36L-SIL-FTA-40-IL-70CRI	19,019	255	75	B2-U0-G2
SLM-LED-36L-SIL-FTA-50-70CRI	35,230	255	138	B4-U0-G4
SLM-LED-36L-SIL-FTA-50-IH-70CRI	28,969	255	114	B4-U0-G3
SLM-LED-36L-SIL-FTA-50-IL-70CRI	18,947	255	74	B2-U0-G2
SLM-LED-36L-SIL-LC-30-70CRI	35,207	255	138	B3-U0-G5
SLM-LED-36L-SIL-LC-40-70CRI	36,897	255	145	B3-U0-G5
SLM-LED-36L-SIL-LC-50-70CRI	36,897	255	145	B3-U0-G5
SLM-LED-36L-SIL-RC-30-70CRI	35,206	255	138	B3-U0-G5
SLM-LED-36L-SIL-RC-40-70CRI	36,896	255	145	B3-U0-G5
SLM-LED-36L-SIL-RC-50-70CRI	36,896	255	145	B3-U0-G5
SLM-LED-42L-SIL-2-30-70CRI	39,966	314	127	B5-U0-G3
SLM-LED-42L-SIL-2-30-IH-70CRI	32,464	314	103	B3-U0-G2
SLM-LED-42L-SIL-2-30-IL-70CRI	23,662	314	75	B2-U0-G2
SLM-LED-42L-SIL-2-40-70CRI	41,925	314	134	B5-U0-G3
SLM-LED-42L-SIL-2-40-IH-70CRI	34,055	314	108	B4-U0-G2
SLM-LED-42L-SIL-2-40-IL-70CRI	24,821	314	79	B2-U0-G2
SLM-LED-42L-SIL-2-50-70CRI	41,767	314	133	B5-U0-G3
SLM-LED-42L-SIL-2-50-IH-70CRI	33,926	314	108	B4-U0-G2
SLM-LED-42L-SIL-2-50-IL-70CRI	24,728	314	79	B2-U0-G2
SLM-LED-42L-SIL-3-30-70CRI	41,056	314	131	B4-U0-G4
SLM-LED-42L-SIL-3-30-IH-70CRI	34,991	314	111	B3-U0-G4
SLM-LED-42L-SIL-3-30-IL-70CRI	25,142	314	80	B1-U0-G4
SLM-LED-42L-SIL-3-40-70CRI	43,068	314	137	B4-U0-G4
SLM-LED-42L-SIL-3-40-IH-70CRI	36,706	314	117	B3-U0-G4
SLM-LED-42L-SIL-3-40-IL-70CRI	26,374	314	84	B1-U0-G4
SLM-LED-42L-SIL-3-50-70CRI	42,905	314	137	B4-U0-G4
SLM-LED-42L-SIL-3-50-IH-70CRI	36,567	314	116	B3-U0-G4
SLM-LED-42L-SIL-3-50-IL-70CRI	26,275	314	84	B1-U0-G4
SLM-LED-42L-SIL-4-30-70CRI	41,518	314	132	B3-U0-G5
SLM-LED-42L-SIL-4-30-IH-70CRI	34,087	314	109	B3-U0-G4
SLM-LED-42L-SIL-4-30-IL-70CRI	25,387	314	81	B1-U0-G4



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

Catalog Number	Delivered Lumens	Watts	LER	BUG
SLM-LED-42L-SIL-4-40-70CRI	43,511	314	139	B4-U0-G5
SLM-LED-42L-SIL-4-40-IH-70CRI	35,724	314	114	B3-U0-G5
SLM-LED-42L-SIL-4-40-IL-70CRI	26,606	314	85	B1-U0-G4
SLM-LED-42L-SIL-4-50-70CRI	43,494	314	139	B4-U0-G5
SLM-LED-42L-SIL-4-50-IH-70CRI	35,710	314	114	B3-U0-G5
SLM-LED-42L-SIL-4-50-IL-70CRI	26,596	314	85	B1-U0-G4
SLM-LED-42L-SIL-5W-30-70CRI	40,696	314	130	B5-U0-G4
SLM-LED-42L-SIL-5W-40-70CRI	42,690	314	136	B5-U0-G4
SLM-LED-42L-SIL-5W-50-70CRI	42,529	314	135	B5-U0-G4
SLM-LED-42L-SIL-AM-30-70CRI	41,186	314	131	B4-U0-G3
SLM-LED-42L-SIL-AM-30-IH-70CRI	33,288	314	106	B3-U0-G3
SLM-LED-42L-SIL-AM-30-IL-70CRI	25,308	314	81	B1-U0-G2
SLM-LED-42L-SIL-AM-40-70CRI	43,164	314	137	B4-U0-G3
SLM-LED-42L-SIL-AM-40-IH-70CRI	34,920	314	111	B3-U0-G3
SLM-LED-42L-SIL-AM-40-IL-70CRI	26,548	314	85	B1-U0-G2
SLM-LED-42L-SIL-AM-50-70CRI	43,147	314	137	B4-U0-G3
SLM-LED-42L-SIL-AM-50-IH-70CRI	34,788	314	111	B3-U0-G3
SLM-LED-42L-SIL-AM-50-IL-70CRI	26,448	314	84	B1-U0-G2
SLM-LED-42L-SIL-FT-30-70CRI	41,161	314	131	B4-U0-G4
SLM-LED-42L-SIL-FT-30-IH-70CRI	34,735	314	111	B3-U0-G4
SLM-LED-42L-SIL-FT-30-IL-70CRI	26,521	314	84	B1-U0-G4
SLM-LED-42L-SIL-FT-40-70CRI	43,178	314	138	B4-U0-G4
SLM-LED-42L-SIL-FT-40-IH-70CRI	36,437	314	116	B3-U0-G4
SLM-LED-42L-SIL-FT-40-IL-70CRI	27,821	314	89	B1-U0-G4
SLM-LED-42L-SIL-FT-50-70CRI	43,015	314	137	B4-U0-G4
SLM-LED-42L-SIL-FT-50-IH-70CRI	36,299	314	116	B3-U0-G4
SLM-LED-42L-SIL-FT-50-IL-70CRI	27,716	314	88	B1-U0-G4
SLM-LED-42L-SIL-FTA-30-70CRI	39,484	314	126	B4-U0-G4
SLM-LED-42L-SIL-FTA-30-IH-70CRI	32,468	314	103	B4-U0-G3
SLM-LED-42L-SIL-FTA-30-IL-70CRI	21,235	314	68	B3-U0-G2
SLM-LED-42L-SIL-FTA-40-70CRI	41,419	314	132	B5-U0-G4
SLM-LED-42L-SIL-FTA-40-IH-70CRI	34,059	314	108	B4-U0-G3
SLM-LED-42L-SIL-FTA-40-IL-70CRI	22,276	314	71	B3-U0-G2
SLM-LED-42L-SIL-FTA-50-70CRI	41,263	314	131	B5-U0-G4
SLM-LED-42L-SIL-FTA-50-IH-70CRI	33,931	314	108	B4-U0-G3
SLM-LED-42L-SIL-FTA-50-IL-70CRI	22,192	314	71	B3-U0-G2
SLM-LED-42L-SIL-LC-30-70CRI	41,275	315	131	B3-U0-G5
SLM-LED-42L-SIL-LC-40-70CRI	43,256	315	137	B3-U0-G5
SLM-LED-42L-SIL-LC-50-70CRI	43,256	315	137	B3-U0-G5
SLM-LED-42L-SIL-RC-30-70CRI	41,274	315	131	B3-U0-G5
SLM-LED-42L-SIL-RC-40-70CRI	43,255	315	137	B3-U0-G5
SLM-LED-42L-SIL-RC-50-70CRI	43,255	315	137	B3-U0-G5
SLM-LED-48L-SIL-2-30-70CRI	44,390	367	121	B5-U0-G4
SLM-LED-48L-SIL-2-30-IH-70CRI	36,057	367	98	B4-U0-G3
SLM-LED-48L-SIL-2-30-IL-70CRI	26,280	367	72	B2-U0-G2
SLM-LED-48L-SIL-2-40-70CRI	46,565	367	127	B5-U0-G4
SLM-LED-48L-SIL-2-40-IH-70CRI	37,824	367	103	B4-U0-G3
SLM-LED-48L-SIL-2-40-IL-70CRI	27,568	367	75	B2-U0-G2
SLM-LED-48L-SIL-2-50-70CRI	46,389	367	126	B5-U0-G4
SLM-LED-48L-SIL-2-50-IH-70CRI	37,681	367	103	B4-U0-G3
SLM-LED-48L-SIL-2-50-IL-70CRI	27,464	367	75	B2-U0-G2
SLM-LED-48L-SIL-3-30-70CRI	45,325	367	124	B4-U0-G4
SLM-LED-48L-SIL-3-30-IH-70CRI	38,630	367	105	B3-U0-G4
SLM-LED-48L-SIL-3-30-IL-70CRI	27,757	367	76	B1-U0-G4
SLM-LED-48L-SIL-3-40-70CRI	47,547	367	130	B4-U0-G4
SLM-LED-48L-SIL-3-40-IH-70CRI	40,523	367	110	B3-U0-G5
SLM-LED-48L-SIL-3-40-IL-70CRI	29,117	367	79	B1-U0-G4
SLM-LED-48L-SIL-3-50-70CRI	47,367	367	129	B4-U0-G4
SLM-LED-48L-SIL-3-50-IH-70CRI	40,370	367	110	B3-U0-G5
SLM-LED-48L-SIL-3-50-IL-70CRI	29,007	367	79	B1-U0-G4



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-48L-SIL-4-30-70CRI	45,996	367	125	B4-U0-G5
SLM-LED-48L-SIL-4-30-IH-70CRI	37,764	367	103	B3-U0-G5
SLM-LED-48L-SIL-4-30-IL-70CRI	28,126	367	77	B1-U0-G4
SLM-LED-48L-SIL-4-40-70CRI	48,204	367	131	B4-U0-G5
SLM-LED-48L-SIL-4-40-IH-70CRI	39,577	367	108	B3-U0-G5
SLM-LED-48L-SIL-4-40-IL-70CRI	29,476	367	80	B1-U0-G4
SLM-LED-48L-SIL-4-50-70CRI	48,186	367	131	B4-U0-G5
SLM-LED-48L-SIL-4-50-IH-70CRI	39,562	367	108	B3-U0-G5
SLM-LED-48L-SIL-4-50-IL-70CRI	29,465	367	80	B1-U0-G4
SLM-LED-48L-SIL-5W-30-70CRI	45,002	367	123	B5-U0-G4
SLM-LED-48L-SIL-5W-40-70CRI	47,435	367	129	B5-U0-G4
SLM-LED-48L-SIL-5W-50-70CRI	47,302	367	129	B5-U0-G4
SLM-LED-48L-SIL-AM-30-70CRI	46,355	367	126	B4-U0-G3
SLM-LED-48L-SIL-AM-30-IH-70CRI	37,467	436	86	B3-U0-G3
SLM-LED-48L-SIL-AM-30-IL-70CRI	28,485	367	78	B1-U0-G2
SLM-LED-48L-SIL-AM-40-70CRI	48,581	367	132	B4-U0-G3
SLM-LED-48L-SIL-AM-40-IH-70CRI	39,304	436	90	B3-U0-G3
SLM-LED-48L-SIL-AM-40-IL-70CRI	29,881	367	81	B1-U0-G3
SLM-LED-48L-SIL-AM-50-70CRI	48,562	367	132	B4-U0-G3
SLM-LED-48L-SIL-AM-50-IH-70CRI	39,155	436	90	B3-U0-G3
SLM-LED-48L-SIL-AM-50-IL-70CRI	29,768	367	81	B1-U0-G3
SLM-LED-48L-SIL-FT-30-70CRI	44,799	367	122	B4-U0-G5
SLM-LED-48L-SIL-FT-30-IH-70CRI	37,804	367	103	B3-U0-G4
SLM-LED-48L-SIL-FT-30-IL-70CRI	28,865	436	66	B1-U0-G4
SLM-LED-48L-SIL-FT-40-70CRI	46,994	367	128	B4-U0-G5
SLM-LED-48L-SIL-FT-40-IH-70CRI	39,657	367	108	B3-U0-G4
SLM-LED-48L-SIL-FT-40-IL-70CRI	30,279	436	69	B1-U0-G4
SLM-LED-48L-SIL-FT-50-70CRI	46,817	367	128	B4-U0-G5
SLM-LED-48L-SIL-FT-50-IH-70CRI	39,507	367	108	B3-U0-G4
SLM-LED-48L-SIL-FT-50-IL-70CRI	30,165	436	69	B1-U0-G4
SLM-LED-48L-SIL-FTA-30-70CRI	44,590	367	121	B5-U0-G4
SLM-LED-48L-SIL-FTA-30-IH-70CRI	36,666	367	100	B4-U0-G3
SLM-LED-48L-SIL-FTA-30-IL-70CRI	24,907	367	68	B3-U0-G3
SLM-LED-48L-SIL-FTA-40-70CRI	46,775	367	127	B5-U0-G4
SLM-LED-48L-SIL-FTA-40-IH-70CRI	38,463	367	105	B4-U0-G3
SLM-LED-48L-SIL-FTA-40-IL-70CRI	26,127	367	71	B3-U0-G3
SLM-LED-48L-SIL-FTA-50-70CRI	46,599	367	127	B5-U0-G4
SLM-LED-48L-SIL-FTA-50-IH-70CRI	38,318	367	104	B4-U0-G3
SLM-LED-48L-SIL-FTA-50-IL-70CRI	26,028	367	71	B3-U0-G3
SLM-LED-48L-SIL-LC-30-70CRI	45,726	367	125	B4-U0-G5
SLM-LED-48L-SIL-LC-40-70CRI	47,921	367	131	B4-U0-G5
SLM-LED-48L-SIL-LC-50-70CRI	47,921	367	131	B4-U0-G5
SLM-LED-48L-SIL-RC-30-70CRI	45,725	367	125	B3-U0-G5
SLM-LED-48L-SIL-RC-40-70CRI	47,921	367	131	B4-U0-G5
SLM-LED-48L-SIL-RC-50-70CRI	47,921	367	131	B4-U0-G5
SLM-LED-55L-SIL-2-30-70CRI	49,583	436	114	B5-U0-G4
SLM-LED-55L-SIL-2-30-IH-70CRI	40,274	436	92	B4-U0-G3
SLM-LED-55L-SIL-2-30-IL-70CRI	29,355	436	67	B2-U0-G2
SLM-LED-55L-SIL-2-40-70CRI	52,012	436	119	B5-U0-G4
SLM-LED-55L-SIL-2-40-IH-70CRI	42,248	436	97	B4-U0-G3
SLM-LED-55L-SIL-2-40-IL-70CRI	30,793	436	71	B2-U0-G3
SLM-LED-55L-SIL-2-50-70CRI	51,816	436	119	B5-U0-G4
SLM-LED-55L-SIL-2-50-IH-70CRI	42,088	436	97	B4-U0-G3
SLM-LED-55L-SIL-2-50-IL-70CRI	30,677	436	70	B2-U0-G3
SLM-LED-55L-SIL-3-30-70CRI	50,934	436	117	B4-U0-G5
SLM-LED-55L-SIL-3-30-IH-70CRI	43,410	436	100	B3-U0-G5
SLM-LED-55L-SIL-3-30-IL-70CRI	31,192	436	72	B1-U0-G4
SLM-LED-55L-SIL-3-40-70CRI	53,430	436	123	B4-U0-G5
SLM-LED-55L-SIL-3-40-IH-70CRI	45,537	436	104	B3-U0-G5
SLM-LED-55L-SIL-3-40-IL-70CRI	32,720	436	75	B1-U0-G4



Slice Medium Outdoor LED Light

SLM PERFORMANCE TABLE

<u>Catalog Number</u>	<u>Delivered Lumens</u>	<u>Watts</u>	<u>LER</u>	<u>BUG</u>
SLM-LED-55L-SIL-3-50-70CRI	53,229	436	122	B4-U0-G5
SLM-LED-55L-SIL-3-50-IH-70CRI	45,365	436	104	B3-U0-G5
SLM-LED-55L-SIL-3-50-IL-70CRI	32,597	436	75	B1-U0-G4
SLM-LED-55L-SIL-4-30-70CRI	50,544	436	116	B4-U0-G5
SLM-LED-55L-SIL-4-30-IH-70CRI	41,498	436	95	B3-U0-G5
SLM-LED-55L-SIL-4-30-IL-70CRI	30,907	436	71	B1-U0-G4
SLM-LED-55L-SIL-4-40-70CRI	52,970	436	121	B4-U0-G5
SLM-LED-55L-SIL-4-40-IH-70CRI	43,490	436	100	B3-U0-G5
SLM-LED-55L-SIL-4-40-IL-70CRI	32,390	436	74	B1-U0-G4
SLM-LED-55L-SIL-4-50-70CRI	52,950	436	121	B4-U0-G5
SLM-LED-55L-SIL-4-50-IH-70CRI	43,473	436	100	B3-U0-G5
SLM-LED-55L-SIL-4-50-IL-70CRI	32,378	436	74	B1-U0-G4
SLM-LED-55L-SIL-5W-30-70CRI	50,487	436	116	B5-U0-G4
SLM-LED-55L-SIL-5W-40-70CRI	52,961	436	121	B5-U0-G4
SLM-LED-55L-SIL-5W-50-70CRI	52,761	436	121	B5-U0-G4
SLM-LED-55L-SIL-AM-30-70CRI	50,923	434	117	B4-U0-G4
SLM-LED-55L-SIL-AM-30-IH-70CRI	41,298	436	95	B3-U0-G3
SLM-LED-55L-SIL-AM-30-IL-70CRI	31,397	436	72	B1-U0-G3
SLM-LED-55L-SIL-AM-40-70CRI	53,368	434	123	B4-U0-G4
SLM-LED-55L-SIL-AM-40-IH-70CRI	43,322	436	99	B3-U0-G3
SLM-LED-55L-SIL-AM-40-IL-70CRI	32,935	436	76	B1-U0-G3
SLM-LED-55L-SIL-AM-50-70CRI	53,347	434	123	B4-U0-G4
SLM-LED-55L-SIL-AM-50-IH-70CRI	43,158	436	99	B3-U0-G3
SLM-LED-55L-SIL-AM-50-IL-70CRI	32,811	436	75	B1-U0-G3
SLM-LED-55L-SIL-FT-30-70CRI	51,064	436	117	B4-U0-G5
SLM-LED-55L-SIL-FT-30-IH-70CRI	43,091	436	99	B3-U0-G5
SLM-LED-55L-SIL-FT-30-IL-70CRI	32,902	436	75	B1-U0-G4
SLM-LED-55L-SIL-FT-40-70CRI	53,566	436	123	B4-U0-G5
SLM-LED-55L-SIL-FT-40-IH-70CRI	45,203	436	104	B3-U0-G5
SLM-LED-55L-SIL-FT-40-IL-70CRI	34,514	436	79	B1-U0-G4
SLM-LED-55L-SIL-FT-50-70CRI	53,364	436	122	B4-U0-G5
SLM-LED-55L-SIL-FT-50-IH-70CRI	45,032	436	103	B3-U0-G5
SLM-LED-55L-SIL-FT-50-IL-70CRI	34,384	436	79	B1-U0-G4
SLM-LED-55L-SIL-FTA-30-70CRI	48,984	436	112	B5-U0-G4
SLM-LED-55L-SIL-FTA-30-IH-70CRI	40,279	436	92	B4-U0-G3
SLM-LED-55L-SIL-FTA-30-IL-70CRI	26,344	436	60	B3-U0-G3
SLM-LED-55L-SIL-FTA-40-70CRI	51,384	436	118	B5-U0-G4
SLM-LED-55L-SIL-FTA-40-IH-70CRI	42,253	436	97	B4-U0-G3
SLM-LED-55L-SIL-FTA-40-IL-70CRI	27,635	436	63	B3-U0-G3
SLM-LED-55L-SIL-FTA-50-70CRI	51,191	436	117	B5-U0-G4
SLM-LED-55L-SIL-FTA-50-IH-70CRI	42,094	436	97	B4-U0-G3
SLM-LED-55L-SIL-FTA-50-IL-70CRI	27,530	436	63	B3-U0-G3
SLM-LED-55L-SIL-LC-30-70CRI	50,247	435	116	B4-U0-G5
SLM-LED-55L-SIL-LC-40-70CRI	52,659	435	121	B4-U0-G5
SLM-LED-55L-SIL-LC-50-70CRI	52,659	435	121	B4-U0-G5
SLM-LED-55L-SIL-RC-30-70CRI	50,246	435	116	B4-U0-G5
SLM-LED-55L-SIL-RC-40-70CRI	52,659	435	121	B4-U0-G5
SLM-LED-55L-SIL-RC-50-70CRI	52,659	435	121	B4-U0-G5