



ZNX - Zone Slice – Sport/Court Light

ZNX PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|-------------------|------------|
| ZNX-30L-4-30 | 30,609 | 213 | 144 | B3-U0-G5 |
| ZNX-30L-4-30-IH | 25,131 | 213 | 118 | B2-U0-G4 |
| ZNX-30L-4-30-IL | 18,718 | 213 | 88 | B1-U0-G3 |
| ZNX-30L-4-40 | 32,079 | 213 | 151 | B3-U0-G5 |
| ZNX-30L-4-40-IH | 26,338 | 213 | 124 | B2-U0-G4 |
| ZNX-30L-4-40-IL | 19,616 | 213 | 92 | B1-U0-G3 |
| ZNX-30L-4-50 | 32,066 | 213 | 151 | B3-U0-G5 |
| ZNX-30L-4-50-IH | 26,328 | 213 | 124 | B2-U0-G4 |
| ZNX-30L-4-50-IL | 19,609 | 213 | 92 | B1-U0-G3 |
| ZNX-30L-CT-30 | 30,364 | 213 | 143 | B3-U0-G3 |
| ZNX-30L-CT-30-IH | 27,274 | 213 | 128 | B3-U0-G2 |
| ZNX-30L-CT-30-IL | 18,657 | 213 | 88 | B1-U0-G2 |
| ZNX-30L-CT-40 | 31,821 | 213 | 149 | B4-U0-G3 |
| ZNX-30L-CT-40-IH | 28,611 | 213 | 134 | B3-U0-G2 |
| ZNX-30L-CT-40-IL | 19,571 | 213 | 92 | B1-U0-G2 |
| ZNX-30L-CT-50 | 31,809 | 213 | 149 | B4-U0-G3 |
| ZNX-30L-CT-50-IH | 28,503 | 213 | 134 | B3-U0-G2 |
| ZNX-30L-CT-50-IL | 19,497 | 213 | 92 | B1-U0-G2 |
| ZNX-30L-FT-30 | 30,345 | 213 | 142 | B4-U0-G4 |
| ZNX-30L-FT-30-IH | 29,321 | 213 | 138 | B3-U0-G4 |
| ZNX-30L-FT-30-IL | 19,552 | 213 | 92 | B1-U0-G3 |
| ZNX-30L-FT-40 | 31,832 | 213 | 149 | B4-U0-G4 |
| ZNX-30L-FT-40-IH | 30,758 | 213 | 144 | B3-U0-G4 |
| ZNX-30L-FT-40-IL | 20,510 | 213 | 96 | B1-U0-G3 |
| ZNX-30L-FT-50 | 31,712 | 213 | 149 | B4-U0-G4 |
| ZNX-30L-FT-50-IH | 30,642 | 213 | 144 | B3-U0-G4 |
| ZNX-30L-FT-50-IL | 20,433 | 213 | 96 | B1-U0-G3 |
| ZNX-30L-LC-30 | 30,430 | 213 | 143 | B3-U0-G5 |
| ZNX-30L-LC-40 | 31,891 | 213 | 150 | B3-U0-G5 |
| ZNX-30L-LC-50 | 31,891 | 213 | 150 | B3-U0-G5 |
| ZNX-30L-RC-30 | 30,430 | 213 | 143 | B3-U0-G5 |
| ZNX-30L-RC-40 | 31,890 | 213 | 150 | B3-U0-G5 |
| ZNX-30L-RC-50 | 31,890 | 213 | 150 | B3-U0-G5 |
| | | | | |
| ZNX-36L-4-30 | 35,414 | 255 | 139 | B3-U0-G5 |
| ZNX-36L-4-30-IH | 29,076 | 255 | 114 | B3-U0-G4 |
| ZNX-36L-4-30-IL | 21,654 | 255 | 85 | B1-U0-G4 |
| ZNX-36L-4-40 | 37,114 | 255 | 146 | B3-U0-G5 |
| ZNX-36L-4-40-IH | 30,472 | 255 | 119 | B3-U0-G4 |
| ZNX-36L-4-40-IL | 22,694 | 255 | 89 | B1-U0-G4 |
| ZNX-36L-4-50 | 37,099 | 255 | 145 | B3-U0-G5 |
| ZNX-36L-4-50-IH | 30,460 | 255 | 119 | B3-U0-G4 |
| ZNX-36L-4-50-IL | 22,685 | 255 | 89 | B1-U0-G4 |
| ZNX-36L-CT-30 | 35,164 | 255 | 138 | B4-U0-G3 |
| ZNX-36L-CT-30-IH | 28,421 | 255 | 111 | B3-U0-G2 |
| ZNX-36L-CT-30-IL | 21,607 | 255 | 85 | B1-U0-G2 |
| ZNX-36L-CT-40 | 36,853 | 255 | 145 | B4-U0-G3 |
| ZNX-36L-CT-40-IH | 29,814 | 255 | 117 | B3-U0-G3 |
| ZNX-36L-CT-40-IL | 22,666 | 255 | 89 | B1-U0-G2 |
| ZNX-36L-CT-50 | 36,838 | 255 | 144 | B4-U0-G3 |
| ZNX-36L-CT-50-IH | 29,701 | 255 | 116 | B3-U0-G3 |



ZNX - Zone Slice – Sport/Court Light

ZNX PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|-------------------|------------|
| ZNX-36L-CT-50-IL | 22,580 | 255 | 89 | B1-U0-G2 |
| ZNX-36L-FT-30 | 35,142 | 255 | 138 | B4-U0-G4 |
| ZNX-36L-FT-30-IH | 29,656 | 255 | 116 | B3-U0-G4 |
| ZNX-36L-FT-30-IL | 22,643 | 255 | 89 | B1-U0-G3 |
| ZNX-36L-FT-40 | 36,864 | 255 | 145 | B4-U0-G4 |
| ZNX-36L-FT-40-IH | 31,109 | 255 | 122 | B3-U0-G4 |
| ZNX-36L-FT-40-IL | 23,753 | 255 | 93 | B1-U0-G4 |
| ZNX-36L-FT-50 | 36,725 | 255 | 144 | B4-U0-G4 |
| ZNX-36L-FT-50-IH | 30,991 | 255 | 122 | B3-U0-G4 |
| ZNX-36L-FT-50-IL | 23,663 | 255 | 93 | B1-U0-G4 |
| ZNX-36L-LC-30 | 35,207 | 255 | 138 | B3-U0-G5 |
| ZNX-36L-LC-40 | 36,897 | 255 | 145 | B3-U0-G5 |
| ZNX-36L-LC-50 | 36,897 | 255 | 145 | B3-U0-G5 |
| ZNX-36L-RC-30 | 35,206 | 255 | 138 | B3-U0-G5 |
| ZNX-36L-RC-40 | 36,896 | 255 | 145 | B3-U0-G5 |
| ZNX-36L-RC-50 | 36,896 | 255 | 145 | B3-U0-G5 |
| | | | | |
| ZNX-42L-4-30 | 41,518 | 314 | 132 | B3-U0-G5 |
| ZNX-42L-4-30-IH | 34,087 | 314 | 109 | B3-U0-G4 |
| ZNX-42L-4-30-IL | 25,387 | 314 | 81 | B1-U0-G4 |
| ZNX-42L-4-40 | 43,511 | 314 | 139 | B4-U0-G5 |
| ZNX-42L-4-40-IH | 35,724 | 314 | 114 | B3-U0-G5 |
| ZNX-42L-4-40-IL | 26,606 | 314 | 85 | B1-U0-G4 |
| ZNX-42L-4-50 | 43,494 | 314 | 139 | B4-U0-G5 |
| ZNX-42L-4-50-IH | 35,710 | 314 | 114 | B3-U0-G5 |
| ZNX-42L-4-50-IL | 26,596 | 314 | 85 | B1-U0-G4 |
| ZNX-42L-CT-30 | 41,186 | 314 | 131 | B4-U0-G3 |
| ZNX-42L-CT-30-IH | 33,288 | 314 | 106 | B3-U0-G3 |
| ZNX-42L-CT-30-IL | 25,308 | 314 | 81 | B1-U0-G2 |
| ZNX-42L-CT-40 | 43,164 | 314 | 137 | B4-U0-G3 |
| ZNX-42L-CT-40-IH | 34,920 | 314 | 111 | B3-U0-G3 |
| ZNX-42L-CT-40-IL | 26,548 | 314 | 85 | B1-U0-G2 |
| ZNX-42L-CT-50 | 43,147 | 314 | 137 | B4-U0-G3 |
| ZNX-42L-CT-50-IH | 34,788 | 314 | 111 | B3-U0-G3 |
| ZNX-42L-CT-50-IL | 26,448 | 314 | 84 | B1-U0-G2 |
| ZNX-42L-FT-30 | 41,161 | 314 | 131 | B4-U0-G4 |
| ZNX-42L-FT-30-IH | 34,735 | 314 | 111 | B3-U0-G4 |
| ZNX-42L-FT-30-IL | 26,521 | 314 | 84 | B1-U0-G4 |
| ZNX-42L-FT-40 | 43,178 | 314 | 138 | B4-U0-G4 |
| ZNX-42L-FT-40-IH | 36,437 | 314 | 116 | B3-U0-G4 |
| ZNX-42L-FT-40-IL | 27,821 | 314 | 89 | B1-U0-G4 |
| ZNX-42L-FT-50 | 43,015 | 314 | 137 | B4-U0-G4 |
| ZNX-42L-FT-50-IH | 36,299 | 314 | 116 | B3-U0-G4 |
| ZNX-42L-FT-50-IL | 27,716 | 314 | 88 | B1-U0-G4 |
| ZNX-42L-LC-30 | 41,275 | 315 | 131 | B3-U0-G5 |
| ZNX-42L-LC-40 | 43,256 | 315 | 137 | B3-U0-G5 |
| ZNX-42L-LC-50 | 43,256 | 315 | 137 | B3-U0-G5 |
| ZNX-42L-RC-30 | 41,274 | 315 | 131 | B3-U0-G5 |
| ZNX-42L-RC-40 | 43,255 | 315 | 137 | B3-U0-G5 |
| ZNX-42L-RC-50 | 43,255 | 315 | 137 | B3-U0-G5 |
| | | | | |



ZNX - Zone Slice – Sport/Court Light

ZNX PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|-------------------|------------|
| ZNX-48L-4-30 | 45,996 | 367 | 125 | B4-U0-G5 |
| ZNX-48L-4-30-IH | 37,764 | 367 | 103 | B3-U0-G5 |
| ZNX-48L-4-30-IL | 28,126 | 367 | 77 | B1-U0-G4 |
| ZNX-48L-4-40 | 48,204 | 367 | 131 | B4-U0-G5 |
| ZNX-48L-4-40-IH | 39,577 | 367 | 108 | B3-U0-G5 |
| ZNX-48L-4-40-IL | 29,476 | 367 | 80 | B1-U0-G4 |
| ZNX-48L-4-50 | 48,186 | 367 | 131 | B4-U0-G5 |
| ZNX-48L-4-50-IH | 39,562 | 367 | 108 | B3-U0-G5 |
| ZNX-48L-4-50-IL | 29,465 | 367 | 80 | B1-U0-G4 |
| ZNX-48L-CT-30 | 46,355 | 367 | 126 | B4-U0-G3 |
| ZNX-48L-CT-30-IH | 37,467 | 436 | 86 | B3-U0-G3 |
| ZNX-48L-CT-30-IL | 28,485 | 367 | 78 | B1-U0-G2 |
| ZNX-48L-CT-40 | 48,581 | 367 | 132 | B4-U0-G3 |
| ZNX-48L-CT-40-IH | 39,304 | 436 | 90 | B3-U0-G3 |
| ZNX-48L-CT-40-IL | 29,881 | 367 | 81 | B1-U0-G3 |
| ZNX-48L-CT-50 | 48,562 | 367 | 132 | B4-U0-G3 |
| ZNX-48L-CT-50-IH | 39,155 | 436 | 90 | B3-U0-G3 |
| ZNX-48L-CT-50-IL | 29,768 | 367 | 81 | B1-U0-G3 |
| ZNX-48L-FT-30 | 44,799 | 367 | 122 | B4-U0-G5 |
| ZNX-48L-FT-30-IH | 37,804 | 367 | 103 | B3-U0-G4 |
| ZNX-48L-FT-30-IL | 28,865 | 436 | 66 | B1-U0-G4 |
| ZNX-48L-FT-40 | 46,994 | 367 | 128 | B4-U0-G5 |
| ZNX-48L-FT-40-IH | 39,657 | 367 | 108 | B3-U0-G4 |
| ZNX-48L-FT-40-IL | 30,279 | 436 | 69 | B1-U0-G4 |
| ZNX-48L-FT-50 | 46,817 | 367 | 128 | B4-U0-G5 |
| ZNX-48L-FT-50-IH | 39,507 | 367 | 108 | B3-U0-G4 |
| ZNX-48L-FT-50-IL | 30,165 | 436 | 69 | B1-U0-G4 |
| ZNX-48L-LC-30 | 45,726 | 367 | 125 | B4-U0-G5 |
| ZNX-48L-LC-40 | 47,921 | 367 | 131 | B4-U0-G5 |
| ZNX-48L-LC-50 | 47,921 | 367 | 131 | B4-U0-G5 |
| ZNX-48L-RC-30 | 45,725 | 367 | 125 | B3-U0-G5 |
| ZNX-48L-RC-40 | 47,921 | 367 | 131 | B4-U0-G5 |
| ZNX-48L-RC-50 | 47,921 | 367 | 131 | B4-U0-G5 |
| | | | | |
| ZNX-55L-4-30 | 50,544 | 436 | 116 | B4-U0-G5 |
| ZNX-55L-4-30-IH | 41,498 | 436 | 95 | B3-U0-G5 |
| ZNX-55L-4-30-IL | 30,907 | 436 | 71 | B1-U0-G4 |
| ZNX-55L-4-40 | 52,970 | 436 | 121 | B4-U0-G5 |
| ZNX-55L-4-40-IH | 43,490 | 436 | 100 | B3-U0-G5 |
| ZNX-55L-4-40-IL | 32,390 | 436 | 74 | B1-U0-G4 |
| ZNX-55L-4-50 | 52,950 | 436 | 121 | B4-U0-G5 |
| ZNX-55L-4-50-IH | 43,473 | 436 | 100 | B3-U0-G5 |
| ZNX-55L-4-50-IL | 32,378 | 436 | 74 | B1-U0-G4 |
| ZNX-55L-CT-30 | 50,923 | 434 | 117 | B4-U0-G4 |
| ZNX-55L-CT-30-IH | 41,298 | 436 | 95 | B3-U0-G3 |
| ZNX-55L-CT-30-IL | 31,397 | 436 | 72 | B1-U0-G3 |
| ZNX-55L-CT-40 | 53,368 | 434 | 123 | B4-U0-G4 |
| ZNX-55L-CT-40-IH | 43,322 | 436 | 99 | B3-U0-G3 |
| ZNX-55L-CT-40-IL | 32,935 | 436 | 76 | B1-U0-G3 |
| ZNX-55L-CT-50 | 53,347 | 434 | 123 | B4-U0-G4 |
| ZNX-55L-CT-50-IH | 43,158 | 436 | 99 | B3-U0-G3 |



ZNX - Zone Slice – Sport/Court Light

ZNX PERFORMANCE TABLE

| <u>Catalog Number</u> | <u>Delivered Lumens</u> | <u>Watts</u> | <u>Efficiency</u> | <u>BUG</u> |
|-----------------------|-------------------------|--------------|-------------------|------------|
| ZNX-55L-CT-50-IL | 32,811 | 436 | 75 | B1-U0-G3 |
| ZNX-55L-FT-30 | 51,064 | 436 | 117 | B4-U0-G5 |
| ZNX-55L-FT-30-IH | 43,091 | 436 | 99 | B3-U0-G5 |
| ZNX-55L-FT-30-IL | 32,902 | 436 | 75 | B1-U0-G4 |
| ZNX-55L-FT-40 | 53,566 | 436 | 123 | B4-U0-G5 |
| ZNX-55L-FT-40-IH | 45,203 | 436 | 104 | B3-U0-G5 |
| ZNX-55L-FT-40-IL | 34,514 | 436 | 79 | B1-U0-G4 |
| ZNX-55L-FT-50 | 53,364 | 436 | 122 | B4-U0-G5 |
| ZNX-55L-FT-50-IH | 45,032 | 436 | 103 | B3-U0-G5 |
| ZNX-55L-FT-50-IL | 34,384 | 436 | 79 | B1-U0-G4 |
| ZNX-55L-LC-30 | 50,247 | 435 | 116 | B4-U0-G5 |
| ZNX-55L-LC-40 | 52,659 | 435 | 121 | B4-U0-G5 |
| ZNX-55L-LC-50 | 52,659 | 435 | 121 | B4-U0-G5 |
| ZNX-55L-RC-30 | 50,246 | 435 | 116 | B4-U0-G5 |
| ZNX-55L-RC-40 | 52,659 | 435 | 121 | B4-U0-G5 |
| ZNX-55L-RC-50 | 52,659 | 435 | 121 | B4-U0-G5 |